



## HEXAGON SOCKET CAP SCREWS - DIN 912



LENGTH

LENGTH

| DIAMETER  | M2       |         | M2.5     |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 316/A4   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 4         | 14583    | 100     | 37964    | 100     |
| 5         | 37966    | 100     | 4573     | 100     |
| 6         | 14584    | 100     | 14589    | 100     |
| 8         | 14585    | 100     | 14590    | 100     |
| 10        | 14586    | 100     | 14591    | 100     |
| 12        | 14587    | 100     | 14592    | 100     |
| 16        | 19144    | 100     | 37889    | 100     |
| 20        | 16945    | 100     | 37890    | 100     |
| KeyA/F mm | 1.5      |         | 2.0      |         |

| DIAMETER  | M3       |         | M3       |         | M4       |         | M4       |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 4         | 19799    | 100     |          |         |          |         |          |         |
| 6         | 4360     | 100     | 4390     | 100     | 5679     | 100     | 10339    | 100     |
| 8         | 4361     | 100     | 4391     | 100     | 16380    | 100     | 4396     | 100     |
| 10        | 14844    | 100     | 4392     | 100     | 16355    | 100     | 4397     | 100     |
| 12        | 4362     | 100     | 4393     | 100     | 16356    | 100     | 4398     | 100     |
| 16        | 16705    | 100     | 4394     | 100     | 10598    | 100     | 4399     | 100     |
| 20        | 16897    | 100     | 4395     | 100     | 15847    | 100     | 4400     | 100     |
| 25        | 7140     | 100     | 19150    | 100     | 16174    | 100     | 4401     | 100     |
| 30        | 19802    | 100     | 16664    | 100     | 16140    | 100     | 4402     | 100     |
| 35        | 19803    | 100     | 16665    | 100     | 19807    | 100     | 4403     | 100     |
| 40        | 19804    | 100     | 16666    | 100     | 19808    | 100     | 4404     | 100     |
| 45        |          |         |          |         | 19809    | 100     | 4405     | 100     |
| 50        |          |         |          |         | 10599    | 100     | 4406     | 100     |
| KeyA/F mm |          | 2.5     |          |         |          | 3.0     |          |         |



## HEXAGON SOCKET CAP SCREWS - DIN 912



LENGTH

| DIAMETER  | M5       |         | M5       |         | M6       |         | M6       |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 6         | 19810    | 100     |          |         |          |         |          |         |
| 8         | 13788    | 100     | 37598    | 100     | 30160    | 100     | 15384    | 100     |
| 10        | 15982    | 100     | 4407     | 100     | 19811    | 100     | 30265    | 100     |
| 12        | 3096     | 100     | 4408     | 100     | 3105     | 100     | 4418     | 100     |
| 16        | 3097     | 100     | 4409     | 100     | 3106     | 100     | 4419     | 100     |
| 20        | 3098     | 100     | 4410     | 100     | 3107     | 100     | 4421     | 100     |
| 25        | 3099     | 100     | 4411     | 100     | 3109     | 100     | 4424     | 100     |
| 30        | 3100     | 100     | 4412     | 100     | 3110     | 100     | 4426     | 100     |
| 35        | 3101     | 100     | 4413     | 100     | 3111     | 100     | 4428     | 100     |
| 40        | 3102     | 100     | 4414     | 100     | 3113     | 100     | 4430     | 100     |
| 45        | 3103     | 100     | 4415     | 100     | 3114     | 100     | 4433     | 100     |
| 50        | 3104     | 100     | 4416     | 100     | 3115     | 100     | 4437     | 100     |
| 60        |          |         | 4417     | 100     | 14076    | 50      | 4438     | 50      |
| 70        |          |         | 19641    | 100     | 19813    | 50      | 4439     | 50      |
| 75        |          |         |          |         | 13818    | 50      |          |         |
| 80        |          |         |          |         |          |         | 4440     | 50      |
| 90        | 30159    | 50      |          |         |          |         | 33367    | 50      |
| 100       |          |         |          |         |          |         | 16528    | 50      |
| KeyA/F mm |          | 4.0     |          |         | 5.0      |         |          |         |

LENGTH

| DIAMETER  | M8       |         | M8       |         | M10      |         | M10      |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 10        | 15504    | 100     |          |         |          |         |          |         |
| 12        | 13819    | 100     |          |         |          |         |          |         |
| 16        | 3116     | 100     | 4443     | 100     | 19817    | 100     | 4575     | 100     |
| 20        | 3118     | 100     | 4444     | 100     | 3126     | 100     | 4460     | 100     |
| 25        | 3119     | 100     | 4445     | 100     | 3128     | 100     | 4461     | 100     |
| 30        | 3121     | 100     | 4446     | 100     | 3131     | 100     | 4468     | 100     |
| 35        | 3122     | 100     | 4447     | 100     | 3133     | 100     | 4469     | 100     |
| 40        | 3123     | 100     | 4448     | 100     | 3134     | 100     | 4470     | 100     |
| 45        | 3124     | 100     | 4450     | 100     | 3136     | 100     | 4471     | 100     |
| 50        | 3125     | 100     | 4451     | 100     | 3138     | 10      | 4472     | 10      |
| 55        |          |         |          |         | 33520    | 50      |          |         |
| 60        | 19816    | 50      | 4454     | 50      | 7142     | 50      | 4473     | 50      |
| 70        | 30161    | 50      | 4457     | 50      | 31240    | 50      | 4474     | 50      |
| 80        | 30162    | 50      | 4458     | 50      | 14170    | 50      | 4475     | 50      |
| 90        |          |         | 4459     | 50      | 14283    | 50      | 4476     | 50      |
| 100       | 33532    | 50      | 15910    | 50      | 33519    | 50      | 30072    | 50      |
| 110       | 30163    | 50      |          |         |          |         |          |         |
| 120       |          |         | 33789    | 50      | 16502    | 50      |          |         |
| 140       |          |         |          |         | 30442    | 50      |          |         |
| 150       |          |         |          |         |          |         | 19827    | 25      |
| KeyA/F mm |          | 6.0     |          |         | 8.0      |         |          |         |



## HEXAGON SOCKET CAP SCREWS - DIN 912



LENGTH

LENGTH

LENGTH

| DIAMETER  | M12      |         | M12      |         | M14      |         |
|-----------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 20        | 16522    | 50      | 4477     | 50      |          |         |
| 25        | 3139     | 50      | 4478     | 50      |          |         |
| 30        | 3141     | 50      | 4479     | 50      |          |         |
| 35        | 3142     | 50      | 4480     | 50      |          |         |
| 40        | 3143     | 50      | 4481     | 50      | 33733    | 25      |
| 45        | 3144     | 50      | 4482     | 50      |          |         |
| 50        | 3145     | 50      | 4483     | 50      | 30448    | 25      |
| 60        | 7143     | 25      | 4484     | 25      |          |         |
| 70        | 7144     | 25      | 4485     | 25      |          |         |
| 80        | 30164    | 25      | 4486     | 25      |          |         |
| 90        | 14563    | 25      | 4487     | 25      |          |         |
| 100       |          |         | 4488     | 25      |          |         |
| KeyA/F mm | 10.0     |         |          |         | 12.0     |         |

| DIAMETER  | M16      |         | M16      |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 25        | 13820    | 25      | 33722    | 25      |
| 30        | 13821    | 25      | 30893    | 25      |
| 35        | 15666    | 25      |          |         |
| 40        | 13822    | 25      | 4489     | 25      |
| 45        | 13823    | 25      | 4490     | 25      |
| 50        | 13824    | 25      | 4491     | 25      |
| 60        |          |         | 4492     | 25      |
| 70        |          |         | 4493     | 25      |
| 80        |          |         | 4494     | 25      |
| 90        |          |         | 4496     | 25      |
| 100       |          |         | 4499     | 25      |
| KeyA/F mm | 14.0     |         | 14.0     |         |

| DIAMETER  | M20      |         | M24      |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 316/A4   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 40        | 4502     | 10      |          |         |
| 50        | 4505     | 10      | 31507    | 10      |
| 60        | 4508     | 10      |          |         |
| 70        | 4511     | 10      |          |         |
| 80        | 4515     | 10      | 30074    | 10      |
| 90        | 4516     | 10      |          |         |
| 100       | 4517     | 10      | 30075    | 10      |
| KeyA/F mm | 17.0     |         | 19.0     |         |



## HEXAGON SOCKET CAP SCREWS - ANSI - B18.3 (1960 SERIES)



LENGTH

| DIAMETER       | 2-56 UNC |         | 4-40 UNC |         | 5-40 UNC |         |
|----------------|----------|---------|----------|---------|----------|---------|
| GRADE          | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/16           | 14220    | 100     |          |         |          |         |
| 1/4            | 6804     | 100     | 2164     | 100     | 7354     | 100     |
| 5/16           |          |         | 10684    | 100     | 2170     | 100     |
| 3/8            |          |         | 2165     | 100     | 2171     | 100     |
| 1/2            |          |         | 2166     | 100     | 2172     | 100     |
| 5/8            |          |         | 2167     | 100     | 7917     | 100     |
| 3/4            |          |         | 2168     | 100     | 2173     | 100     |
| 1              |          |         | 2169     | 100     |          |         |
| Key A/F Inches | 5/64     |         | 3/32     |         | 3/32     |         |

LENGTH

| DIAMETER       | 6-32 UNC |         | 8-32 UNC |         | 10-24 UNC (3/16) |         |
|----------------|----------|---------|----------|---------|------------------|---------|
| GRADE          | 304/A2   |         | 304/A2   |         | 304/A2           |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty | Part No.         | PKT Qty |
| 3/16           | 2175     | 100     |          |         |                  |         |
| 1/4            | 2176     | 100     | 2182     | 100     | 4083             | 100     |
| 5/16           | 19819    | 100     |          |         |                  |         |
| 3/8            | 2177     | 100     | 2183     | 100     | 2188             | 100     |
| 1/2            | 2178     | 100     | 2184     | 100     | 2189             | 100     |
| 5/8            | 2179     | 100     | 2185     | 100     | 2190             | 100     |
| 3/4            | 2180     | 100     | 2186     | 100     | 2191             | 100     |
| 1              | 2181     | 100     | 2187     | 100     | 2192             | 100     |
| 1.1/4          | 4082     | 100     |          |         | 2193             | 100     |
| 1.1/2          |          |         | 19821    | 100     | 2194             | 100     |
| 2              |          |         |          |         | 2195             | 100     |
| Key A/F Inches | 7/64     |         | 9/64     |         | 5/32             |         |

LENGTH

| DIAMETER       | 1/4 UNC  |         | 1/4 UNC  |         | 5/16 UNC |         | 5/16 UNC |         |
|----------------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE          | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/8            | 1001     | 100     |          |         |          |         |          |         |
| 1/2            | 2206     | 100     | 2610     | 100     | 2221     | 100     |          |         |
| 5/8            | 2207     | 100     | 2612     | 100     | 2222     | 100     |          |         |
| 3/4            | 2208     | 100     | 2614     | 100     | 2223     | 100     | 2619     | 100     |
| 1              | 2209     | 100     | 2615     | 100     | 2224     | 100     | 2620     | 100     |
| 1.1/4          | 2210     | 100     | 2616     | 100     | 2225     | 100     | 2632     | 100     |
| 1.1/2          | 2211     | 100     | 2617     | 100     | 2226     | 100     | 2635     | 100     |
| 1.3/4          | 2212     | 100     |          |         | 2227     | 100     |          |         |
| 2              | 2213     | 100     | 2618     | 100     | 2228     | 100     | 2639     | 100     |
| 2.1/4          | 15448    | 50      |          |         |          |         |          |         |
| 2.1/2          | 2214     | 50      |          |         | 2229     | 50      | 2645     | 50      |
| 3              | 2215     | 50      |          |         | 2230     | 50      |          |         |
| Key A/F Inches |          | 5/32    |          |         |          | 3/16    |          |         |



## HEXAGON SOCKET CAP SCREWS - ANSI B18.3 (1960 SERIES) UNC BS2470 BSW



LENGTH

LENGTH

LENGTH

| DIAMETER      | 3/8 UNC  |         | 3/8 UNC  |         | 7/16 UNC |         |
|---------------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 316/A4   |         | 304/A2   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 1/2           | 2235     | 100     |          |         |          |         |
| 5/8           | 2236     | 100     |          |         |          |         |
| 3/4           | 2237     | 100     | 2704     | 100     |          |         |
| 1             | 2238     | 100     | 2707     | 100     | 15755    | 50      |
| 1.1/4         | 2239     | 100     | 2712     | 100     |          |         |
| 1.1/2         | 2240     | 100     | 2715     | 100     | 15756    | 50      |
| 1.3/4         | 2241     | 100     |          |         |          |         |
| 2             | 2242     | 100     | 2719     | 100     |          |         |
| 2.1/2         | 2243     | 50      | 2721     | 50      |          |         |
| 3             | 2244     | 50      |          |         |          |         |
| 4             | 33504    | 50      |          |         |          |         |
| KeyA/F Inches |          | 3/16    |          |         | 1/4      |         |

| DIAMETER      | 1/2 UNC  |         | 1/2 UNC  |         | 1/2 BSW  |         |
|---------------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 316/A4   |         | 316/A4   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 1             | 2255     | 25      | 2726     | 50      | 2738     | 50      |
| 1.1/4         | 2256     | 25      | 2731     | 50      | 2739     | 50      |
| 1.1/2         | 2257     | 25      | 2734     | 50      | 2740     | 50      |
| 2             | 2258     | 25      | 2735     | 50      | 2741     | 50      |
| 2.1/2         | 19824    | 25      | 2736     | 25      | 2742     | 25      |
| 3             | 9082     | 25      | 2737     | 25      |          |         |
| KeyA/F Inches |          | 3/8     |          |         | 3/8      |         |

| DIAMETER      | 5/8 UNC  |         | 3/4 UNC  |         |
|---------------|----------|---------|----------|---------|
| GRADE         | 316/A4   |         | 316/A4   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty |
| 1.1/4         | 2744     | 25      |          |         |
| 1.1/2         | 2745     | 25      | 19594    | 10      |
| 2             | 2746     | 25      | 2749     | 10      |
| 2.1/2         | 2747     | 25      | 2750     | 10      |
| 3             | 2748     | 25      |          |         |
| KeyA/F Inches | 1/2      |         | 5/8      |         |



## HEXAGON SOCKET CAP SCREWS - ANSI - B18.3 (1960 SERIES)

| DIAMETER       | 10-32 UNF |         | 1/4 UNF  |         | 5-16 UNF |         |
|----------------|-----------|---------|----------|---------|----------|---------|
| GRADE          | 304/A2    |         | 304/A2   |         | 304/A2   |         |
|                | Part No.  | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 1/4            | 2196      | 100     |          |         |          |         |
| 3/8            | 2197      | 100     | 13792    | 100     |          |         |
| 1/2            | 2198      | 100     | 2216     | 100     |          |         |
| 5/8            | 2199      | 100     | 16224    | 100     |          |         |
| 3/4            | 2200      | 100     | 2217     | 100     | 2231     | 50      |
| 1              | 2202      | 100     | 2218     | 100     | 2232     | 50      |
| 1.1/4          | 2203      | 100     | 2219     | 100     | 2233     | 50      |
| 1.1/2          | 2204      | 100     | 2220     | 100     | 2234     | 50      |
| 1.3/4          | 4084      | 100     |          |         |          |         |
| Key A/F Inches | 5/32      |         | 3/16     |         | 1/4      |         |

| DIAMETER       | 3/8 UNF  |         | 7/16 UNF |         | 1/2 UNF  |         |
|----------------|----------|---------|----------|---------|----------|---------|
| GRADE          | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/4            | 2245     | 50      |          |         |          |         |
| 1              | 2246     | 50      |          |         |          |         |
| 1.1/4          | 10593    | 50      |          |         |          |         |
| 1.1/2          | 2247     | 50      | 15757    | 50      | 15759    | 25      |
| 2              | 19826    | 50      | 15758    | 50      | 15760    | 25      |
| 2.1/2          | 4093     | 50      |          |         |          |         |
| Key A/F Inches | 5/16     |         | 3/8      |         | 3/8      |         |





# STAINLESSFASTENERS PRODUCTCATALOGUE2007

## BUTTON HEAD SOCKET SCREWS - ISO 7380



LENGTH

| DIAMETER  | M3       |         |          |         | M4       |         |          |         | M5       |         |          |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 6         | 13579    | 100     | 30011    | 100     | 14413    | 100     | 38123    | 100     |          |         |          |         |
| 8         | 3147     | 100     | 30012    | 100     | 3153     | 100     | 38129    | 100     |          |         |          |         |
| 10        | 3149     | 100     | 30350    | 100     | 3154     | 100     | 38124    | 100     | 3159     | 100     | 38130    | 100     |
| 12        | 3150     | 100     | 30452    | 100     | 3156     | 100     | 38136    | 100     | 3161     | 100     | 38131    | 100     |
| 16        | 3152     | 100     | 38121    | 100     | 3158     | 100     | 38125    | 100     | 3162     | 100     | 38132    | 100     |
| 20        | 31009    | 100     | 38122    | 100     | 14886    | 100     | 38126    | 100     | 3163     | 100     | 38137    | 100     |
| 25        | 31010    | 100     | 31011    | 100     | 14673    | 100     | 38127    | 100     | 3165     | 100     | 33841    | 100     |
| 30        |          |         |          |         |          |         |          |         | 3167     | 100     | 38138    | 100     |
| 35        |          |         |          |         |          |         |          |         | 33908    | 100     |          |         |
| 40        |          |         |          |         |          |         |          |         | 16872    | 100     |          |         |
| KeyA/F mm | 2.0      |         |          |         | 2.5      |         |          |         | 3.0      |         |          |         |

LENGTH


| DIAMETER  | M6       |         |          |         | M8       |         |          |         | M10      |         |          |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 10        | 3168     | 100     | 33761    | 100     |          |         |          |         |          |         |          |         |
| 12        | 3169     | 100     | 38115    | 100     | 14273    | 100     |          |         |          |         |          |         |
| 16        | 3171     | 100     | 38106    | 100     | 3187     | 100     | 38128    | 100     | 13772    | 50      |          |         |
| 20        | 3184     | 100     | 31200    | 100     | 3193     | 100     | 33959    | 100     | 3199     | 50      | 38184    | 50      |
| 25        | 3185     | 100     | 33762    | 100     | 3194     | 100     | 33842    | 100     | 3200     | 50      | 38185    | 50      |
| 30        | 3186     | 100     | 33972    | 100     | 3196     | 100     | 30267    | 100     | 3201     | 50      | 15921    | 50      |
| 35        | 16821    | 100     |          |         | 16590    | 100     |          |         | 6000     | 50      | 38187    | 50      |
| 40        | 13610    | 100     | 33388    | 100     | 3197     | 100     | 33845    | 100     | 13712    | 50      | 38186    | 50      |
| 50        | 16589    | 100     |          |         | 3198     | 100     | 38189    | 100     | 15021    | 50      | 38188    | 50      |
| 60        |          |         |          |         | 15302    | 100     |          |         |          |         |          |         |
| KeyA/F mm | 4.0      |         |          |         | 5.0      |         |          |         | 6.0      |         |          |         |

LENGTH

| DIAMETER  | M12      |  |  |  |  |  |  |  |  |  |  |         |
|-----------|----------|--|--|--|--|--|--|--|--|--|--|---------|
| GRADE     | 304/A2   |  |  |  |  |  |  |  |  |  |  |         |
|           | Part No. |  |  |  |  |  |  |  |  |  |  | PKT Qty |
| 20        | 33700    |  |  |  |  |  |  |  |  |  |  | 25      |
| 25        | 13789    |  |  |  |  |  |  |  |  |  |  | 25      |
| 30        | 31172    |  |  |  |  |  |  |  |  |  |  | 25      |
| 35        | 13790    |  |  |  |  |  |  |  |  |  |  | 25      |
| 40        | 31173    |  |  |  |  |  |  |  |  |  |  | 25      |
| 50        | 19664    |  |  |  |  |  |  |  |  |  |  | 25      |
| KeyA/F mm | 8.0      |  |  |  |  |  |  |  |  |  |  |         |



## BUTTON HEAD SOCKET SCREWS - ANSI B18.3



LENGTH

| DIAMETER      |          | 6-32 UNC |  | 8-32 UNC |         |
|---------------|----------|----------|--|----------|---------|
| GRADE         |          | 304/A2   |  | 304/A2   |         |
|               | Part No. | PKT Qty  |  | Part No. | PKT Qty |
| 1/4           | 16564    | 100      |  |          |         |
| 3/8           | 19830    | 100      |  | 19832    | 100     |
| 1/2           | 6848     | 100      |  | 5275     | 100     |
| 3/4           |          |          |  | 19833    | 100     |
| 1             |          |          |  | 4072     | 100     |
| KeyA/F Inches |          | 5/64     |  | 3/32     |         |

LENGTH

| DIAMETER      | 10-24 UNC |         | 1/4 UNC  |         | 5/16 UNC |         |
|---------------|-----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2    |         | 304/A2   |         | 304/A2   |         |
|               | Part No.  | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/8           | 2370      | 100     | 2378     | 100     |          |         |
| 1/2           | 2372      | 100     | 2379     | 100     |          |         |
| 5/8           | 2374      | 100     | 2380     | 100     | 19171    | 100     |
| 3/4           | 2376      | 100     | 2381     | 100     | 2385     | 100     |
| 1             | 2377      | 100     | 2383     | 100     | 2386     | 100     |
| 1.1/4         | 13748     | 100     | 2384     | 100     | 2387     | 100     |
| 1.1/2         |           |         | 15816    | 100     | 31378    | 100     |
| 2             |           |         | 15817    | 100     | 15818    | 100     |
| KeyA/F Inches | 1/8       |         | 5/32     |         | 3/16     |         |

LENGTH

| DIAMETER      |          | 3/8 UNC |  | 1/2 UNC  |         |
|---------------|----------|---------|--|----------|---------|
| GRADE         |          | 304/A2  |  | 304/A2   |         |
|               | Part No. | PKT Qty |  | Part No. | PKT Qty |
| 3/4           | 2388     | 50      |  |          |         |
| 1             | 2389     | 50      |  |          |         |
| 1.1/4         | 2390     | 50      |  | 30383    | 50      |
| 1.1/2         | 16207    | 50      |  | 30384    | 50      |
| 2             | 16208    | 50      |  | 16978    | 50      |
| KeyA/F Inches | 7/32     |         |  | 5/16     |         |




**BUTTON HEAD SOCKET SCREWS - ANSI B18.3**
**LENGTH**

| DIAMETER | 10-32 UNF | 1/4 UNF |
|----------|-----------|---------|
| GRADE    | 304/A2    | 304/A2  |

|                | Part No. | PKT Qty | Part No. | PKT Qty |
|----------------|----------|---------|----------|---------|
| 3/8            | 2364     | 100     |          |         |
| 1/2            | 2365     | 100     | 19689    | 100     |
| 5/8            | 2366     | 100     |          |         |
| 3/4            | 2367     | 100     | 19690    | 100     |
| 1              | 2368     | 100     | 4073     | 100     |
| Key A/F Inches | 1/8      |         | 5/32     |         |


| DIAMETER | 5/16 UNF | 3/8 UNF |
|----------|----------|---------|
| GRADE    | 304/A2   | 304/A2  |

**LENGTH**

|                | Part No. | PKT Qty | Part No. | PKT Qty |
|----------------|----------|---------|----------|---------|
| 1              | 15373    | 50      | 19133    | 50      |
| 1.1/2          | 15374    | 50      |          |         |
| Key A/F Inches | 3/16     |         | 7/32     |         |



## COUNTERSUNK SOCKET SCREWS - DIN 7991



LENGTH

| DIAMETER  | M3       |         | M3       |         | M4       |         | M4       |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 5         | 19834    | 100     |          |         |          |         |          |         |
| 6         | 14633    | 100     | 3226     | 100     |          |         | 16139    | 100     |
| 8         | 14634    | 100     | 3228     | 100     | 14637    | 100     | 3237     | 100     |
| 10        | 14635    | 100     | 3229     | 100     | 14638    | 100     | 3239     | 100     |
| 12        | 14636    | 100     | 3232     | 100     | 14639    | 100     | 3241     | 100     |
| 16        | 4366     | 100     | 3234     | 100     | 14640    | 100     | 3243     | 100     |
| 20        | 13717    | 100     |          |         | 14641    | 100     | 3245     | 100     |
| 25        |          |         |          |         | 19835    | 100     | 19846    | 100     |
| 40        |          |         |          |         | 4961     | 100     |          |         |
| KeyA/F mm |          | 2.0     |          |         |          | 2.5     |          |         |

LENGTH

| DIAMETER  | M5       |         | M5       |         | M6       |         | M6       |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 10        | 4368     | 100     | 3247     | 100     | 14646    | 100     | 3256     | 100     |
| 12        | 14642    | 100     | 3249     | 100     | 14647    | 100     | 3258     | 100     |
| 16        | 7499     | 100     | 3251     | 100     | 14648    | 100     | 3259     | 100     |
| 20        | 14643    | 100     | 3252     | 100     | 14649    | 100     | 3261     | 100     |
| 25        | 14644    | 100     | 3253     | 100     | 14650    | 100     | 3262     | 100     |
| 30        | 14645    | 100     | 3255     | 100     | 14651    | 100     | 3263     | 100     |
| 35        | 16591    | 100     | 13786    | 100     | 14652    | 100     | 3264     | 100     |
| 40        | 14565    | 100     |          |         | 19328    | 100     | 19323    | 100     |
| 50        | 14566    | 100     |          |         | 9329     | 100     | 16592    | 100     |
| 60        |          |         |          |         |          |         | 19325    | 50      |
| 70        |          |         |          |         |          |         | 19326    | 50      |
| 80        |          |         |          |         |          |         | 19327    | 50      |
| KeyA/F mm |          | 3.0     |          |         |          | 4.0     |          |         |



**COUNTERSUNK SOCKET SCREWS - DIN 7991**

**LENGTH**
**LENGTH**
**LENGTH**

| DIAMETER  | M8       |         | M8       |         | M10      |         | M10      |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 12        |          |         | 16593    | 100     |          |         |          |         |
| 16        | 14653    | 100     | 3266     | 100     | 19837    | 50      |          |         |
| 20        | 14654    | 100     | 3267     | 100     | 14660    | 50      | 3277     | 100     |
| 25        | 14655    | 100     | 3269     | 100     | 14661    | 50      | 3279     | 100     |
| 30        | 14656    | 100     | 3270     | 100     | 14662    | 50      | 3280     | 100     |
| 35        | 14657    | 100     | 3271     | 100     | 14663    | 50      | 3281     | 100     |
| 40        | 14658    | 100     | 3273     | 100     | 14664    | 50      | 3283     | 50      |
| 45        | 37451    | 100     |          |         |          |         |          |         |
| 50        | 14659    | 100     | 3275     | 100     | 14665    | 50      | 3284     | 50      |
| 55        |          |         | 31211    | 50      |          |         | 3286     | 50      |
| 60        |          |         | 31170    | 50      |          |         | 15361    | 50      |
| 70        |          |         | 19963    | 50      | 19162    | 50      | 15362    | 50      |
| 80        |          |         |          |         |          |         | 30973    | 50      |
| 100       |          |         |          |         |          |         | 37962    | 25      |
| 120       |          |         |          |         |          |         |          |         |
| KeyA/F mm |          | 5.0     |          | 6.0     |          |         |          |         |

| DIAMETER  | M12      |         | M12      |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 20        | 14666    | 25      | 3287     | 25      |
| 25        | 5264     | 25      | 3289     | 25      |
| 30        | 14667    | 25      | 3291     | 25      |
| 35        |          |         | 30282    | 25      |
| 40        | 14668    | 25      | 3293     | 25      |
| 50        | 14669    | 25      | 3295     | 25      |
| 60        | 31005    | 25      | 3298     | 25      |
| 70        |          |         | 3300     | 25      |
| 80        |          |         | 30076    | 25      |
| 90        |          |         | 30077    | 25      |
| 100       |          |         | 30078    | 25      |
| KeyA/F mm |          | 8.0     |          |         |

| DIAMETER  | M16      |         | M20      |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 316/A4   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 30        | 14529    | 25      |          |         |
| 35        | 14530    | 25      |          |         |
| 40        | 14531    | 25      | 31508    | 10      |
| 45        | 14532    | 25      |          |         |
| 50        | 14533    | 25      | 30013    | 10      |
| 60        | 14534    | 25      | 30080    | 10      |
| 70        | 3303     | 25      | 30081    | 10      |
| 80        | 19023    | 25      | 31171    | 10      |
| 90        | 30285    | 25      | 31245    | 10      |
| 100       | 30079    | 25      | 30082    | 10      |
| 120       | 19604    | 10      |          |         |
| KeyA/F mm |          | 10.0    |          | 12.0    |



## COUNTERSUNK SOCKET SCREWS - ANSI B18.3



LENGTH

| DIAMETER      | 4-40 UNC |         | 6-32 UNC |         | 8-32 UNC |         |
|---------------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 1/4           | 19844    | 100     |          |         |          |         |
| 3/8           |          |         | 16560    | 100     |          |         |
| 1/2           |          |         | 4919     | 100     |          |         |
| 3/4           |          |         |          |         | 4074     | 100     |
| KeyA/F Inches | 1/16     |         | 5/64     |         | 3/32     |         |

LENGTH

| DIAMETER      | 10-24 UNC |         | 1/4 UNC  |         |
|---------------|-----------|---------|----------|---------|
| GRADE         | 304/A2    |         | 304/A2   |         |
|               | Part No.  | PKT Qty | Part No. | PKT Qty |
| 3/8           | 5281      | 100     | 2331     | 100     |
| 1/2           | 2327      | 100     | 2332     | 100     |
| 5/8           | 2328      | 100     | 2333     | 100     |
| 3/4           | 2329      | 100     | 2334     | 100     |
| 1             | 2330      | 100     | 2336     | 100     |
| 1.1/4         |           |         | 2337     | 100     |
| 1.1/2         |           |         | 2338     | 100     |
| 2             |           |         | 19441    | 100     |
| KeyA/F Inches | 1/8       |         | 5/32     |         |

LENGTH

| DIAMETER      | 5/16 UNC |         | 3/8 UNC  |         | 1/2 UNC  |         |
|---------------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/4           | 2339     | 100     | 2344     | 100     |          |         |
| 1             | 2340     | 100     | 2345     | 100     |          |         |
| 1.1/4         | 2341     | 100     | 2346     | 100     |          |         |
| 1.1/2         | 2342     | 100     | 2347     | 100     | 16281    | 25      |
| 2             | 2343     | 100     | 2348     | 100     | 16282    | 25      |
| KeyA/F Inches | 3/16     |         | 7/32     |         | 5/16     |         |

LENGTH

| DIAMETER      | 10-32 UNF |         | 1/4 UNF  |         | 5/16 UNF |         | 3/8 UNF  |         |
|---------------|-----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2    |         | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|               | Part No.  | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/8           | 2321      | 100     |          |         |          |         |          |         |
| 1/2           | 2322      | 100     | 6284     | 100     |          |         |          |         |
| 5/8           | 2323      | 100     | 6285     | 100     |          |         |          |         |
| 3/4           | 2324      | 100     | 6286     | 100     | 6289     | 50      |          |         |
| 1             | 2325      | 100     | 6287     | 100     | 6290     | 50      | 6293     | 50      |
| 1.1/4         |           |         |          |         | 6291     | 50      | 6294     | 50      |
| 1.1/2         |           |         |          |         | 7698     | 50      | 6295     | 50      |
| 2             |           |         |          |         | 6292     | 50      | 6296     | 50      |
| KeyA/F Inches | 1/8       |         | 5/32     |         | 3/16     |         | 7/32     |         |



# STAINLESSFASTENERS PRODUCTCATALOGUE2007

## HEXAGON SOCKET SCREWS - CUP POINT - DIN 916



LENGTH

LENGTH

LENGTH

| DIAMETER  | M2       |         | M2.5     |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 304/A2   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 3         | 10337    | 100     |          |         |
| 4         | 33481    | 100     | 33484    | 100     |
| 5         |          |         | 31369    | 100     |
| 6         | 33483    | 100     | 33767    | 100     |
| 10        |          |         | 33485    | 100     |
| KeyA/F mm | 0.9      |         | 1.3      |         |

| DIAMETER  | M3       | M3      | M4       | M4      |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   | 316/A4  | 304/A2   | 316/A4  |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 3         | 1800     | •       |          |         |
| 4         | 1797     | •       | 1805     | •       |
| 5         | 1802     | 100     | 1806     | •       |
| 6         | 1803     | 100     | 5119     | •       |
| 8         | 1804     | 100     | 5120     | •       |
| 10        | 19847    | 100     | 5121     | 100     |
| 12        | 19848    | 100     | 5122     | 100     |
| 16        | 16660    | 100     | 5123     | 100     |
| 20        | 16661    | 100     | 15855    | 100     |
| KeyA/F mm | 1.5      |         | 2.0      |         |

| DIAMETER  | M5       | M5      | M6       | M6      |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   | 316/A4  | 304/A2   | 316/A4  |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 5         | 5118     | 100     | 19009    | 100     |
| 6         | 1807     | 100     | 3311     | 100     |
| 8         | 1808     | 100     | 3313     | 100     |
| 10        | 1810     | 100     | 3315     | 100     |
| 12        | 1813     | 100     | 3316     | 100     |
| 16        | 1814     | 100     | 3317     | 100     |
| 20        | 1815     | 100     | 1826     | 100     |
| 25        | 19849    | 100     | 19850    | 100     |
| 30        | 15854    | 100     | 16884    | 100     |
| KeyA/F mm | 2.5      |         | 3.0      |         |

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.



## HEXAGON SOCKET SET SCREWS - CUP POINT - DIN 916

| DIAMETER  | M8       |         | M8       |         | M10      |         | M10      |         |
|-----------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 8         | 1829     | 100     | 3327     | 100     |          |         |          |         |
| 10        | 1831     | 100     | 3329     | 100     | 1841     | 100     | 15017    | 100     |
| 12        | 1833     | 100     | 3330     | 100     | 1842     | 100     | 3335     | 100     |
| 16        | 1834     | 100     | 3331     | 100     | 1844     | 100     | 3336     | 100     |
| 20        | 1835     | 100     | 3333     | 100     | 1845     | 100     | 3339     | 100     |
| 25        | 1837     | 100     |          |         | 1848     | 100     | 3341     | 100     |
| 30        | 1839     | 100     |          |         | 1850     | 100     | 16662    | 100     |
| 35        | 31257    | 100     |          |         | 1853     | 100     |          |         |
| 40        | 10725    | 100     |          |         | 14209    | 100     |          |         |
| 50        | 16715    | 100     |          |         | 13690    | 100     |          |         |
| KeyA/F mm |          | 4.0     |          |         |          | 5.0     |          |         |

| DIAMETER  | M12      |         | M12      |         | M16      |         |
|-----------|----------|---------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 316/A4   |         | 304/A2   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 12        | 14995    | 50      | 15061    | 50      |          |         |
| 16        | 13899    | 50      | 3343     | 50      | 16611    | 50      |
| 20        | 13900    | 50      | 3345     | 50      | 16612    | 50      |
| 25        | 4364     | 50      | 3347     | 50      | 13902    | 50      |
| 30        | 4365     | 50      | 3349     | 50      | 13903    | 50      |
| 40        | 13901    | 50      | 19465    | 50      | 13904    | 50      |
| 50        | 15419    | 50      |          |         | 19852    | 50      |
| KeyA/F mm |          | 6.0     |          |         | 8.0      |         |





## HEXAGON SOCKET SET SCREWS - CUP POINT - ANSI B18.3



LENGTH

| DIAMETER      | 4-40 UNC |         | 5-40 UNC |         | 6-32 UNC |         | 8-32 UNC |         |
|---------------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 304/A2   |         | 304/A2   |         | 304/A2   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 1/8           | 2261     | 100     | 2264     | 100     | 2270     | 100     | 2274     | 100     |
| 3/16          |          |         | 2265     | 100     | 2271     | 100     | 6490     | 100     |
| 1/4           | 19853    | 100     | 2266     | 100     | 2272     | 100     | 2275     | 100     |
| 5/16          |          |         | 2267     | 100     |          |         |          |         |
| 3/8           | 2262     | 100     | 2268     | 100     | 7132     | 100     | 2276     | 100     |
| 1/2           |          |         |          |         |          |         | 2277     | 100     |
| 5/8           |          |         |          |         |          |         | 2278     | 100     |
| 3/4           |          |         |          |         |          |         | 2279     | 100     |
| KeyA/F Inches | 0.050    |         | 1/16     |         | 1/16     |         | 5/64     |         |

LENGTH

| DIAMETER      | 10-24 UNC |         | 10-24 UNC |         | 1/4 UNC  |         | 1/4 UNC  |         |
|---------------|-----------|---------|-----------|---------|----------|---------|----------|---------|
| GRADE         | 304/A2    |         | 316/A4    |         | 304/A2   |         | 316/A4   |         |
|               | Part No.  | PKT Qty | Part No.  | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 3/16          | 2280      | 100     | 2752      | 100     | 9093     | 100     |          |         |
| 1/4           | 2281      | 100     |           |         | 2293     | 100     | 2754     | 100     |
| 5/16          | 2282      | 100     |           |         | 2294     | 100     | 2755     | 100     |
| 3/8           | 2283      | 100     | 2753      | 100     | 2295     | 100     | 2756     | 100     |
| 1/2           | 2284      | 100     |           |         | 2296     | 100     | 2757     | 100     |
| 5/8           | 10665     | 100     |           |         | 2297     | 100     |          |         |
| 3/4           | 2285      | 100     |           |         | 2298     | 100     | 2759     | 100     |
| 1             | 14168     | 100     |           |         | 2299     | 100     |          |         |
| KeyA/F Inches |           | 3/32    |           |         |          | 1/8     |          |         |



## HEXAGON SOCKET SET SCREWS - CUP POINT - ANSI B18.3 UNC BS2470 BSW

LENGTH

| DIAMETER       | 5/16 UNC |         | 5/16 UNC |         | 3/8 UNC  |         | 3/8 UNC  |         |
|----------------|----------|---------|----------|---------|----------|---------|----------|---------|
| GRADE          | 304/A2   |         | 316/A4   |         | 304/A2   |         | 316/A4   |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty | Part No. | PKT Qty |
| 5/16           | 2303     | 100     | 2760     | 100     |          |         |          |         |
| 3/8            | 2304     | 100     | 2761     | 100     | 2312     | 100     | 2774     | 100     |
| 1/2            | 2305     | 100     | 2764     | 100     | 2313     | 100     | 2775     | 100     |
| 5/8            | 2306     | 100     |          |         | 2314     | 100     | 2777     | 100     |
| 3/4            | 2308     | 100     |          |         | 2315     | 100     | 2780     | 100     |
| 1              | 2309     | 100     | 2770     | 100     | 2316     | 100     | 2786     | 100     |
| 1.1/4          |          |         |          |         | 4126     | 100     |          |         |
| Key A/F Inches |          | 5/32    |          |         |          | 3/16    |          |         |



LENGTH

| DIAMETER       | 1/2 UNC  |         | 1/2 BSW  |         |
|----------------|----------|---------|----------|---------|
| GRADE          | 304/A2   |         | 316/A4   |         |
|                | Part No. | PKT Qty | Part No. | PKT Qty |
| 1/2            | 2318     | 50      | 2790     | 50      |
| 5/8            | 2319     | 50      |          |         |
| 3/4            | 2320     | 50      | 2801     | 50      |
| 1              | 15441    | 50      | 2795     | 50      |
| Key A/F Inches |          | 1/4     |          | 1/4     |



**HEXAGON SOCKET SET SCREWS - CUP POINT - ANSI B18.3**

 LENGTH  


| DIAMETER      | 10-32 UNF |         | 1/4 UNF  |         |
|---------------|-----------|---------|----------|---------|
| GRADE         | 304/A2    |         | 304/A2   |         |
|               | Part No.  | PKT Qty | Part No. | PKT Qty |
| 3/16          | 2286      | 100     |          |         |
| 1/4           | 2287      | 100     | 2300     | 100     |
| 5/16          | 2288      | 100     |          |         |
| 3/8           | 2289      | 100     | 2301     | 100     |
| 1/2           | 2290      | 100     | 2302     | 100     |
| 5/8           | 2291      | 100     |          |         |
| 3/4           |           |         |          |         |
| 1             | 5271      | 100     |          |         |
| KeyA/F Inches | 3/16      |         | 5/32     |         |

| DIAMETER      | 5/16 UNF |         | 3/8 UNF  |         |
|---------------|----------|---------|----------|---------|
| GRADE         | 304/A2   |         | 304/A2   |         |
|               | Part No. | PKT Qty | Part No. | PKT Qty |
| 5/16          | 2310     | 100     |          |         |
| 3/8           | 2311     | 100     | 16345    | 100     |
| 1/2           |          |         | 4120     | 100     |
| 3/4           |          |         | 7133     | 100     |
| 1             | 16957    | 100     | 19221    | 100     |
| KeyA/F Inches | 5/32     |         | 1/4      |         |

**LOW HEAD SOCKET HEAD CAP SCREWS - DIN 7984**

 LENGTH  


| DIAMETER  | M6       |         | M10      |         |
|-----------|----------|---------|----------|---------|
| GRADE     | 304/A2   |         | 304/A2   |         |
|           | Part No. | PKT Qty | Part No. | PKT Qty |
| 12        | 19899    | 100     |          |         |
| 16        |          |         |          |         |
| 20        | 19900    | 100     |          |         |
| 30        |          |         | 19909    | 100     |
| 35        |          |         | 19910    | 100     |
| KeyA/F mm | 4.0      |         | 7.0      |         |