



there's safe and there's Maxisafe.

we've got you



THERE'S SAFE AND THERE'S MAXISAFE

Techware is a modern and dynamically progressive business with over 35 years of experience in manufacturing personal safety products. With our global sourcing power and local market knowledge, our proactive approach to research, development and technology enables us to produce innovative, world leading safety products of the highest quality. The Maxisafe range is recognised for its unique innovation and extremely high quality, distributed through a network of Preferred Distributors globally. Maxisafe products are certified or comply with relevant world safety codes whether you are in Australia, Europe or America. Keeping abreast with all the changes in today's marketplace can be a real challenge. Techware is experienced at making these changes. Changes that will strengthen the inner core of your business, add goodwill, increase your sales and facilitate smooth and sustainable growth. We are dedicated to empowering our distributors with the tools, products and knowledge they require to succeed in business.



OUR VISION

Our vision is to ensure that "our brands have got you covered"! Maxisafe products are packed with innovative features – protecting the workers of today.

OUR GUARANTEE

Our No.1 priority at Techware is customer service. This includes our guarantee that all Maxisafe products are manufactured and presented in the highest quality possible.

Our 100% Money Back Guarantee ensures that you have our support from the initial order and stocking of our products through to the final sale! Can't sell something?.....

Send it back for a full refund!

techware
our brands have got you covered.

BECOME A MAXISAFE DISTRIBUTOR...

STEP 1 - Signing up

Becoming a Maxisafe Distributor is simple. 3 ways to contact our Customer Service Team:

- Phone: +61 03 9369 7000
- Fax: +61 03 9369 7100
- Email: sales@techware.net.au

The account manager for your area will arrange a meeting to not only introduce you to the Maxisafe range, but also discuss your requirements and a strategy on how to assist increasing your sales and profits.

STEP 2 - Starting Up

Once your account application is approved, you may begin ordering. Our highly motivated account managers will visit you and provide product training when required. They can also discuss Floor Merchandising Displays for your showroom. Product Sample Packs are available for your sales teams along with product specific brochures, leaflets and posters for your store.

STEP 3 - Customer Service

Please contact our friendly customer service team at any time. We look forward to hearing from you whether it's ordering, checking stock levels, product technical support, pricing or tracking your order, we are here to provide solutions and friendly service.

STEP 4 - Maxisafe Rewards Program

Sign up today and benefit from every purchase. You will receive 1 Point for every dollar spent! You can check your points balance and redeem them for free products at any time. Another great example of our support to our loyal distributors.

STEP 5 - Distribution

Techware has a culture of customer service excellence. Our innovative Stock Control system ensures warehouse locations have optimal stock levels to service all requirements. Orders received by 3:00pm AEST can be dispatched the same day, offering next or same day service in all major industrial centres.

STEP 6 - 100% Satisfaction



- Free to join
- Earn points EVERY TIME you purchase any Maxisafe product
- Redeem points anytime
- It's simple – visit www.maxisaferewards.com.au

covered

PRODUCT OVERVIEW

AS/NZS Glove Standards	4
Synthetic Coated Gloves	6
Cut & Heat Resistant Gloves	14
Needle Resistant Gloves	22
Mechanics Gloves	24
Leather & Cotton Gloves	30
Welding Gloves	36
Chemical Gloves	40
Disposable Gloves	48
Glove Accessories	51
Safety Glasses	52
Safety Goggles	58
Premium Safety Glasses	60
Faceshields and Lenses	62
Lens Cleaning Products & Accessories	66
Earmuffs	68
Earplugs	72
Disposable Respiratory Protection	74
Premium Respiratory Protection	80
Respiratory Filter Selection Chart	92
Safety Headwear	98
Safety Vests	106
Disposable Coveralls & Aprons	108
Welding Apparel	110
Knee Protection	112
Gumboots	114
Sun Protection	116
Site Safety	118
Emergency Showers & Eyewash	122
First Aid	123
Height Safety Harnesses	124
POS Merchandisers & Displays	126
POS Signs, Banners & Brochures	128

Gloves 1

Eye Protection 2

Faceshields 3

Hearing Protection 4

Respiratory Protection 5

Head Protection 6

Safety Vests 7

Coveralls 8

Welding Apparel & Blankets 9

Knee Pads 10

Gumboots 11

Sunscreen 12

Site Safety 13

Height Safety 14

POS 15

there's safe and there's Maxisafe.

AS/NZS Glove

GENERAL REQUIREMENTS

AS/NZS 2161.2:1998

EN420

The EN420 standard defines the general requirements for ergonomics, glove construction, high visibility, innocuousness, cleaning, comfort and efficiency, marking and information, applicable to all protective gloves.

- Glove design and construction is suitable for its intended use.
- Any seams present in construction do not result in a significant decrease in product performance.
- The gloves will not harm the health or hygiene of the user.
- Glove sizing conforms to set specifications with respect to hand circumference.
- Minimum glove lengths are specified for each size.
- Gloves must be generally marked with trade mark or other identification of manufacturer/representative, product code name or code and size.
- Instructions for use.
- Packaging carries additional information as to where the product can be obtained and pictograms denoting performance levels against Standards as appropriate.



PROTECTION AGAINST MECHANICAL HAZARDS


AS/NZS 2161.3:1998

EN388

The EN388 standard applies to all types of protective gloves with respect to mechanical aggression from abrasion, cutting, tearing and puncture. These ratings are calculated from laboratory test results and do not replace the actual testing of the product in real conditions in the field. The results also enable you to compare the performance between various products.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

EN 388



XXXX

- 0 to 4: Abrasion Resistance
- 0 to 5: Blade cut resistance
- 0 to 4: Tear Resistance
- 0 to 4: Puncture Resistance

Standards

PROTECTION AGAINST HEAT & FIRE HAZARDS


AS/NZS 2161.5:1998

EN407

The EN407 standard specifies the general requirements and the thermal performance of gloves to protect from heat and fire. It applies to gloves which protect hands from fire, contact heat, radiating heat, small spray of molten metal or large spray of melting metal.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

EN 407



XXXXXX

- 0 to 4: Resistance to Large Molten Metal Spray
- 0 to 4: Resistance to Small Molten Metal Spray
- 0 to 4: Resistance to Radiating Heat
- 0 to 4: Resistance to Convective Heat
- 0 to 5: Resistance to Contact Heat
- 0 to 4: Resistance to Flammability

PROTECTION AGAINST COLD


AS/NZS 2161.10.3:2005

EN511

The EN511 standard defines the requirements and test methods for gloves which protect against convective or conductive cold down to -50°. This cold can be linked to climatic conditions or industrial activity.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

EN 511



XXX

- 0 to 1: Impermeability to Water
- 0 to 4: Resistance to Contact Cold
- 0 to 4: Resistance to Convective Cold

PROTECTION AGAINST CHEMICAL RISK

AS/NZS 2161.10.3:2005

EN374-3

The EN374-3 standard involves determination of the resistance of the materials making up the gloves. Resistance to permeation is assessed by measuring the time for a chemical to breakthrough glove material. Samples are cut and placed in a permeation cell which enables the chemical to be placed in contact with the outer surface of the glove. Air or water is passed through the cell to collect any chemical that has broken through the inside surface of the glove. It is recommended to only use the test results, which have basically relative values, to compare the materials on the basis of the major categories of passage of time.

- Level X: The test is not applicable, or the glove is not tested
- Level 0: Nil performance or result
- Level 1: Minimum result
- Level 2: Good result
- Level 3: Very Good result
- Level 4 & over: Excellent result

EN 374-3



XX

- 0 to 4: Permeation
- 0 to 4: Penetration



Our synthetic and coated glove range has got you covered if you need to get a handle on things. From agricultural to automotive, electrical to warehouse, construction to gardening, cold to hot, we've got a glove that gives you the comfort and protection you need and expect.



superior grip
multi-layered
oil and water safe

Anti⁺bac™

Innovative anti bacterial technology offering fresh feeling anti-odour barrier, UV protection preventing skin ageing.

Full tech sheet available.

13 gauge nylon seamless shell

GRIPMASTER[®]
NBR Gripmaster structure

OIL PROOF
Second layer (extreme oil grip performance)



Basic layer (oil proof)

Black Knight



Black Knight Gripmaster Glove

GNN192

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNN192-07	Small	White	12	120
GNN192-08	Medium	Green	12	120
GNN192-09	Large	Brown	12	120
GNN192-10	XLarge	Yellow	12	120
GNN192-11	2XLarge	Grey	12	120
GNN192-12	3XLarge	Light blue	12	120

EN 388



4 1 2 1



Anti⁺bac[™]
GRIPMASTER[®]

FEATURES & BENEFITS

- Maxisafe's Black Gripmaster[®] coating technology ensures the Black Knight has excellent grip in wet, oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- Anti-Bac antimicrobial treatment provides protection against harmful bacteria and an anti-odour barrier
- 13 gauge lycra/nylon shell provides stretch for a close fit and breathability
- No strikethrough to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life without reducing effectiveness of Anti-Bac treatment
- Thin coating ensures superior flexibility and dexterity

RECOMMENDED AND INDUSTRY USES

- Materials handling work
- General purpose work glove
- Hand and Power Tool Operations
- Maintenance Operations
- Baggage handling
- Construction industry
- Automotive industry
- Logistics and warehousing
- Mining
- Agriculture
- Pulp and Paper

Black Knight



Black Knight Gripmaster Hi-Vis Glove

GNH292

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNH292-07	Small	White	12	120
GNH292-08	Medium	Green	12	120
GNH292-09	Large	Brown	12	120
GNH292-10	XLarge	Yellow	12	120
GNH292-11	2XLarge	Grey	12	120

EN 388



4 1 2 1



Anti⁺bac[™]
GRIPMASTER[®]

FEATURES & BENEFITS

- Maxisafe's Black Gripmaster[®] coating technology ensures the Black Knight has excellent grip in wet, oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- 'Anti-Bac' antimicrobial treatment provides protection against harmful bacteria and an anti-odour barrier
- 13 gauge lycra/nylon shell provides stretch for a close fit and breathability
- No 'strikethrough' to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life without reducing effectiveness of 'Anti-Bac' treatment
- Thin coating ensures superior flexibility, dexterity and feel
- Hi-Vis Yellow for greater visibility in the workplace

RECOMMENDED AND INDUSTRY USES

- Materials handling work
- Construction industry
- Automotive industry
- Logistics and warehousing
- General purpose work glove
- Construction industry
- Mining
- Agriculture
- Pulp and Paper



**Black Knight
Sub-Zero Glove**

GNL224

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNL224-08	Medium	Green	12	120
GNL224-09	Large	Blue	12	120
GNL224-10	XLarge	Brown	12	120
GNL224-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Acrylic wool liner for cold weather work



- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring excellent grip
- No 'strikerthrough' to the inside of the glove to cause irritation or heat build up
- Machine washable increasing glove life
- Thin coating ensures superior flexibility, dexterity and feel

RECOMMENDED AND INDUSTRY USES

- Cold Storage
- Agriculture and Outdoor Work
- Refuse Disposal
- Recycling
- Warehouse and Construction Work
- Construction Industry
- Horticultural Industry

SUPAFLEX[®]



Superflex Glove

GFN267

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GFN267-06	XSmall	Blue	12	120
GFN267-07	Small	Purple	12	120
GFN267-08	Medium	Green	12	120
GFN267-09	Large	Brown	12	120
GFN267-10	XLarge	Yellow	12	120
GFN267-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Unique Micro Foam Palm Coating Technology
- 13 Gauge Seamless Nylon/Lycra liner
- Ultra-thin coating for superior flexibility and dexterity
- Highest level abrasion resistance ensures increased wear life
- Lycra provides stretch and a closely fitting glove
- Breathable coating reduces heat keeping the hands cool and dry
- No coating strike through inside the glove to cause skin irritations
- Dark colour increases glove life by staying clean longer

RECOMMENDED AND INDUSTRY USES

- Handling small metal parts
- Handling plastic components
- Precision assembly work
- General handling
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining

SUPAFLEX[®]



**Superflex
3/4 Coated Glove**

GFN288

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GFN288-07	Small	Purple	12	120
GFN288-08	Medium	Green	12	120
GFN288-09	Large	Brown	12	120
GFN288-10	XLarge	Yellow	12	120



FEATURES & BENEFITS

- Unique Micro 3/4 Foam Palm Coating Technology
- 13 Gauge Seamless Nylon/Lycra liner
- Ultra-thin coating for superior flexibility and dexterity
- Highest level abrasion resistance ensures increased wear life
- Lycra provides stretch and a closely fitting glove
- Breathable coating reduces heat keeping the hands cool and dry
- No coating strike through inside the glove to cause skin irritations
- Dark colour increases glove life by staying clean longer

RECOMMENDED AND INDUSTRY USES

- Handling small metal parts
- Handling plastic components
- Precision assembly work
- General handling
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining



Red Knight Latex Gripmaster Glove

GNL156

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNL156-07	Small	White	12	120
GNL156-08	Medium	Green	12	120
GNL156-09	Large	Blue	12	120
GNL156-10	XLarge	Brown	12	120
GNL156-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Gripmaster Latex Palm Coating Technology grip for grip and flexibility
- 13 Gauge Seamless Nylon/Lycra provides good dexterity and breathability
- Excellent abrasion and puncture resistance
- Lycra provides stretch and a closely fitting glove

RECOMMENDED AND INDUSTRY USES

- Agricultural applications
- Refuse Disposal and Recycling
- Construction Industry
- General Purpose work glove
- Engineering
- Assembly and technical work
- Automotive industry
- Building and construction
- Logistics and warehousing
- Mining



White Knight Foam-Nitrile Glove

GNF124

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNF124-06	XSmall	Red	12	120
GNF124-07	Small	White	12	120
GNF124-08	Medium	Green	12	120
GNF124-09	Large	Blue	12	120
GNF124-10	XLarge	Brown	12	120
GNF124-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- White 13 gauge nylon seamless shell for outstanding comfort
- Foam nitrile provides a breathable and lightweight coating on the palm
- Soft, flexible coating has excellent abrasion and puncture resistance
- Excellent dexterity and grip for handling wet, oily or dry items

RECOMMENDED USES

- Automotive Industry
- Materials Handling and Assembly work
- Logistics and Warehousing
- Technicians and Electricians
- Production lines and small parts handling
- Construction industry
- Mining
- Agriculture
- Pulp and Paper



Liteflex PU Coated Glove

GNP136

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GNP136-06	XSmall	Red	12	120
GNP136-07	Small	White	12	120
GNP136-08	Medium	Green	12	120
GNP136-09	Large	Blue	12	120
GNP136-10	XLarge	Brown	12	120
GNP136-11	2XLarge	Grey	12	120



FEATURES & BENEFITS

- Grey polyurethane coated palm provides excellent durability
- Grey nylon shell is lightweight and breathable
- Excellent feel and dexterity
- Dark colour hides dirt and grime

RECOMMENDED AND INDUSTRY USES

- Technicians and Electricians
- Logistics and Warehousing
- Automotive and small parts work
- General Purpose work glove
- Production lines and small parts handling
- Construction industry
- Automotive industry
- Manufacturing
- Electronics industry



greenGRIPPA



Green GRIPPA Glove

GGL106

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GGL106-07	Small	Yellow	12	120
GGL106-08	Medium	Green	12	120
GGL106-09	Large	Blue	12	120
GGL106-10	XLarge	Brown	12	120
GGL106-11	2XLarge	Red	12	120



FEATURES & BENEFITS

- Yellow 100% seamless polyester cotton Liner
- Green latex crinkle finish coating provides superior wet and dry grip
- Ergonomic design provides excellent flexibility
- Extremely durable offering excellent abrasion, tear and puncture resistance

RECOMMENDED USES

- Agriculture and Gardening
- Construction and Timber Industry
- Glass and Sheet Metal handling
- Refuse Disposal and Recycling
- Horticultural Industry

blueGRIPPA



Blue GRIPPA Glove

GBL107

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GBL107-07	Small	Yellow	12	120
GBL107-08	Medium	Green	12	120
GBL107-09	Large	Blue	12	120
GBL107-10	XLarge	Brown	12	120
GBL107-11	2XLarge	Red	12	120



FEATURES & BENEFITS

- Grey 100% seamless polyester cotton liner
- Blue latex crinkle finish coating provides superior wet and dry grip
- Ergonomic design provides excellent flexibility
- Extremely durable offering excellent abrasion, tear and puncture resistance

RECOMMENDED USES

- Construction and Timber Industry
- Glass and Sheet Metal handling
- Refuse Disposal and Recycling
- Agriculture and Gardening
- Horticultural Industry

glassGRIPPA



Premium Glass GRIPPA Glove

GYL108

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GYL108	Large	-	12	120



FEATURES & BENEFITS

- 100% cotton jersey liner for comfort and breathability
- Yellow double dipped natural latex coating for durability
- Ripple finish for superior grip

RECOMMENDED USES

- Glass and bottle handling
- Brick and timber industries
- Refuse and waste management
- Agriculture and Gardening

maxisafe
safety products



Glass Gripper Glove

GYL108e



CODE SIZE PAIRS PAIRS

GYL108e	Large	12	120
----------------	--------------	----	-----

FEATURES & BENEFITS

- 100% cotton liner for comfort and breathability
- Yellow natural latex coating for durability
- Ripple Finish for superior grip

RECOMMENDED USES

- Glass and bottle handling
- Brick and timber industries
- Refuse and waste management
- Agriculture and Gardening

maxisafe
safety products



Heavy Duty Latex Glove

GRL105



CODE SIZE PAIRS PAIRS

GRL105-09	Large	12	120
GRL105-10	XLarge	12	120

EN 388



3 1 4 3



FEATURES & BENEFITS

- White seamless knitted polyester cotton shell
- Red Tough Latex Laminated Palm
- Excellent abrasion and puncture resistance

RECOMMENDED USES

- Brick and Glass Handling
- Construction Industry
- Waste and Recycling management
- Agriculture and Fishing Industry



Harpoon Latex Glove

GLL229



CODE SIZE PAIRS PAIRS

GLL229-08	Medium	6	60
GLL229-09	Large	6	60
GLL229-10	XLarge	6	60

EN 388



4 1 3 1



FEATURES & BENEFITS

- Liquid proof gloves made from latex over a cotton knit.
- Curved fingers and contoured palm
- Non-slip finish in the hand area.
- Guaranteed silicone-free.
- High resistance to cuts and snags
- Outstanding heat resistance
- Sweat absorbent, non-woven inner liner

RECOMMENDED USES

- Deep sea fishing
- Forestry
- Metal industry
- Oyster farming
- Masonry



Sandfire



Sandfire Nitrile Glove

GNY125

CODE	SIZE	PAIRS	PAIRS
GNY125-08	Medium	12	120
GNY125-09	Large	12	120
GNY125-10	XLarge	12	120



FEATURES & BENEFITS

- Yellow lightweight nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris, open back improves ventilation
- Highly flexible and dexterous
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Mining & Construction Industry
- Steel Fabrication and Handling
- Refuse Disposal and Recycling

Blue Knight



Blue Knight Fully Coated Nitrile Glove

GNB126

CODE	SIZE	PAIRS	PAIRS
GNB126-08	Medium	12	120
GNB126-09	Large	12	120
GNB126-10	XLarge	12	120



FEATURES & BENEFITS

- Nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries

Blue Knight



Blue Knight Coated Nitrile Glove

GNB130

CODE	SIZE	PAIRS	PAIRS
GNB130-08	Medium	12	120
GNB130-09	Large	12	120
GNB130-10	XLarge	12	120



FEATURES & BENEFITS

- Nitrile coating offers good grip in wet and dry
- Abrasion, cut and puncture resistant
- Knit wrist excludes debris, open back ventilation
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



Blue Knight Safety Cuff Fully Coated Nitrile Glove

GNB131

CODE	SIZE	PAIRS	PAIRS
GNB131-09	Large	12	120
GNB131-10	XLarge	12	120



FEATURES & BENEFITS

- Blue heavy duty nitrile coating
- Jersey liner / safety cuff offers extra protection
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



Blue Knight Safety Cuff Nitrile Glove

GNB198

CODE	SIZE	PAIRS	PAIRS
GNB198-10	XLarge	12	120



FEATURES & BENEFITS

- Blue heavy duty nitrile coating
- Jersey liner / safety cuff offers extra protection
- Open back improves ventilation
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

RECOMMENDED USES

- Refineries and chemical handling
- Steel Fabrication and Handling
- Timber and Construction Industries
- Refuse Disposal and Refineries



Glove Roll

- Ideal selling tool for your sales team on the road
- Sell more product by allowing your customers to touch and feel
- Display all the latest gloves



bodyguards for your

Our cut resistant glove range is designed to cater for the sharp end of the industrial market.

Whether you're handling glass or steel, a fully operational engine or processing meat,

Maxisafe's cut resistant range provides the protection you need with the comfort and breathability you want.

What is Kenima®?

This is special yarn technology which wraps a glassfibre filament with polyamide yarn so that it's not visible or in direct contact with the skin. Using high speed spinning machines, 3-4 layers of polyamide yarn are wrapped around the glassfibre core producing a yarn that is easy to knit or spin with other fibers. When spun with UHMW-PE (high tensile strength), it produces a very high cut resistance yarn which is used in our unique range of G-Force cut resistant gloves.



What is HDPU?

HDPU is High Density Polyurethane. Our unique HDPU coating uses environmentally friendly materials in its production and is more than 25 times higher abrasion resistant than normal PU, while offering far greater cut resistance. Its unique micro ventilated construction offers greater comfort over a longer period of time as well as being waterproof, durable and reuseable.

Combined with Kenima® yarn in our G-Force gloves, they offer supreme comfort and cut resistance.



hands

G-FORCE
CUT



G-Force Cut Level 5 Safety Gloves with HDPU

GKH197

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKH197-06	XSmall	Blue	10	100
GKH197-07	Small	White	10	100
GKH197-08	Medium	Green	10	100
GKH197-09	Large	Brown	10	100
GKH197-10	XLarge	Yellow	10	100
GKH197-11	2XLarge	Grey	10	100

EN 388



4 5 4 2



FEATURES & BENEFITS

- Black 13 Gauge Kenima® Super Cut Resistant Yarn
- CE/EN388 Cut Resistant Level 5
- New High Density Polyurethane (HDPU) Coating offers superb flexibility, durability and grip
- Tests have proven the HDPU is 25 times more abrasion resistant than normal PU
- The HDPU coating is liquid resistant, durable and washable
- Cool Star® Yarn offers excellent breathability and sweat absorption

RECOMMENDED USES

- Glass Bottle Handling
- Sheet Metal operations
- Automotive and Steel industries
- Plastics and Moulding industries
- Mining
- Construction

G-FORCE
CUT



**EXCEEDS
CUT
LEVEL 5
BY 13
TIMES**

G-Force HiCut Level 5 Safety Gloves with HDPU

GKH196

CODE SIZE HEM COLOUR PAIRS PAIRS

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKH196-07	Small	White	10	100
GKH196-08	Medium	Green	10	100
GKH196-09	Large	Brown	10	100
GKH196-10	XLarge	Yellow	10	100
GKH196-11	2XLarge	Grey	10	100

EN 388



4 5 4 4



FEATURES & BENEFITS

- Black 13 Gauge Kenima®/Spectra® Super Cut Resistant Yarn
- Exceeds the CE/EN388 Cut Resistant Level 5 by 13 times!!
- New High Density Polyurethane (HDPU) offers superb flexibility, durability and grip in dry or slightly wet conditions
- Tests have proven the HDPU is up to 25 times more abrasion resistant than normal PU
- Cool Star® Yarn offers excellent breathability and sweat absorption

RECOMMENDED USES

- Pulp and Paper Industries
- Glass and Bottle Industries
- Sheet Metal Fabrication
- Automotive and Steel Industries
- Mining
- Construction



Black Knight
Dri-Grip3



Black Knight
Dri-Grip 3 Glove

GDG291

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GDG291-07	Small	Red	12	120
GDG291-08	Medium	Yellow	12	120
GDG291-09	Large	Brown	12	120
GDG291-10	XLarge	Black	12	120
GDG291-11	2XLarge	Green	12	120

EN 388



4 3 4 2

FEATURES & BENEFITS

- Grey Coolstar Yarn for excellent breathability and comfort
- CE/EN388 Cut Resistant Level 3
- Gripmaster Coating Technology ensures the Black Knight gloves have excellent grip in wet, dry or oily environments
- Multi-layered Gripmaster technology prevents oil penetration while repelling water ensuring superior grip
- No strikethrough to the inside of the glove to prevent irritation and heat build up
- Machine washable increasing glove life without reducing quality

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastic Industries
- Oil Drilling and Mining
- Refineries
- Construction Industry
- Emergency Services: Police, Search & Rescue Military and Security

G-FORCE
HiVis CUT5



G-Force
HiVis Cut 5 Glove

GTH238

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTH238-07	Small	White	12	120
GTH238-08	Medium	Green	12	120
GTH238-09	Large	Brown	12	120
GTH238-10	XLarge	Yellow	12	120

EN 388



4 5 4 2

FEATURES & BENEFITS

- Hi-Vis Yellow 13 Gauge Kenima® Super Cut Resistant Yarn
- CE/EN388 Cut Resistant Level 5
- Black Nitrile Coated Palm offers superb flexibility, durability and grip in wet conditions
- Cool Star® Yarn offers excellent breathability and sweat absorption

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastics Industries
- Construction Industry
- Mining

G-FORCE
CUT 5 TPR



G-Force
Cut 5 TPR Glove

TPR
PROTECTION

GBX280

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GBX280-7	Small	White	12	120
GBX280-8	Medium	Green	12	120
GBX280-9	Large	Brown	12	120
GBX280-10	XLarge	Yellow	12	120
GBX280-11	2XLarge	Grey	12	120

EN 388



4 5 4 4

FEATURES & BENEFITS

- Manufactured using a highly engineered cut resistant yarn offering the highest level of cut resistance
- Unique TPR impact and abrasion protection on the back of the glove to protect the hand against impact and abrasion
- Foam Nitrile coating on the palm offers excellent grip and dexterity for outstanding performance
- Nitrile coating is water, oil and abrasion resistant
- High level of breathability to reduce sweating
- Unique and exclusive to Maxisafe

RECOMMENDED USES

- Mining
- Oil Drilling
- Refineries
- Construction Industry
- Steel/Metal Handling
- Glass Handling
- Emergency Services: Police, Search & Rescue
- Military
- Security



G-Force 51cm Cut 5 Sleeve

GIS179

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GIS179-09	Large	Brown	6	60
GIS179-10	XLarge	Yellow	6	60



G-Force 28cm Cut 5 Sleeve

GIS169

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GIS169-07	Small	Red	6	60
GIS169-08	Medium	Green	6	60
GIS169-09	Large	Brown	6	60
GIS169-10	XLarge	Yellow	6	60
GIS169-11	2XLarge	Grey	6	60



FEATURES & BENEFITS

- Grey 13 Gauge Inotex® Seamless Sleeve
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Machine Washable for re-use

RECOMMENDED USES

- Glass and Plastics Industry
- Automotive Industry
- Abattoirs, Butchers and Meat Processing



G-Force Blue Microfresh Glove

GKB167

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKB167-07	Small	White	6	120
GKB167-08	Medium	Green	6	120
GKB167-09	Large	Brown	6	120
GKB167-10	XLarge	Yellow	6	120
GKB167-11	2XLarge	Grey	6	120
GKB167-12	3XLarge	Light blue	6	120



FEATURES & BENEFITS

- Blue 13 Gauge Kenima® Liner is more flexible and superior abrasion resistance to other manmade fibres
- Extended Cuff for wrist protection
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Food Contact Approved according to Directive 2002/72/EC
- Machine Washable for re-use

RECOMMENDED USES

- Abattoirs, Butchers and Meat Processing
- Vegetable Processing
- Fishing industry
- Blade sharpening and cleaning



G-Force White Microfresh Glove

GKW168

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKW168-07	Small	Red	6	120
GKW168-08	Medium	Green	6	120
GKW168-09	Large	Grey	6	120
GKW168-10	XLarge	Brown	6	120
GKW168-11	2XLarge	Yellow	6	120
GKW168-12	3XLarge	Light blue	6	120



FEATURES & BENEFITS

- White 13 Gauge Kenima® Liner is more flexible and superior abrasion resistance than other manmade fibres
- Extended Cuff for wrist protection
- Excellent Cut Resistance to Level 5 according to CE/EN388
- Food Contact Approved according to Directive 2002/72/EC
- Machine Washable for re-use

RECOMMENDED USES

- Abattoirs, Butchers and Meat Processing
- Vegetable Processing
- Fishing industry
- Blade sharpening and cleaning



what is

Since its introduction to the market, the revolutionary Taeki5® has expanded into a complete range of high performance safety gloves and personal protective products including barrier fabrics, aprons, garments and shoes. Taeki5® was developed in Europe with total protection in mind. Integrating unique HPSH fibre, Taeki5® is the only yarn on the market able to offer complete protective properties in a multitude of glove and PPE designs. Where other fibres will fail in heat contact resistance or abrasion resistance, Taeki5® will be there to give you the complete properties and protection listed.

- **High Abrasion Resistance** – level 4 according to EN388 on all styles even with light weight 13 gauge yarn.

- **High Cut Resistance** – level 5 according to EN388.

- **High Heat Contact Resistance** – 100°C up to 250°C according to EN407. This makes Taeki5® also suitable for a wide range of constructions as inner liner for leather gloves or high heat resistance glove.

- **Washable** – very low to zero shrinkage, and very good washing durability increase the life time and value of the glove.

- **High Comfort and Fitting** – stretchable and breathable material to allow perfect fit, dexterity and wearing comfort. Soft touch and low density to reduce hand fatigue and allow comfortable wearing during long working hours.

Taeki5®, The Ultimate Total Protection.

Taeki5® is a member of the Taeki® family including the newly launched TaekiS® and TaekiX®. All three categories share in common a core high performance innovative fibre engineered using cutting edge and patented technology to incorporate the features as seen in the comparison chart.

Level	Color code	Value
Extreme	4	+++
High	3	++
Medium	2	+
Low	1	-
No	0	X

* HDPE = High Density Polyethylene
 ** UHMWPE = Ultra High Molecular Weight Polyethylene
 Testing method based on both CE and ASTM standard. Taeki 5 (logo) is a member of the Taeki® (logo) family including the newly launched Taeki S (logo) and Taeki X (logo). All 3 categories share in common a core high performance innovative fiber engineered using cutting edge and patented technology to incorporate the features as seen in the below comparison chart.

CHARACTERISTICS	Taeki X	Taeki 5	Taeki S	HDPE* UHMWPE**	Spun HDPE*	ARAMID	META-ARAMID PARA-ARAMID
Abrasion resistance	+++	++	++	++	+	-	-
Cut Resistance	+++	++	+	+	+	-	-
Heat Resistance	+	+	X	X	X	+	+
Washing	++	++	+	+	-	-	-
UV Resistance	++	++	++	++	++	X	X
Lint Free	++	++	++	++	X	X	X
Any colour available	++	++	-	-	-	-	-
Comfort	++	++	++	++	+	+	+
Variety of coating available incl Nitrile, PVC and Latex	++	++	-	-	+	+	+
Quality/price ratio	++	++	++	-	-	+	+
TOTAL PERFORMANCE	+31	+29	+21	+19	+14	+12	+12

Taeki5?

• **Colour and yarn properties** unaffected by exposure to light or UV rays.

• **Available in a variety of colours** to suit your working requirement. From light to dark colours including high visibility, you will find the colour to match your safety or corporate need.

• **Respect of the environment and your hand** – all materials integrated in Taeki5® are friendly to the environment and to your skin.

• **No material shortages** – the material produced exclusively for Taeki5® is based on components with no shortage or natural restrictions.

• **Lint free construction** suitable for cleanroom environment and applications requiring clean conditions such as automotive and electronics applications.

• **Economical** – the best performance and price ratio on the market. Taeki5® philosophy is to make high performance gloves and PPE available to everyone, not just the elite.



G-Force HeatGuard Glove

GTH266			⊕	⊗
CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTH266-08	Medium	Yellow	12	120
GTH266-09	Large	Brown	12	120
GTH266-10	XLarge	Black	12	120



- FEATURES & BENEFITS
- Unique Taeki5® liner construction for heat resistance
 - CE/EN388 Cut Resistant Level 5
 - High Contact Heat Protection- Up to 250°C
 - Outstanding flexibility and dexterity
 - Ultimate Abrasion resistance

- RECOMMENDED USES
- Steel and Automotive Industries
 - Recycling and Refuse Industries
 - Glass Handling
 - Paper and Plastics Industries
 - Precise operations
 - Food handling
 - Clean room environment

• **Patented Design and Registered Trademark** – Techware is an exclusive distribution partner.



G-FORCE
GRIPPA CUT 5



G-Force Grippa Cut 5 Glove

GKL251

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GKL251-08	Medium	Yellow	12	120
GKL251-09	Large	Brown	12	120
GKL251-10	XLarge	Black	12	120
GKL251-11	2XLarge	Green	12	120



FEATURES & BENEFITS

- Taeki5™ is revolutionary cut resistant, lint free, engineered yarn
- Latex coated palm offers excellent wet, dry and greasy grip
- Highest level 5 cut resistance EN388
- Level 4 abrasion resistance EN388
- High contact resistance up to 250°C
- High comfort & fitting - stretchable & breathable
- Washable for increased life span, better value
- Economical - the best performance and price ratio on the market
- Environmentally friendly materials

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastic Industries
- Oil Drilling and Mining
- Refineries
- Construction Industry
- Timber and Forestry

G-FORCE
LEATHER PALM GLOVE



G-Force Taeki5 Leather Palm Glove

GTL296

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GTL231-09	Large	Brown	12	120
GTL231-10	XLarge	Black	12	120



FEATURES & BENEFITS

- Unique Taeki5® liner construction for heat resistance
- CE/EN388 Cut Resistant Level 5
- High Contact Heat Protection- Up to 250°C
- Outstanding flexibility and dexterity
- Ultimate Abrasion and Puncture resistance
- Extended Cuff for excellent wrist protection

RECOMMENDED USES

- Welding & Steelwork
- Handling Hot Products
- Handling Hot castings
- Sheet Metal Industry

G-FORCE
HEATGUARD



G-Force Silver Cut 5 Glove

GDP138

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GDP138-07	Small	Red	12	120
GDP138-08	Medium	Yellow	12	120
GDP138-09	Large	Brown	12	120
GDP138-10	XLarge	Black	12	120
GDP138-11	2XLarge	Green	12	120



FEATURES & BENEFITS

- Grey 13 Gauge Taeki5® Super Cut Resistant Yarn
- CE/EN388 Cut Resistant Level 5
- Grey PU Coated Palm provides excellent grip and dexterity in dry or slightly wet conditions
- High contact heat protection up to 250°C
- Taeki5® Yarn offers excellent breathability and sweat absorption

RECOMMENDED USES

- Glass Handling
- Automotive and Steel Industries
- Paper and Plastics Industries
- Construction Industry
- Sheet Metal Industry



Maxisafe Heat Resistant Gauntlet

GPH219

CODE	SIZE	PAIRS	PAIRS
GPH219	Large	1	60



FEATURES & BENEFITS

- Ultra High Contact Heat Protection - Up to 250°C
- Designed for intermittent handling of hot objects up to 180°C and contact heat up to 250°C
- Provides high resistance to cuts, snags and abrasion
- Enhances grip on dry and oily surfaces
- Comfortable & flexible: sweat absorbent, non-woven felt inner

RECOMMENDED AND INDUSTRY USES

- Handling hot glass
- Removing trays from ovens
- Handling hot castings
- Demoulding rubber tyres, vulcanizing, calendaring etc
- Removing sterilized products from autoclaves and steam ovens
- Steel and Aluminium Smelters
- Food Processing Services
- Glass/Bottle Manufacturing
- Plastics Industries
- Metal Fabrication



Maxisafe G-Force Mechanic 5

GMC255

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GMC255-08	Small		6	120
GMC255-09	Medium		6	120
GMC255-10	Large		6	120
GMC255-11	XLarge		6	120

FEATURES & BENEFITS

- Cut Level 5 Palm
- 3mm EVA lined reinforced thumb crotch and palm
- Clarino finger tips, finger bands and palm
- Neoprene cuff with velcro fastener
- Hi Vis Spandex back
- Terry Towel thumb
- Available in sizes S, M, L, XL

RECOMMENDED USES

- Automotive
- Metal handling
- Rescue operations
- Mining
- Sheet metal industries
- Glass industries



Maxisafe G-Force Heatlock

GMT297

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GMT297-08	Small		12	120
GMT297-09	Medium		12	120
GMT297-10	Large		12	120
GMT297-11	XLarge		12	120

FEATURES & BENEFITS


- 0.8mm Armskin, durable, lightweight and comfortable
- Synthetic leather
- Abrasion resistant PVC grip
- Nylon Lycra foam back
- Neoprene knuckle bar
- 5cm Neoprene cuff
- Velcro fastener
- U100 Heatlok thermal lining
- 2™ Ski-Dri waterproof breathable lining
- Hi Vis yellow
- Rated UPF50+ excellent protection
- Available in sizes S, M, L, XL

RECOMMENDED USES

- Freezer work
- Cool rooms
- Winter work
- Ski-field operations
- Ice works
- Cold storage



new breed of puncture



RHINO GUARD™
Extreme puncture protection

Rhinoguard needle resistant gloves

RHINO GUARD™ is highly engineered textile composite primarily designed to provide the highest levels of protection against a wide range of puncture hazards. The material is constructed from an innovative combination of advanced fibres, modified fabric structure and a unique coating technology to deliver high levels of protection against both large and small puncture threats (including needles and syringes). Uniquely for a puncture resistant material, RHINO GUARD™ also provides protection against cuts, heat and flame, abrasion and liquids. All of this is achieved in a lightweight, thin and flexible material which can be employed in a range of demanding environments.

The RHINO GUARD™ EXTRICATION GLOVE is designed for the most intense environments requiring a glove that provides a combination of mechanical protection.

The puncture protection areas with RHINO GUARD™ inside include the palm and fingers



Thermo Plastic Rubber



Rhinoguard Extrication Glove **TPR PROTECTION**

GRH284

CODE	SIZE	PAIRS	PAIRS
GRH284-8	Small	1	10
GRH284-9	Medium	1	10
GRH284-10	Large	1	10
GRH284-11	XLarge	1	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas
- Needle protection on palm only

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue, Military
- Metal forming and handling
- Glass processing and handling
- Security and Recycling

Rhinoguard Full Protection Glove

GRH285

CODE	SIZE	PAIRS	PAIRS
GRH285-8	Small	1	10
GRH285-9	Medium	1	10
GRH285-10	Large	1	10
GRH285-11	XLarge	1	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas
- Needle protection on palm and back of hand

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue, Military
- Metal forming and handling
- Glass processing and handling
- Security and Recycling

resistance

RHINO GUARD™ Extreme puncture protection



Key Features of RHINO GUARD™ fabric technology

- Achieves the highest rating for puncture resistance (>150 Newtons) according to the requirements of EN388 (Level 4) and ANSI-105:2005 (Level 5) using the standard 4.5mm diameter puncture probe.
- ASTM F1342-05: 86 Newtons of puncture resistance using the standard 2.03mm diameter puncture probe.
- ASTM F1342-05 (modified): 4.1 Newtons of puncture resistance using a 25gm needle (sharpened medical grade).
- All puncture data given is derived from Independent testing on a single layer of RHINO GUARD™ material.
- RHINO GUARD™ is coated with a highly abrasion resistant material that maximises product durability in applications requiring robust performance.
- DEXTERITY: In contrast with other puncture resistant solutions, RHINO GUARD™ is lightweight, thin and flexible to maximize dexterity and user comfort.



Rhinoguard 23cm sleeve

GRS289

CODE	SIZE	EACH	EACH
GRS289	23cm	Each	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue
- Military
- Metal forming and handling
- Glass processing and handling
- Security
- Recycling



Rhinoguard 48cm sleeve

GRS290

CODE	SIZE	EACH	EACH
GRS290	48cm	Each	10



FEATURES & BENEFITS

- EN388 level 5 cut resistance
- EN388 level 4 Abrasion Resistance
- EN388 level 4 Puncture Resistance
- EN388 level 4 Tear Resistance
- ASTM F1342-05: 86 Newtons of puncture resistance
- ASTM F1342-05 (modified) needle test: 4.1 Newtons
- Leather reinforcement for higher action areas

RECOMMENDED USES

- Emergency Services: Police, Fire Fighters, Search and Rescue
- Military
- Metal forming and handling
- Glass processing and handling
- Security
- Recycling



The G-Force Range of work safety gloves are specially designed to be the right fit for all workers, tradespeople and technicians, with the protection, grip and comfort to complete the toughest task on hand.

Each model has been designed by Techware's technology team along with experienced workers in the workplace to enhance safety while you work.

The G-Force Range is manufactured from high-tech synthetic materials that have been proven to outlast traditional natural leather gloves. Advanced knitting technology and material formulations improve breathability in hand stress zones maximising comfort. Built tough for the tradesman – choose a model that suits your job!



protection
grip and comfort
dexterity

range

BRANDED FOR YOU OR YOUR CUSTOMERS COMPANY

Personalise any of the G-Force range of gloves by asking us to print your own company's logo or a customers logo on each glove!

OFFER IT TO YOUR CUSTOMERS.



G-Force Rigger

GRS235

CODE	SIZE	PAIR	PAIRS
GRS235-08	Small	6	120
GRS235-09	Medium	6	120
GRS235-10	Large	6	120
GRS235-11	XLarge	6	120
GRS235-12	XXLarge	6	120



FEATURES & BENEFITS

- Durable one piece synthetic leather palm
- Elastane back for comfort and breathability
- Outperforms traditional leather riggers
- Elastic wrist for snug fit
- 100% machine washable increases glove life
- No knuckle bar improves fit and feel
- Reinforced finger tips and knuckles

RECOMMENDED AND INDUSTRY USES

- Steel and Metal Handling
- Cables and Chain handling
- Rope Handling
- Hand and Power Tool Operations
- Maintenance Operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



G-Force HiVis Rigger

GRS255

CODE	SIZE	PAIRS	PAIRS
GRS255-08	Small	6	120
GRS255-09	Medium	6	120
GRS255-10	Large	6	120
GRS255-11	XLarge	6	120



FEATURES & BENEFITS

- Hi-Vis Synthetic Leather - for added safety!
- Elastane back for comfort and breathability
- Outperforms traditional leather riggers
- Elastic wrist for snug fit
- 100% machine washable increases glove life
- No knuckle bar improves fit and feel
- High vis back for better visibility in the workplace
- Reinforced finger tips and knuckles

RECOMMENDED AND INDUSTRY USES

- Steel and Metal Handling
- Cables and Chain handling
- Rope Handling
- Hand and Power Tool Operations
- Maintenance Operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry

Minimum order quantities apply



G-Force HiVis Mechanics

GMY277

CODE	SIZE	PAIRS	PAIRS
GMY277-9	Medium	6	120
GMY277-10	Large	6	120
GMY277-11	XLarge	6	120
GMY277-12	2XLarge	6	120

EN 388



3 2 4 1



FEATURES & BENEFITS

- Hi-Vis Synthetic Leather Work Glove – for added safety!
 - Synthetic Leather Work Glove
 - Padded Reinforced Palms
 - Velcro Wrist fastener
 - Full Fingers
 - Ventilated fouchettes
 - Barcoded with retail hanging cards
- RECOMMENDED AND INDUSTRY USES
- Construction Industry
 - Steel handling
 - Cables and coupling handling
 - Rope handling
 - Power tool and maintenance operations
 - Building Industry
 - Civil Construction
 - Automotive Industry
 - Rigging Industry
 - Timber and Forestry



G-Force MaxGrip Mechanics

GMS273

CODE	SIZE	PAIRS	PAIRS
GMS273-10	Large	6	120
GMS273-11	XLarge	6	120
GMS273-12	2XLarge	6	120

EN 388



4 2 2 1



FEATURES & BENEFITS

- Silicone Grip on fingers and palm for added grip
- Breathable stretch lycra back for comfort and breathability
- Velcro wrist fastener
- Durable synthetic anti-slip finger tips
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



G-Force Mechanics

GMA113

CODE	SIZE	PAIRS	PAIRS
GMA113-08	Small	6	120
GMA113-09	Medium	6	120
GMA113-10	Large	6	120
GMA113-11	XLarge	6	120

EN 388



3 2 4 1



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Ventilated fouchettes
- Neoprene Knuckle Bar for comfort
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Automotive Industry



G-Force Grip Fingerless

GMF117

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GMF117-08	Small	6	120
GMF117-09	Medium	6	120
GMF117-10	Large	6	120
GMF117-11	XLarge	6	120
GMF117-12	2XLarge	6	120



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Fingerless for extra feel and ventilation
- Ventilated fourchettes
- Neoprene Knuckle Bar for comfort

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Electricians and Technicians
- Carpenters and Mechanics
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



G-Force Tradesman

GMF118

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GMF118-08	Small	6	120
GMF118-09	Medium	6	120
GMF118-10	Large	6	120
GMF118-11	XLarge	6	120
GMF118-12	2XLarge	6	120



FEATURES & BENEFITS

- One piece synthetic leather construction with non-slip grip
- Padded Reinforced Palms with terry cloth sweat patch
- Velcro Wrist fastener and pull tab for pulling off
- Cut-off Fingers for extra feel and ventilation
- Ventilated fourchettes
- Neoprene Knuckle Bar for comfort

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Electricians and Technicians
- Carpenters and Mechanics
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



G-Force Leather Mechanics

GML158

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GML158-08	Small	6	120
GML158-09	Medium	6	120
GML158-10	Large	6	120
GML158-11	XLarge	6	120
GML158-12	2XLarge	6	120



FEATURES & BENEFITS

- Premium grain leather palm for great dexterity
- Elastine back for comfort and breathability
- Neoprene knuckle bar for greater flexibility
- Velcro wrist strap provides extra protection and snug fit
- Ventilated fourchettes increase airflow
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Construction Industry
- Steel handling
- Cables and coupling handling
- Rope handling
- Power tool and maintenance operations
- Building Industry
- Civil Construction
- Automotive Industry
- Rigging Industry
- Timber and Forestry



G-Force Anti-Vibration Mechanics with Leather Palm

GMG293 Glove

CODE	SIZE		 PAIRS	 PAIRS
GMG293-09	Medium	G-Force Glove	6	120
GMG293-10	Large	G-Force Glove	6	120
GMG293-11	X-Large	G-Force Glove	6	120

FEATURES & BENEFITS

- A grade leather
- Gel padded wrist support
- Gel padded palm and fingers
- Flexible neoprene breathable back
- Reinforced thumb crutch
- Velcro wrist fastener
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Hand, power and pneumatic tools
- Mining
- Road construction and maintenance
- Horticulture applications

G-Force Fingerless Anti-Vibration Mechanics with Leather Palm

GMG294 Fingerless Glove

CODE	SIZE		 PAIRS	 PAIRS
GMG294-09	Medium	G-Force Fingerless Glove	6	120
GMG294-10	Large	G-Force Fingerless Glove	6	120
GMG294-11	X-Large	G-Force Fingerless Glove	6	120

FEATURES & BENEFITS

- A grade leather
- Gel padded wrist support
- Gel padded palm and fingers
- Flexible neoprene breathable back
- Reinforced thumb crutch
- Velcro wrist fastener
- Barcoded with retail hanging cards

RECOMMENDED AND INDUSTRY USES

- Hand, power and pneumatic tools
- Mining
- Road construction and maintenance
- Horticulture applications



Thermo Plastic Rubber



Thermo Plastic Rubber

G-Force Impact Gel



GMH157

CODE	SIZE	PAIRS	PAIRS
GMH157-09	Large	6	120
GMH157-10	XLarge	6	120
GMH157-11	2XLarge	6	120

EN 388



4343



FEATURES & BENEFITS

- Unique TPR impact and abrasion protection on fingers and back
- Durable synthetic anti-slip finger tips for dry, wet and oily conditions
- Anti-vibration silicone-gel padded palm
- Re-inforced synthetic leather palm
- Breathable Stretch Spandex back
- 100% machine washable
- Easy-on pull tag
- Velcro strap for snug fit

RECOMMENDED AND INDUSTRY USES

- Heavy Machinery Operations and work
- Civil Construction applications
- Handling of mining equipment
- Rigging & Drilling machinery and operation
- Timber and Forestry
- Oil Rigs and Oil Fields
- Building Industry

G-Force Xtreme Heavy Duty



GMX283

CODE	SIZE	PAIRS	PAIRS
GMX283-09	Large	6	120
GMX283-10	XLarge	6	120
GMX283-11	2XLarge	6	120

EN 388



4343



FEATURES & BENEFITS

- Oil and water resistant palm
- Silicone palm dots for improved grip
- Extended cuff for wrist protection
- Full TPR impact and abrasion protection on fingers and back
- Breathable Stretch Spandex back for comfort
- ID tag for User Identification
- 100% machine washable
- Easy-on pull tag

RECOMMENDED AND INDUSTRY USES

- Heavy Machinery Operations and work
- Civil Construction applications
- Handling of mining equipment
- Rigging & Drilling machinery and operation
- Timber and Forestry
- Oil Rigs and Oil Fields
- Building Industry



leather gloves & general purpose gloves

Double stitched, safety reflective, knuckle bars, safety cuffs, seam welted, reinforced palms, fur lined, elastic backed, premium grade, garden variety - whether you're dealing with extreme heat or cold, gardening or welding, ultra specific purpose or everyday multi-tasking work, Maxisafe's leather and general purpose range will suit the job at hand.



YOUR CUSTOMERS LOGO OR YOUR COMPANY LOGO

Personalise any Maxisafe gloves by asking us to print your own company's logo or a customers logo on each glove! **Offer it to your customers.**

personalised



Maxisafe ULTRA Premium Riggers Glove

GRC143

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRC143-08	Small	Natural	12	120
GRC143-09	Medium	Natural	12	120
GRC143-10	Large	Natural	12	120
GRC143-11	XLarge	Natural	12	120



FEATURES & BENEFITS

- 'A' Grade Beige Premium Cowgrain Leather
- Wing thumb for stitch free palm
- Double nylon stitched for strength
- Elastic Back
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields



Maxisafe Keyring Glove

GKR272-L

CODE	SIZE	PAIRS	PAIRS
GKR272-L	N/A	Left hand	N/A N/A

FEATURES & BENEFITS

- WE CAN PRINT YOUR COMPANY LOGO ON THESE!
- Genuine Cow Grain Leather
- Great Promotional Product
- Available in left and right hand gloves



Maxisafe Keyring Glove

GKR272-R

CODE	SIZE	PAIRS	PAIRS
GKR272-R	N/A	Right hand	N/A N/A

FEATURES & BENEFITS

- WE CAN PRINT YOUR COMPANY LOGO ON THESE!
- Genuine Cow Grain Leather
- Great Promotional Product
- Available in left and right hand gloves



Maxisafe Premium Beige Rigger Glove

GRP141

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRP141-08	Small	Green	12	120
GRP141-09	Medium	Brown	12	120
GRP141-10	Large	Blue	12	120
GRP141-11	XLarge	Black	12	120
GRP141-12	2XLarge	Yellow	12	120



FEATURES & BENEFITS

- Beige Premium Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields



maxisafe
safety products



Maxisafe Natural Full Grain Rigger Glove

GRB140

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRB140-08	Small	Green	12	120
GRB140-09	Medium	Brown	12	120
GRB140-10	Large	Blue	12	120
GRB140-11	XLarge	Black	12	120
GRB140-12	2XLarge	Yellow	12	120



FEATURES & BENEFITS

- Genuine High Quality Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe
safety products



Maxisafe Natural Split Back Rigger Glove

GPS191

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GPS191-08	Small	Green	12	120
GPS191-09	Medium	Brown	12	120
GPS191-10	Large	Blue	12	120
GPS191-11	XLarge	Black	12	120



FEATURES & BENEFITS

- Genuine Split Back Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accurate sizing

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

maxisafe
safety products



Maxisafe Evolution Riggers Glove

GRC142

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRC142-08	Small	Green	12	120
GRC142-09	Medium	Brown	12	120
GRC142-10	Large	Blue	12	120
GRC142-11	XLarge	Black	12	120
GRC142-12	2XLarge	Yellow	12	120



FEATURES & BENEFITS

- New Evolution Cow Grain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification

RECOMMENDED AND INDUSTRY USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Mining and Construction Industries
- Building Industry
- Civil Construction
- Rigging Industry
- Timber and Forestry
- Oil Rigs and Oil Fields

**ANTARCTIC
EXTREME**



'Antarctic Extreme' 3M Thinsulate Lined rigger glove

GRL144

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRL144-08	Small	Green	12	60
GRL144-09	Medium	Brown	12	60
GRL144-10	Large	Blue	12	60
GRL144-11	XLarge	Black	12	60



FEATURES & BENEFITS

- Beige 'A' Grade Premium Cow Leather
- 3M 100gm Thinsulate® Lined for warmth
- Elastic Back
- Wing thumb with double stitching

RECOMMENDED USES

- Cold Storage
- Agriculture and Outdoor work
- Refuse disposal and Recycling
- Warehouse and Construction work

**POLAR
BEAR**



'Polar Bear' Fleece Lined Rigger Glove

GRL155

CODE	SIZE	HEM COLOUR	PAIRS	PAIRS
GRL155-08	Small	Green	12	60
GRL155-09	Medium	Brown	12	60
GRL155-10	Large	Blue	12	60
GRL155-11	XLarge	Black	12	60



FEATURES & BENEFITS

- Beige 'A' Grade Premium Cow Leather
- Genuine Fleece Lined for warmth
- Elastic Back
- Wing thumb with double stitching

RECOMMENDED USES

- Cold Storage
- Agriculture and Outdoor work
- Refuse disposal and Recycling
- Warehouse and Construction work

FORRESTER



'Forrester' HiVis Chainsaw Gloves

GRC278

CODE	SIZE	PAIRS	PAIRS
GRC278-09	Medium	12	120
GRC278-10	Large	12	120
GRC278-11	XLarge	12	120



FEATURES & BENEFITS

- Water Resistant green cowhide for durability
- The right hand is certified for mechanical risks and the left hand is certified for mechanical risks and chain saws.
- The left hand is padded with Engtex Criss-Cross position 12-layer, anti-cut fabric covered on both sides by a layer of Kevlar.
- HiVis for excellent visibility
- Wing thumb for stitch free palm

FEATURES & BENEFITS

- Double Stitched for strength
- Knitted Wrist for added protection and comfort
- EN 420:03 – Protective gloves. General requirements.
- EN 388:03 – Protective gloves against mechanical risks.
- UNE-EN 381-7:00 – Protective gloves against Chain Saws.

RECOMMENDED USES

- Chainsaw and Logging Work
- Farm and Agricultural applications



maxisafe
safety products



Maxisafe Reflective Safety Rigger with Safety Cuff

GRR176

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GRR176-08	Small	12	120
GRR176-09	Medium	12	120
GRR176-10	Large	12	120
GRR176-11	XLarge	12	120

EN 388



2 1 2 1



FEATURES & BENEFITS

- Orange Reflective Back with 25mm Hi-Vis Knuckle Bar
- 'A' Grade Premium Cow Leather
- Wing thumb with Double Stitching
- Elastic Back, One size fits all

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Civil and Road Construction
- Mining and Construction Industries

maxisafe
safety products



'Workman' Yellow cotton back glove

GLE147

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLE147	XLarge	12	120

FEATURES & BENEFITS

- Heavy Duty cow split one-piece palm
- Yellow Cotton back Safety Cuff & Knuckle Bar

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Mining and Construction Industries
- Steel fabrication and handling

maxisafe
safety products



Maxisafe Candy stripe glove

GLC145

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLC145	XLarge	12	120

FEATURES & BENEFITS

- Cow Split leather patch palm and knuckle bar
- Candy Striped cotton back with safety cuff

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Farm and Agricultural applications
- Steel fabrication and handling

maxisafe
safety products



Maxisafe Heavy Duty Polishers glove

GLR146

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GLR146	XLarge	12	120

EN 388



4 2 4 3



FEATURES & BENEFITS

- Heavy Duty cow split leather
- Reinforced palm thumb and forefinger
- Safety cuff and knuckle bar

RECOMMENDED USES

- General purpose utility work glove
- Truck and Transport Industry
- Automotive & Building Industries
- Steel fabrication and handling



Plumbers Studded Leather Glove

GSL233 and GSR232



CODE	SIZE		PAIRS	PAIRS
GSL233	XLarge	Left hand	1	25
GSR232	XLarge	Right hand	1	25

FEATURES & BENEFITS

- Genuine Cow Grain Leather
- Stainless Steel Studs
- Extra Heavy Duty Construction

RECOMMENDED USES

- Specifically designed for plumbers use with Drain Clearing Machines



Knitted poly/cotton liner

GKP103



CODE	SIZE		PAIRS	PAIRS
GKP103B/L	Mens		12	240
GKP103B/S	Ladies		12	240

FEATURES & BENEFITS

- Knitted Seamless Cotton/Polyester Blend
- 550gram Bleached Cotton Liner
- Ambidextrous and reversible

RECOMMENDED USES

- Light, general purpose work
- Component handling
- Fruit picking and food handling
- Prevents fingerprints from marking surfaces



Knitted poly/cotton - Polka Dot palm

GKP104



CODE	SIZE		PAIRS	PAIRS
GKP104B/L	Mens		12	240
GKP104B/S	Ladies		12	240

FEATURES & BENEFITS

- Knitted Seamless Cotton/Polyester Blend
- Black PVC dots on palm & fingers for extra grip
- 700gram Bleached Cotton Liner

RECOMMENDED USES

- Light, general purpose work
- Component handling with extra grip
- Fruit picking and food handling
- Prevents fingerprints from marking surfaces



Cotton Interlock - hemmed cuff

GCI100



CODE	SIZE		PAIRS	PAIRS
GCI100/L	Mens		12	300
GCI100/S	Ladies		12	300

FEATURES & BENEFITS

- Poly/Cotton Interlock Liner
- Hemmed Wrist
- Bleached for cleanliness

RECOMMENDED USES

- Light manufacturing and engineering work
- Plastics and assembly work
- Can be used as a liner for extra protection



Cotton Interlock - knitted wrist

GCK110



CODE	SIZE		PAIRS	PAIRS
GCK110/L	Mens		12	600
GCK110/S	Ladies		12	600

FEATURES & BENEFITS

- Poly/Cotton Interlock Liner
- Knitted Wrist for extra protection and comfort
- Bleached for cleanliness

RECOMMENDED USES

- Light manufacturing and engineering work
- Plastics and assembly work
- Can be used as a liner for extra protection



Nylon lint free glove

GNL135



CODE	SIZE		PAIRS	PAIRS
GNL135/L	Mens		12	600
GNL135/S	Ladies		12	600

FEATURES & BENEFITS

- 100% Nylon Lint Free Liner
- Hemmed Wrist
- Bleached for cleanliness

RECOMMENDED USES

- Light, general purpose work
- Component handling with extra grip
- Painting plants, prevents lint on painted surfaces
- Prevents fingerprints from marking surfaces



welders

premium grade

heat resistant Kevlar®

flame resistant



If you work in high heat situations, weld, fabricate steel or work in a foundry, we've got your glove.

From a premium, Kevlar sewn welders gauntlet to the dexterity of our thumb reinforced goat

leather glove, whatever your metal, Maxisafe gloves are made for 'men of steel'.

Blue Flame



'Blue Flame' Premium Kevlar Welders glove

GWB163

CODE	SIZE	PAIRS	PAIRS
GWB163	40cm	12	48




FEATURES & BENEFITS

- Superior, Heavy Duty Premium Grade Split Leather
- Sewn with Heat Resistant Kevlar® thread
- Fully Reinforced Palm and Thumb with Knuckle Bar
- Full Flame Resistant Jersey Lining
- Wear Seams Welled for extra strength
- Length 406mm long

RECOMMENDED USES

- Foundry Work
- Welding and Steel Fabrication work
- High heat applications



Print your's or your customers logo on any Maxisafe Welding Glove.

- Heat resistant liner
- extra strong welded seams
- flame resistant Kevlar® stitching
- premium quality leather



Green Fusion



'Green Fusion' Kevlar Stitched Welders glove

GWG161

CODE SIZE PAIRS PAIRS

GWG161	40cm	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Wear Seams Welting for extra strength
- Sewn with Heat Resistant Kevlar® thread
- Reinforced Palm
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

Western Red



'Western Red' Kevlar Stitched Welders glove

GWR162

CODE SIZE PAIRS PAIRS

GWR162	40cm	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Sewn with Heat Resistant Kevlar® thread
- Reinforced Palm and Thumb
- Full Flame Resistant Jersey Lining
- Wear Seams Welting for extra strength
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

Leftwing



'Leftwing' Kevlar Stitched Welders glove

GWL164

CODE SIZE PAIRS PAIRS

GWL164	40cm	12	48
---------------	-------------	----	----



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Left-hand only
- Wear Seams Welting for extra strength
- Reinforced Palm
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications

Black & Gold



'Black & Gold' Welders glove

GWB160

CODE	SIZE	PAIRS	PAIRS
GWB160	40cm	12	48



FEATURES & BENEFITS

- Selected Premium Grade Split leather
- Wear Seams Weltd for extra strength
- Full Flame Resistant Jersey Lining
- Length 406mm long

RECOMMENDED USES

- Welding and Steel Fabrication work
- Foundry Work
- High heat applications



FireForce Extended Cuff Rigger

GRE243

CODE	SIZE	PAIRS	PAIRS
GRE243-08	Small	12	120
GRE243-10	Large	12	120
GRE243-11	XLarge	12	120
GRE243-12	2XLarge	12	120



FEATURES & BENEFITS

- Genuine Cow Grain Leather – Premium Quality
- Kevlar Sewn for extra heat resistance & strength
- Wing thumb for stitch free palm
- Elastic Back
- Extended Cuff for added protection
- Made to EN420 standard for accurate sizing

RECOMMENDED USES

- General Welding glove
- Firefighting applications
- Steel fabrication work
- Mining and Construction Industries



Maxisafe TIG Welding glove

GWT165

CODE	SIZE	PAIRS	PAIRS
GWT165-10	Large	12	120
GWT165-11	XLarge	12	120



FEATURES & BENEFITS

- Premium Fullgrain Goat Leather for dexterity
 - Straight thumb
 - Reinforced thumb crotch
 - 150mm stiff sidesplit cuff
- #### RECOMMENDED USES
- MIG welding
 - TIG welding
 - Sheet metal fabrication



PERSONALISE

Personalize any Maxisafe Welding Glove by printing your own company's logo or a customer's company logo on the glove! Branding will enhance and grow your company's image in the marketplace.



petro-chemical



caustic



oil



solvents



acid



Chemical resistant gloves

Double dipped, sandy gripped, if you're dealing with solvents, acids, waste, oil, any sort of slippery or caustic situation - we have the glove to keep you not only in control but protected to the max.

From petro-chemicals to aerospace, fishing and mining to industrial cleaning. With Maxisafe you're in good hands.



Red PVC Glove
27cm

GPR121

CODE	SIZE	PAIRS	PAIRS
GPR121	One size fits all	12	120



FEATURES & BENEFITS

- 27cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all





maxisafe
safety products

maxisafe
safety products

maxisafe
safety products



**Red PVC Glove
35cm**

GPR194

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPR194	One size fits all	12	60



FEATURES & BENEFITS

- 35cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all



**Red PVC Glove
45cm**

GPR122

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPR122	One size fits all	12	60



FEATURES & BENEFITS

- 45cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- One size fits all



**Red PVC Glove
60cm Shoulder Length**

GPR230

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPR230	One size fits all	12	60



FEATURES & BENEFITS

- 60cm Single Dipped PVC for hand protection
- Cotton Interlock liner
- Resistant to oil, grease and chemicals
- Covers most of the arm for added protection



**Red PVC Glove,
Knitted Wrist**

GPR123

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPR123	One size fits all	12	120



FEATURES & BENEFITS

- 26cm Single Dipped PVC for hand protection
- Knit Wrist excludes debris
- Cotton Interlock liner
- Resistant to oil, grease and chemicals

**Green Double Dipped
PVC Glove 27cm**

GPD134/27

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPD134/27	One size fits all	12	120



FEATURES & BENEFITS

- Sandy finish in palm for excellent grip in oily and greasy conditions
- Jersey lined for comfort
- Excellent abrasion, oil and wear resistance
- One size fits all

RECOMMENDED USES

- Refining and petrochemical industries
- Fishing, mining and construction environments
- Refuse and waste management

**Green Double Dipped
PVC Glove 45cm**

GPD134/45

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GPD134/45	One size fits all	12	60



FEATURES & BENEFITS

- Sandy finish in palm for excellent grip in oily and greasy conditions
- Jersey lined for comfort
- Excellent abrasion, oil and wear resistance
- One size fits all

RECOMMENDED USES

- Refining and petrochemical industries
- Fishing, mining and construction environments
- Refuse and waste management



maxisafe
safety products



**Nitrile Chemical Glove
33cm**

GNF127

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GNF127-07	Small	12	144
GNF127-08	Medium	12	144
GNF127-09	Large	12	144
GNF127-10	XLarge	12	144
GNF127-11	2XLarge	12	144



FEATURES & BENEFITS

- 100% Nitrile for maximum chemical and abrasion resistance
- 33cm long with textured palm for grip
- Also offers good resistance to oils, greases, hydrocarbon derivatives and aromatic or chlorinated solvents
- Individually packaged for hygiene
- Flocked lining for extra comfort and protection

RECOMMENDED USES

- Food Processing, Petrochemical, Aerospace and Automotive industries
- Industrial Cleaning applications
- Metal fabrication and surface coating
- Solvent and acid applications

maxisafe
safety products



**Nitrile Chemical Glove
45cm**

GNU128

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GNU128-08	Medium	12	144
GNU128-09	Large	12	144
GNU128-10	XLarge	12	144



FEATURES & BENEFITS

- 100% Nitrile for maximum chemical and abrasion resistance
- 45cm long with textured palm for grip
- Also offers good resistance to oils, greases, hydrocarbon derivatives and aromatic or chlorinated solvents
- Individually packaged for hygiene

RECOMMENDED USES

- Food Processing, Petrochemical, Aerospace and Automotive industries
- Industrial Cleaning applications
- Metal fabrication and surface coating
- Solvent and acid applications

maxisafe
safety products



**Black Neoprene
Chemical Glove**

GNB172

CODE SIZE PAIRS PAIRS

CODE	SIZE	PAIRS	PAIRS
GNB172-10	One size fits all	12	144



FEATURES & BENEFITS

- Heavy Duty Black Neoprene Gauntlet
- Flocklined for comfort
- Textured palms and fingers for improved grip in wet environments
- High resistance to most solvents, acids, oils and alkalis

RECOMMENDED USES

- General purpose chemical handling
- Handling of mild solvents, acids, caustics and oils.
- Premium Cotton flock lining for comfort
- Offers good chemical resistance to greases, alcohols, petroleum, ketones, aliphatic solvents and numerous industrial gases and vapours

BUTOFLEX651



Butoflex 651

GBF248

CODE	SIZE	PAIRS	PAIRS
GBF248-08	Medium	1	6
GBF248-09	Large	1	6
GBF248-10	XLarge	1	6



FEATURES & BENEFITS

- The ultimate in chemical resistance!
- Good grip thanks to exclusive relief embossing
- Butyl is a special-purpose polymer, reserved for applications requiring very high, chemical protection
- Butyl is a supple and elastic material to retain excellent dexterity
- Butyl offers excellent resistance to ketones, acids, esters and amine derivatives.
- Butyl is an excellent barrier to industrial gases and vapours as well as chemical war agents

RECOMMENDED AND INDUSTRY USES

- Chemical Industry
- Petroleum and Fuel Industry
- Military
- Cosmetic and Pharmaceutical Industry
- Formulating paints, varnishes, resins and inks
- Handling chemicals
- Metal treatment and degreasing

CHEMZOIL



Chemzoil/Neoprene Glove

GCO256

CODE	SIZE	PAIRS	PAIRS
GCO256-08	Medium	1	6
GCO256-09	Large	1	6
GCO256-10	XLarge	1	6



FEATURES & BENEFITS

- 100% neoprene multi-layer construction
- Superior chemical resistance against acids and alkalis, such as concentrated hydrofluoric acid, oils and greases
- Pebbled embossing for better grip on wet and slippery objects
- Thermal insulation from the cotton-knit lining for handling hot liquids
- Anatomical shape offers excellent fit and exceptional comfort
- The pre-curved fingers provide unrivalled freedom of movement for this high-risk chemical protection glove

RECOMMENDED AND INDUSTRY USES

- Surface treatment of metals (acids)
- Handling acids such as Hydrofluoric Acid
- Etching /degreasing
- Handling battery acid
- Battery manufacturing
- Chemical transport/handling Industry
- Chemical manufacturing plants
- Refinery and Petroleum plants
- Surface treatment

FLUONIT



Fluonit/Fluoroelastomer Glove

GFN265

CODE	SIZE	PAIRS	PAIRS
GFN265-08	Medium	1	6
GFN265-09	Large	1	6
GFN265-10	XLarge	1	6



FEATURES & BENEFITS

- Fluoroelastomer is a high performance polymer recommended for prolonged contact with aromatic solvents, sulphur-based chemicals and amines.
- Excellent flexibility and thickness due to the multi-layered technology
- Nitrile inner layer: excellent mechanical resistance and a longer service life
- Green inner layer: wear-indicator for greater user safety

RECOMMENDED AND INDUSTRY USES

- Surface treatment of metals (acids)
- Handling acids such as Hydrofluoric Acid
- Etching /degreasing
- Handling battery acid
- Resin and adhesive manufacturing
- Petrochemical refining
- Chemical transport/handling Industry
- Chemical manufacturing plants
- Surface treatment



NEOTEX



Neotex Plus Neoprene Chemical Glove

GNT244

CODE	SIZE	PAIRS	PAIRS
GNT244-08	Medium	1	6
GNT244-09	Large	1	6
GNT244-10	XLarge	1	6

EN 374-3



A C J K L

EN 388



2 2 3 1

EN 407



X 1 X X X X



FEATURES & BENEFITS

- Neoprene with Natural Latex interior
- Suitable for long-term wear
- Freedom of movement due to the supple quality of the neoprene
- Cotton flocklined adds comfort for long term use
- Forearm protection – 38cm long

RECOMMENDED AND INDUSTRY USES

- Handling and transport of acids and alkaline
- Chemical treatment of steels
- Painting and paint stripping
- Preparation of industrial chemicals
- Battery manufacturing
- Industrial cleaning and maintenance
- Laboratory applications
- Transport Industry
- Petroleum and Fuel industries

TEMPCOOK



Temp-Cook Thermal Glove

GTC239

CODE	SIZE	PAIRS	PAIRS
GTC239-08	Medium	1	6
GTC239-09	Large	1	6
GTC239-10	XLarge	1	6

EN 388



4 4 4 3

EN 374-3



A J K L

EN 407



X 2 X X X X

EN 511



1 2 1



FEATURES & BENEFITS

- Food Contact approved according to FDA 21 CFR 177.2600
- Hygienic high-temperature protection for the food industry
- 100% liquid-proof for catering industry
- Thermal protection up to 250°C
- Interior and exterior of gloves are washable for improved hygiene
- Nitrile coating is resistant to oils, greases and principle detergents
- 45 cm long cuff to protect forearms when handling hot objects
- Excellent resistance to abrasion, cuts and punctures

RECOMMENDED AND INDUSTRY USES

- Removing hot dishes from ovens (wet or dry)
- Removing objects from autoclaves or steam ovens
- Handling hot dishes in commercial kitchens
- Commercial & Industrial kitchens
- Bakeries
- Fast food kitchens
- Abattoirs and meat processing plants

TEMPTEC



Temp-Tec Thermal Glove

GTT227

CODE	SIZE	PAIRS	PAIRS
GTT227-08	Medium	1	6
GTT227-09	Large	1	6
GTT227-10	XLarge	1	6

EN 388



2 2 1 2

EN 374-3



A C J K L

EN 407



X 2 X X X X

EN 511



1 1 1



FEATURES & BENEFITS

- A double-layer glove, with thermal insulation and chemical resistance
- Two-tone wear indicator to permit glove change-out before abrasion penetrates the shell.
- Textured coating for excellent grip in wet or slippery conditions
- Freedom of movement; very comfortable high-quality cotton lining.
- Multi-use chemical resistance (acids, aliphatic solvents) increased by heavy duty coating.
- The Temp-Tec gloves withstand brief contact with hot metals up to 480 degrees F and contact to -100 degrees F in hand area.
- Cold test was performed holding 9 lbs. of dry ice for 2 minutes.
- Handles slippery objects with reinforced grip.

RECOMMENDED AND INDUSTRY USES

- Food processing, ovens, hot hoses etc
- Hot steam lance cleaning operations
- Plastic extrusion operations
- Rubber Industry
- Road Surfacing
- Cold Storage Industry

TOPCHEM

100% innovation

**TopChem - Neoprene/PVA
Chemical Glove**

GTC264

CODE	SIZE	PAIRS	PAIRS
GTC264-08	Medium	1	1
GTC264-09	Large	1	1
GTC264-10	XLarge	1	1


 **EN 388**
3141
 **EN 407**
X1XXXX
 **EN 374-3**
ABCDEFGHIJKL


FEATURES & BENEFITS

- Unique elastomer-based formula gives protection from the 12 chemicals in the EN374 standard AND 3 gases in the EN943-2 standard!!
- Formulated combination of a layer of neoprene and several layers of polyvinyl alcohol (PVA), (two high performance materials).
- Polyvinyl Alcohol (PVA), one of the components of the TopChem is a naturally water-soluble polymer. This is why the polyvinyl gloves currently available on the market are not recommended for contact with water-based chemicals. However the TopChem's unique formulation allows it to be used in contact with aqueous mixtures without deterioration.
- Maximum resistance against chlorinated solvents and ethers.
- Added comfort for long tasks due to the cotton knit interior

RECOMMENDED AND INDUSTRY USES

- Manufacturing chemicals, paints and varnishes
- Chemical and solvent handling
- Handling printing chemicals
- Environment site pollution handling
- Chemical handling with a chemical protection suit
- Battery manufacturing
- Civil Defence
- Industrial cleaning and maintenance
- Laboratory applications
- Transport Industry
- Petroleum and Fuel industries





super tough chemical resistant low sweat



AT LAST...
A SUPER TOUGH
DISPOSABLE GLOVE
FOR THE TRADESMAN!!!



Black Shield



'Black Shield' Extra Heavy Duty Nitrile

GNB218

CODE	SIZE	PAIRS	PAIRS
GNB218-S	Small	1	10
GNB218-M	Medium	1	10
GNB218-L	Large	1	10
GNB218-XL	XLarge	1	10
GNB218-XXL	2XLarge	1	10



FEATURES & BENEFITS

- Amazing dexterity and feeling
- New Low Sweat Technology for extended use
- High Puncture Resistance
- Chemical Resistance to incidental splashes
- Made from 100% Nitrile
- Powder Free, Latex Free, Odour Free
- Textured Fingers for extra grip
- Available in Blue or Black
- Super-Comfortable for extended periods of wear
- Box of 100 Gloves (90 Gloves in XXL box)
- Carton of 10 Boxes and available in all sizes

RECOMMENDED USES

- Automotive Painting industry
- Hydraulic Repairs and Maintenance
- Diesel Mechanics
- Automotive Engine & Transmission work
- Oil & Lubricant handling & Fuel Dispensing
- Domestic and Commercial Cleaning and Hygiene
- Food Process work
- Steel and Metal Machining
- Materials Handling
- General domestic and commercial painting
- Hairdressing Industry
- Tattooing Industry
- Hospitality and Food Industry's
- Dairy Industry

Chemical Resistance to incidental splash exposure



New Low Sweat Technology for extended use

Australian & New Zealand standards

- TGA (Australia)
- AQL 1.5
- FDA
- CE
- CMDCAS

Made from 100% Nitrile

Powder Free and Latex Free

Odour Free

Available in Blue or Black

Textured fingers for extra grip

Carton of 10 Boxes

Super-Comfortable for extended periods of wear





Blue Shield



'Blue Shield' Heavy Duty Nitrile

GNB268



CODE	SIZE	PAIRS	PAIRS
GNB268-S	Small	1	10
GNB268-M	Medium	1	10
GNB268-L	Large	1	10
GNB268-XL	XLarge	1	10
GNB268-XXL	2XLarge	1	10



FEATURES & BENEFITS

- 100% Nitrile
- Powder free and Latex free for easy on and off
- Bio-degradable and environmentally friendly
- 3 times more puncture resistant than latex or vinyl

RECOMMENDED USES

- Emergency services, schools and dental
- Food processing applications
- Painting and printing industries
- Automotive industries
- Laboratory work

Latex Disposable Gloves Powdered

GLP200



CODE	SIZE	PAIRS	PAIRS
GLP200/XS	XSmall	1	10
GLP200/S	Small	1	10
GLP200/M	Medium	1	10
GLP200/L	Large	1	10
GLP200/XL	XLarge	1	10



FEATURES & BENEFITS

- Comfortable fitting and economical price
- Ambidextrous, contoured fit
- Lightly powdered for easy donning
- Offers the strength and longevity of natural latex

RECOMMENDED USES

- Packaging and Food Processing industries
- Emergency Services, Schools and Dental
- Maintenance and Assembly work

Latex Disposable Gloves, Unpowdered, Box 100

GLU201



CODE	SIZE	PAIRS	PAIRS
GLU201-XS	XSmall	1	10
GLU201-S	Small	1	10
GLU201/M	Medium	1	10
GLU201/L	Large	1	10
GLU201/XL	XLarge	1	10



FEATURES & BENEFITS

- Comfortable fitting and economical price
- Ambidextrous, contoured fit
- Powder free to avoid contamination issues
- Offers the strength and longevity of natural latex

RECOMMENDED USES

- Packaging and Food Processing industries
- Emergency Services, Schools and Dental
- Maintenance and Assembly work



Blue Silverlined Glove

GLS120		PAIRS	PAIRS
CODE	SIZE		
GLS120/S	Small	12	144
GLS120/M	Medium	12	144
GLS120/L	Large	12	144
GLS120/XL	XLarge	12	144
GLS120/XXL	2XLarge	12	144



- FEATURES & BENEFITS**
- 30cm glove with anti-slip pattern for increased grip
 - Flock free silver lining for easy donning
 - Chlorinated for light chemical resistance
 - Tapered for snug fit
- RECOMMENDED USES**
- Domestic kitchen & garden use
 - Food processing plants
 - Light assembly & maintenance
 - Laboratories & janitorial



Disposable Glove Dispenser Holder

GDH174		EACH	EACH
CODE	SIZE		
GDH174/L	N/A	1	N/A

- FEATURES & BENEFITS**
- Clear PVC Holder mounts to the wall
 - Improves hygiene by storing gloves away from contamination sources
 - Gloves can be quickly dispensed with one hand



Maxiclip Glove Clip
GREY ORANGE YELLOW

GGG115		COLOUR	PAIRS	PAIRS
CODE	SIZE			
GGG115-G	N/A	Grey	1	125
GGG115-O	N/A	Orange	1	125
GGG115-Y	N/A	Yellow	1	125

- FEATURES & BENEFITS**
- The Maxiclip Glove Clip is ideal for gripping your gloves, earmuffs, helmets, towels etc!
 - Made from specialised material that holds its memory and does not fatigue from use.
 - Designed to separate and break if the item being held is caught in machinery.
 - Simple but Effective!
 - Available in colours Orange, Fluro Yellow, White, Black, Orange
- RECOMMENDED USES**
- Any application where gloves are used
 - Automotive industry
 - Building and construction
 - Logistics and warehousing
 - Mining



PERSONALISE
Personalize the Maxiclip Glove Clip by printing your own company's logo or a customer's company logo on the clip! Branding will enhance and grow your company's image in the marketplace.



99.9% UV

2

Protection from the sun and random flying objects, goggles, glasses and visors, a wide variety of styles, colours and levels of protection and – coolness.

The Maxisafe Safety Glasses range has been developed to provide protection for the human eye with a variety of lens options to suit a range of applications. Every lens is made from anti-scratch polycarbonate, and absorbs 99.9% of Ultra Violet radiation with Anti-Fog also available.



Medium Impact Lens



Anti Fog, Anti Scratch Lenses
99.9% UV Protection



personalised

Personalize any of the Maxisafe glasses by printing your own company's logo or a customer's company logo on every safety spec! Use the power of branding to enhance and grow your company's image in the marketplace.

protection

anti scratch lenses

anti fog lenses



Smoke, Blue Mirror and Polarised lenses available

Popular lightweight styles for ultimate comfort

Comfort is the key and the comprehensive Maxisafe range meets the safety needs and requirements of most workplaces today with a large range of glasses, goggles and visors available in clear, smoke, mirror, amber and polarized models all meeting the certification requirements of the Australian Standards in AS/NZS1337:1992. A general guide to which eyewear could be worn:

Maxisafe display unit are available



Suggested Situations	Glasses	Goggles	Faceshield
Cleaning with Chemicals		■	■
Construction Work – Masonry/Brick/Concrete		■	■
Construction Work – Wood/Plastic/Plaster	■	■	■
Dusty environments		■	■
Education	■	■	■
Engineering Work – Turning/Power Tools		■	■
Furnace work and Casting		■	■
Hazardous Chemical – Splash risk		■	■
Laboratory work – Non Hazardous Chemicals	■	■	■
Metal Work – Grinding		■	■
Medical Applications	■		■
Refuse Waste and Disposal	■	■	■
Spray Painting		■	■
Wood Working - Hand tools			■

■ = Suitable



AS/NZS 1337
Licence No.
BMP 557823



EBR330 or EBR330e



EBR331 or EBR331e



EBR332



EBR333

'Texas' Safety Glasses

CODE	LENS		PAIRS	
			⊕	⊗
EBR330	Clear	Anti-Fog	12	300
EBR330e	Clear		12	300
EBR331	Smoke	Anti-Fog	12	300
EBR331e	Smoke		12	300
EBR332	Amber	Anti-Fog	12	300
EBR333	Blue Mirror	Anti-Fog	12	300

FEATURES & BENEFITS

- Sleek and ultra light weight wraparound lens
- Suits a variety of face shapes
- Hard Coat lens for Anti-Scratch
- Anti Fog Coating Technology
- 99.9% UV Protection
- Available in clear, smoke, cool-amber and blue mirror colour's

'Kansas' Safety Glasses

CODE	LENS		PAIRS	
			⊕	⊗
EKA304	Clear	Anti-Fog	12	300
EKA305	Smoke	Anti-Fog	12	300
EKA303	Amber	Anti-Fog	12	300
EKA306	Blue Mirror	Anti-Fog	12	300

FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Molded Silicone nose piece for comfort
- Filters out 99.9% of UV radiation outdoors



AS/NZS 1337
Licence No.
BMP 557823



EKA304



EKA305



EKA303



EKA306



AS/NZS 1316
Lic 2742

'Portland' Safety Glasses

CODE	LENS		PAIRS	
			⊕	⊗
EP0312	Clear	Anti-Fog	12	300
EP0313	Smoke	Anti-Fog	12	300

FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Filters out 99.9% of UV radiation outdoors



EP0312



EP0313




AS/NZS 1337
Licence No.
BMP 557823

'Nevada' Safety Glasses

CODE	LENS	Anti-Fog	PAIRS	
			12	300
ENU482	Clear	Anti-Fog	12	300
ENU483	Smoke	Anti-Fog	12	300
ENU485	Silver Mirror	Anti-Fog	12	300
ENU418	Bronze	Anti-Fog	12	300

FEATURES & BENEFITS

- Medium impact protection
- AS/NZS 1337.1:2010 BMP 557823
- 99.9% UV protection
- Outstanding optical quality
- Impact resistant lens
- Anti-fog coating for humid conditions
- Light wrap around design




AS/NZS 1716
Lk-2742

'Denver' Polarised Smoke Safety Glasses - Black Frame

CODE	LENS	Polarised	PAIRS	
			12	300
EDE308	Smoke	Polarised	12	300

FEATURES & BENEFITS

- Premium Polarized Lenses for glare reduction!
- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort .
- Available in Clear Lens




AS/NZS 1716
Lk-2742

'Denver' Smoke Lens Safety Glasses

CODE	LENS	Color	PAIRS	
			12	300
EDE307	Smoke	Black	12	300
EDE309	Smoke	Blue	12	300
EDE310	Blue	Blue	12	300
EDE311	Smoke	Pearl Silver	12	300
EDE314	Smoke	Red	12	300
EDE316	Smoke	Pearl White	12	300

FEATURES & BENEFITS

- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort .
- Available in smoke and blue mirror lens colours



AS/NZS 1337
Licence No.
BMP 557823

'SantaFe' Bronze Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EBR334	Bronze	Anti-Fog	12 300
EBR335	Clear	Anti-Fog	12 300
EBR336	Smoke	Anti-Fog	12 300

FEATURES & BENEFITS

- Medium Impact, Anti-Scratch & Anti-Fog lense.
- Lightweight and durable polycarbonate frame
- Medium Impact protection
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece and Soft Rubber arm tips for added comfort.
- Available in Clear, Smoke, and Bronze Mirror indoor/outdoor lenses



AS/NZS 1337
Licence No.
BMP 557823

Visispec Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EVS300	Clear	Anti-Fog	12 300
EVS301	Smoke	Anti-Fog	12 300

FEATURES & BENEFITS

- Designed to sit over prescription glasses
- Ideal for site visitors
- Integrated side shields with vents
- 99.9% UV Protection
- Available in clear & smoke lens colour's



AS/NZS 1337
Licence No.
BMP 557823

'Colorado' Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EC0340	Clear	Anti-Fog	12 300
EC0341	Amber	Anti-Fog	12 300
EC0344	Smoke	Anti-Fog	12 300
EC0346	Blue Mirror	Anti-Fog	12 300

FEATURES & BENEFITS

- Classic and popular lightweight design
- Length adjustable side arms
- Hard Coat lens for anti-scratch
- Anti Fog coating
- 99.9% UV Protection
- Available in clear, smoke, amber and ice-blue mirror lens colours



AS/NZS 1337
Licence No.
BMP 557823

EDA337

EDA338

'Dallas' Clear Safety Glasses

CODE	LENS	Anti-Fog	PAIRS	
			12	300
EDA337	Clear	Anti-Fog	12	300
EDA338	Smoke	Anti-Fog	12	300

FEATURES & BENEFITS

- Lightweight and frameless design with curved temple arm to fit most face profiles
- The 9-base lense design provides distortion-free coverage, 180-degree field of vision
- Medium Impact resistant
- High quality anti-fog lens ideal for use in humid conditions
- Hard Coat lens for anti-scratch
- Soft rubber tip arms for added comfort
- Filters out 99.9% of UV radiation outdoors
- Molded Silicone nose piece for comfort




AS/NZS 1337
Licence No.
BMP 557823

'Maxisafe' Clear & Smoke Bifocal Safety Specs

CODE	LENS	BIFOCAL	PAIRS	
			12	300
EPS466-1.5	Clear	1.5 bifocal	12	300
EPS466-2.0	Clear	2.0 bifocal	12	300
EPS466-2.5	Clear	2.5 bifocal	12	300
EPS466-3.0	Clear	3.0 bifocal	12	300
EPS476-1.5	Smoke	1.5 bifocal	12	300
EPS476-2.0	Smoke	2.0 bifocal	12	300
EPS476-2.5	Smoke	2.5 bifocal	12	300

FEATURES & BENEFITS

- The integrated magnifying panels provide visual assistance and protection.
- Ultra lightweight construction & comfort.
- Medium Impact, anti-scratch lens.
- 99.9% UV protection
- Overcomes fogging, restricted vision and unsightly looks such as overspecs on top of prescription glasses.



EPS466-1.5

EPS466-2.0

EPS466-2.5

EPS466-3.0

EPS476-1.5

EPS476-2.0

EPS476-2.5



AS/NZS 1337

Maxisafe Shade 5 Safety Glasses

EES488

CODE	LENS	Anti-Fog	PAIRS	
			12	300
EES488	Shade 5	Anti-Fog	12	300

FEATURES & BENEFITS

- Shade 5 lenses ideal for Oxy cutting and welding, welding and brazing etc
- Hard Coat Anti Scratch and Anti Fog Coating
- Soft silicone nose bridge for comfort
- Medium Impact resistant
- 99.9% UV protection



'Atlanta' Safety Glasses

CODE	LENS	PAIRS	
		PAIRS	PAIRS
EAS320	Clear	Anti-Fog 12	300
EAS321	Smoke	Anti-Fog 12	300

FEATURES & BENEFITS

- Length adjustable side arms
- Angle adjustable side arms
- 99.9% UV Protection
- Available in clear and smoke lens colours



'Inspector' LED Safety Glasses

ELI465

CODE	LENS	PAIRS	
		PAIRS	PAIRS
ELI465	LED	Anti-Fog 1	6

FEATURES & BENEFITS

- 2 Ultra bright LED Lights
- Full foam brow guard
- Non-slip nose piece and temples
- Clear scratch resistant lens with anti-fog coating



Maxisafe Safety Goggles

ESG455

CODE	LENS	PAIRS	
		PAIRS	PAIRS
ESG455	Clear	Anti-Fog 12	120

FEATURES & BENEFITS

- Economical style
- Adjustable length strap
- Ideal for students



'Maxisafe' Fire Fighter Goggles

EFG415

CODE	LENS	PAIRS	PAIRS
EFG415	Clear	12	120

FEATURES & BENEFITS

- High performance google
- Reduced outline for a wider peripheral field of view
- Seven frame anchorage points to the lens
- The double lens (polycarbonate outside/acetate inside) offers amazing anti-fog performance
- Self-regulated nose pad
- Fully compatible with all fire fighting helmets
- Neoprene extra-wide elastic headband
- Certified to AS/NZ 1337



AS/NZS 1337
Licence No.
BMP 557823

ESG426

'Maxi-Goggles' - Anti-fog & Foam Bound Lens

CODE	LENS	PAIRS	PAIRS
ESG456	Clear	Anti-Fog	10 120
ESG431	Smoke	Anti-Fog	12 120
ESG485	Shade 5	Anti-Fog	12 120

Replacement Lens

ESG468	Clear	Anti-Fog	1 50
ESG467	Smoke	Anti-Fog	1 50

FEATURES & BENEFITS

- Fully ventilated style
- Anti-fog, anti-scratch lens
- Foam bound with wide strap for comfort
- Good chemical splash resistance
- Replacement clear and smoke and Shade 5 lenses available
- Foam is heat and spark resistant!



AS/NZS 1337
Licence No.
BMP 557823



ESG456



ESG431



ESG485



'Maxisafe' Chemical Goggles

ESG426

CODE	LENS	PAIRS	PAIRS
ESG426	Clear	Anti-Fog	6 129

FEATURES & BENEFITS

- Soft silicone body assures optimal level of comfort and protection from impacts and chemical splashes
- Remains stable and supple even in high temps.
- Indirect venting system minimizes fogging
- Wide adjustable elastic band with clips
- Hard coated lens for Anti Scratch.
- High quality Anti-Fog coating for long lasting protection.
- Medium Impact resistance
- Ultra lightweight – 0.93 grams



AS/NZS 1337
Licence No.
BMP 598916

ESG426



AS/NZS 1337
Licence No.
BMP 598916



EUV322



EUV318



EUV319 - Polarized



AS/NZS 1337
Licence No.
BMP 598916



EUV323



EUV324



AS/NZS 1337
Licence No.
BMP 598916



EUV325



549 Safety Glasses

CODE	LENS		PAIRS	PAIRS
EUV322	Smoke G15	Black	12	300
EUV318	Brown Mirror	Black	12	300
EUV319	Polarized	Black	12	300

FEATURES & BENEFITS

- Sporty wrap-around design spectacle.
- Ergonomic temples, no adjustments necessary.
- High impact polycarbonate for max. protection in accordance with AS/NZS 1337.1.2010.
- Anatomically shaped nose bridge to adapt to all face shapes.
- Available in Polarized lenses.
- 99.9% UV protection



5x3 Clear Safety Glasses

CODE	LENS	BIFOCAL	PAIRS	PAIRS
EUV323	Clear	Anti-Fog	10	250
EUV324	Smoke	Anti-Fog	10	250

FEATURES & BENEFITS

- AS/NZS 1337.1.2010 Certified
- Frame engineered to cushion the point where eyewear contacts the face.
- Ventilation system.
- Extended 9 base wrap around lenses, provides extra coverage around the eyes.
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Molded Silicone nose piece for added comfort.
- Medium Impact resistance
- 99.9% UV protection



5x4 Smoke G15 Lense Safety Glasses

CODE	LENS	BIFOCAL	PAIRS	PAIRS
EUV325	Smoke G15	Anti-Fog	10	250

FEATURES & BENEFITS

- Extreme style and comfort. Look good at work.
- Ultra Lightweight design – 27 Grams
- Ergonomically designed wrap around One-Piece lens and frame
- Hypo allergenic nose pad for total comfort without slippage
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Medium Impact resistance
- 99.9% UV protection



5X6 Safety Glasses



AS/NZS 1337
Licence No.
BMP 598916



CODE	LENS		PAIRS	PAIRS
EUV347	Clear	Anti-Fog	10	250
EUV348	Smoke	Anti-Fog	10	250

FEATURES & BENEFITS

- Sporty wrap-around design with Patented Softpad Technology
- Ultra-light design – only 26 Grams
- Soft Silicone nose pads
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Medium Impact resistance
- Length adjustable side arms
- 99.9% UV protection



EUV348

EUV347



Softpad™ is a new patented terminal that added to the arm of the eyewear offers comfort and protection. Designed by the Internal Research & Development Department, the Softpad™ system provides perfect stability to the safety glasses and full adaptability to the face of the user. The support of the glasses is entrusted to the whole support area of the arm for a comfortable and stable fit. In addition to the length adjustment (3 positions), the Softpad™ system is not rigidly fixed to the arm but has a further tilting movement that allows the device to fit perfectly to the user's head. The multiple settings of the terminal, the innovative use of materials and the meticulous design allow full adherence throughout the temple thereby avoiding the concentration of pressure in one place.



5x8 Safety Glasses



AS/NZS 1337
Licence No.
BMP 598916



CODE	LENS		PAIRS	PAIRS
EUV326	Clear	Anti-Fog	10	250
EUV327	Smoke	Anti-Fog	10	250

FEATURES & BENEFITS

- AS/NZS 1337.1.2010 Certified
- Sporty wrap-around design with Patented Softpad Technology
- Adjustable inclination for arms – ratchet technology
- Ultra-light design
- Soft Silicone nose pads
- Hard coated lens for Anti Scratch.
- High quality Anti Fog coating for long lasting protection.
- Medium Impact resistance
- Length adjustable side arms
- 99.9% UV protection



EUV327

EUV326



Protection

Ratchet adjustable

Quick lock visor clips for easy replacement

Medium impact protection



Replacement visor available

Protection from fluid splash, dust and particles



3



EBF457A - Clear



EBF441 - smoke



EBF487 - Shade 5



EBC459 - Clear



EBG442 - smoke



EBG443 - Shade 3



EBG444 - Shade 5



ERC430 - Clear



ERS499 - Shade 5

Maxisafe Brow Guard & Face Shields

CODE	LENS	DESCRIPTION	QTY	QTY
EBF457a	Clear	Brow Guard	Each	10
EBG441	Smoke	Brow Guard	Each	10
EBF490	Shade 3	Brow Guard	Each	10
EBF487	Shade 5	Brow Guard	Each	10

FEATURES & BENEFITS

- Ratchet adjustable head gear
- Replaceable polycarbonate visor and chinguard
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles & dust
- Complies with AS/NZ 1337.1.2010

Maxisafe Polycarbonate replacement lens

CODE	LENS	DESCRIPTION	QTY	QTY
EBC459	Clear	Visor only	Each	50
EBG442	Smoke	Visor only	Each	50
EBG443	Shade 3	Visor only	Each	50
EBG444	Shade 5	Visor only	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- Anti-Fog visor to suit EBF457 headpiece
- Chin guard not included
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Slots allow provision for a chinguard
- Available in Shade 3, Shade 5, Smoke & Clear

Replacement Clear & Shade 5 Polycarbonate lens with aluminium edge

CODE	LENS	DESCRIPTION	QTY	QTY
ERC430	Clear	Visor only	Each	50
ERS499	Shade 5	Visor only	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- ERS499 Shade 5 Protection for Welding, Brazing, Oxygen cutting etc
- Anti-Fog visor to suit EBF457 headpiece
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection



3



Ratchet adjustable

Quick lock visor clips for easy replacement

Extra high impact protection

Protection from fluid splash, dust and particles



Maxisafe EXTRA High Impact Brow guard

EBF454

CODE	LENS	DESCRIPTION	QTY	QTY
EBF454	Clear	Brow guard	Each	10

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- Ratchet adjustable head gear
- Replaceable polycarbonate visor and chinguard
- High impact, smoke shade 3 and shade 5 visors also available
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles and dust



Replacement Clear EXTRA High Impact Visor

EHV434

CODE	LENS	DESCRIPTION	QTY	QTY
EHV434	Clear	Visor only	Each	10

FEATURES & BENEFITS

- Complies with AS/NZS 1337
- Replacement polycarbonate visor for EBF454
- Quick lock clips for quick and easy visor replacement
- Protection from fluid splash, particles & dust



EBE565

Maxisafe Medium Impact Visor with Earmuffs

EBE565

CODE	LENS	DESCRIPTION	QTY	QTY
EBE565	Clear	Assembly	Each	10
ERC430	Clear	Lens Only	Each	10

FEATURES & BENEFITS

- Ratchet adjustable head gear
- Replacable polycarbonate visor and chin guard
- Medium impact protection
- Class 4 Earmuffs
- Complies with AS/NZS 1337



EDG440

Oxy welding goggles

EDG440

CODE	LENS	DESCRIPTION	QTY	QTY
EDG440	Weld	Industrial	Each	20

FEATURES & BENEFITS

- 'Flip-up' lenses for gas welding and grinding
- Side mounted vents for air flow
- Replacement Shade #5 lenses available.
- Industrial quality



EWH445

Welding helmet

EWH445

CODE	LENS	DESCRIPTION	QTY	QTY
EWH445	Shade #11	Industrial	Each	15

FEATURES & BENEFITS

- 'Flip-up' lens for welding and grinding
- Polypropylene construction provides strength and heat resistance
- Adjustable headband for head diameter, angle and height
- Industrial quality
- Shade #11 Lense
- Certified to AS/NZ 1337

Replacement Clear Lens

CODE	LENS	DESCRIPTION	QTY	QTY
EWL406	Clear	Industrial	Each	100
EWL407-5	Shade #5	Industrial	Each	100
EWL406-11	Shade #11	Industrial	Each	100

FEATURES & BENEFITS

- Clear Replacement Lense to suit Welding Helmet
- Replacement lenses to suit welding helmet and goggles

EWL406

EWL407-5

EWL407-11



Maxisafe Anti-Fog Lens Cleaning Sachets

ELT464

CODE	DESCRIPTION	QTY	QTY
ELT464	Sachets	1	10

FEATURES & BENEFITS

- Anti-Fog and non-scratch wipes
- Micro fibre material - pre-moistened
- Dispenser of 100 Individually Packaged Wipes
- Ideal for Glasses, Faceshields, LCD monitors, camera lenses
- Suitable for glass, plastic or polycarbonate.



Maxisafe Disposable Lens Cleaning Station

ELS452

CODE	DESCRIPTION	QTY	QTY
ELS452	Tissues	1	8

FEATURES & BENEFITS

- Handy carry box with points for mounting on walls
- Contains 600 Lens Cleaning Tissues & 236ml Bottle lens cleaner with spray pump
- Anti Fog, Anti Static and Silicon Free solution
- CE Certified
- Ideal for site offices



Maxisafe Metal Lens Cleaning Station

ELS466

CODE	DESCRIPTION	QTY	QTY
ELS466	Tissues	1	5

FEATURES & BENEFITS

- Durable construction for hot and humid environments
- Refillable.
- Large Metal Dispenser contains a 16 oz. Spray Bottle of solution. Spray pump and 760 tissues.
- CE Certified.
- Ideal for mine sites, construction sites and heavy industry applications.



Maxisafe Bottles of Lens Cleaning Solution

ELS463

CODE	VOLUME	DESCRIPTION	QTY	QTY
ELS463	230ml	Bottle	1	24

FEATURES & BENEFITS

- Eliminates static and an Anti-fog solution
- Silicone free solution
- Total compliance to OSHA standards
- Also available in 3.78 litre bottle
- CE Certified



Maxisafe Lint-Free Replacement Tissues

ERT448

CODE	PACK QTY	DESCRIPTION	QTY	QTY
ERT448	1 PKT	Tissues	1	60

FEATURES & BENEFITS

- Maxisafe Lint-Free Replacement Tissues
- Suits ELS452 lens cleaning station



Maxisafe Isopropyl Alcohol Wipes

EHW449

CODE	PACK QTY	DESCRIPTION	QTY	QTY
EHW449	100	Wipes	1	10

FEATURES & BENEFITS

- Ideal for hard surfaces in hospitals, pathology, dental and laboratories
- 100 wipes per tub
- Bio-degradable wipes
- 70% Isopropyl alcohol



Maxisafe Lint-Free Replacement Tissues

ERT416

CODE	DESCRIPTION	QTY	QTY
ERT416	Tissues	1	18

FEATURES & BENEFITS

- Maxisafe Lint-Free Replacement Tissues
- Suits ELS466 lens cleaning station



Anti-Fog Lens Cleaner Spray

EAS477

CODE	DESCRIPTION	QTY	QTY
EAS477	Spray	20	60

FEATURES & BENEFITS

- Anti-fog, anti-static lens spray
- Alcohol free, germicidal solution
- Supplied with microfibre lens cleaning cloth



Maxisafe Micro-fibre Spec Bag

EMB481

CODE	DESCRIPTION	QTY	QTY
EMB481	Spec Bag	10	100

FEATURES & BENEFITS

- Made from microfibre material doubling as a lens cleaning cloth
- To suit any style of Maxisafe eyewear
- Drawstring to secure the glasses



EARMUFFS



Earplugs, semi aurals, ear muffs and electronic ear muffs, whatever the level of noise you need to block out, we've got you covered. Might even be something you can use at home – or for the next time you want to rock out!

It's important to choose the right hearing protector for the right noise situation. Under the Australian Standard AS/NZS 1270:2002, the class system is a simple way to select a hearing protector appropriate to a noise exposure. Once the noise level in the work area has been assessed by a noise level survey, the table below can be used to select the appropriate hearing protector to ensure the correct level of protection at the given frequency. Choosing a hearing protector with a higher SLC80 than required will reduce the effectiveness of warning signals, conversations and any other acoustic communications.

Class	SLC80dB	For use in noise
1	10 – 13	Less than 90dB(A)
2	14 – 17	90 to less than 95dB(A)
3	18 – 21	95 to less than 100dB(A)
4	22 – 25	100 to less than 105dB(A)
5	26 & > dB	105 to less than 110dB(A)

TYPES OF HEARING PROTECTION

Earplugs have the advantage of being able to be used with all other PPE items. Provided they are used correctly, they often exceed attenuation afforded by ear muffs. Corded versions for carrying around the neck and detectable plugs for use in the food industry are also available.

Semi Aurals (banded earplugs) are ideal for supervisors and managers frequently moving in and out of noise hazardous areas, as they can be stored unobtrusively around the neck when not in use.

Earmuffs are the traditional method of ear protection but the attenuation characteristics of each model need to be studied before a recommendation is made.

Electronic earmuffs provide attenuation against loud noises but amplify weak external sounds such as speech.

COMFORT

The more comfortable you feel the longer you will be able to protect your ears against noise levels, which will destroy healthy 'inner parts of the ear'. It is one thing to test an ear defender for 20 seconds but another wearing it most of the day. Comfort is the key. There is little use throwing away a hearing protection device with a headache 20 minutes after putting it on. To cut it short, don't just refer to attenuation sheets, check on clamp pressure as well. The lower the tension the more comfortable you feel.

bodyguards



for your ears

Replaceable headband

Sweat reducing ultra comfy Elastex™ ear cushions

Super low tension

Non-crack

Non-shrink

Protect your ears with earmuffs that rock! Super low tension, fully replaceable cushions and headband mean you get Class 5 protection with Gold Class comfort, no sweat! Rockman from Maxisafe.

ELASTEX 3500 heavy -duty ear cushion

Our cup style hearing protector cushions can withstand sweat over long periods without shrinking or cracking, aggressive cleaning liquids and tool attacks far better than any PVC foil product. It measurably slows down sweat production in the heat.

DUALELASTAN wireheadband

A solid plastic bridge fits between the two headband wires, which are fixed in their position by molding the TPE material around the wire. The result is a dramatic increase in usability and lifetime of the headband.

The main benefits are:

- Stiffness of the headband supports and protects the wires far better than the old foam welded into the foil headband.
- The old system did not allow changing of the headband cushion. Now it is possible to replace a cushion whenever the wearer needs to do so.
- The usual shrinking of PVC foiled headbands causing tears cannot occur.
- The tension of the wires is far better protected by the inner headband than any foil system could, keeping constant pressure for years.
- Cleaning can be done easily even with efficient cleaning fluids when the cushion has been replaced.

maxisafe
safety products



No PVC



Red Maxisafe 3004

HRE661

CODE	RATING	PROTECTION	QTY	QTY
HRE661	SLC80	Class 5 / 32dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 32dB
- Unique Elastex™ sweat reducing ear cushions
- Super low headband tension for extended use
- Replaceable cushioned headband
- Two-point suspension for simple height adjustment

AS/NZS 1270:1999 compliant





HRE662

maxisafe
safety products



Blue Maxisafe 3003

HRE662

CODE	RATING	PROTECTION	QTY	QTY
HRE662	SLC80	Class 5 / 26dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 26dB
- Unique Elastex™ sweat reducing ear cushions
- Super low headband tension for extended use
- Replaceable cushioned headband
- Two-point suspension for simple height adjustment

AS/NZS 1270:1999 compliant



HRE664

maxisafe
safety products



Green Maxisafe Folding Style 3007

HRE664

CODE	RATING	PROTECTION	QTY	QTY
HRE664	SLC80	Class 4 / 25dB	1	10

FEATURES & BENEFITS

- Class 4 protection with SLC80 rating of 25dB
- Unique Elastex™ sweat reducing ear cushions
- Super low headband tension for extended use
- Stainless steel headband provides constant tension
- Two-point suspension for simple height adjustment

AS/NZS 1270:1999 compliant



HRE646 fits Rockman see page 103

maxisafe
safety products



Yellow Maxisafe Helmet Style 3017

HRE646

CODE	RATING	PROTECTION	QTY	QTY
HRE646	SLC80	Class 5 / 26dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 26dB
- Unique Elastex™ sweat reducing ear cushions
- 3 Optional positions: working, airing and resting
- Designed to easily mount and adjust the Rockman visor holder

AS/NZS 1270:1999 compliant



HRE663

maxisafe
safety products



Yellow Maxisafe Neck Style 3005

HRE663

CODE	RATING	PROTECTION	QTY	QTY
HRE663	SLC80	Class 4 / 25dB	1	10

FEATURES & BENEFITS

- Class 4 protection with SLC80 rating of 25dB
 - Unique Elastex™ sweat reducing ear cushions
 - Super low headband tension for extended use
 - Stainless steel spring wire system provides constant clamp pressure
- AS/NZS 1270:1999 compliant



HRE658

maxisafe
safety products

Maxisafe Earmuff Hygiene Kit 3102

HRE658

CODE	RATING	PROTECTION	QTY	QTY
HRE658	Kit		1	10

FEATURES & BENEFITS

- Suits all Rockman earmuffs



HBE635

MAXI MUFF

MaxiMuff

HBE635

CODE	RATING	PROTECTION	QTY	QTY
HBE635	N/A	Class 5 / 28dB	1	20

FEATURES & BENEFITS

- Class 5, 28dB according to AS/NZS 1270
 - Shock resistant and durable construction
 - Slide and swivel cup enhances comfort and fit
 - Soft foam ear cushions for comfort and secure fit
 - Can be worn behind the head for use with hard hats
- AS/NZS 1270:1999 compliant





4



QB2 Supa-Aural Quiet Band

HQB634



CODE	RATING	PROTECTION	QTY	QTY
HQB634	SLC80	Class 2 / 21dB	10	100

FEATURES & BENEFITS

- Class 2 earplug with SLC80 rating of 21dB
- Alternative to earplugs or earmuffs
- Lightweight, durable band doesn't put pressure on the ear canal
- Removable pads are washable, reusable and easily replaced
- Can be worn over the head, under the chin or behind the neck



QB200 Replacement pads Box 50 pairs

HQB641



CODE	RATING	PROTECTION	QTY	PAIRS
HQB641	SLC80	Class 2 / 21dB	1	50

FEATURES & BENEFITS

- Class 2 earplug with SLC80 rating of 21dB
- Replacement suit HQB634 Quiet Band
- Lightweight, durable band doesn't put pressure on the ear canal
- Removable pads are washable, reusable and easily replaced



Maxiplug - Uncorded

HEU645



CODE	RATING	PROTECTION	QTY	QTY
HEU645	SLC80	Class 5 / 27dB	1	10

FEATURES & BENEFITS

- AS/NZS 1270:2002 compliant
 - Class 5 protection with SLC80 rating of 27dB
 - Tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - Pairs packaged in individual bags
 - 200 pairs per dispenser
- AS/NZS 1270:2002 compliant



Maxiplug - Corded

HEC644



CODE	RATING	PROTECTION	QTY	QTY
HEC644	SLC80	Class 5 / 27dB	1	10

FEATURES & BENEFITS

- AS/NZS 1270:2002 compliant
 - Class 5 protection with SLC80 rating of 27dB
 - Corded, tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - Pairs packaged in individual bags
 - 100 pairs per dispenser
- AS/NZS 1270:2002 compliant



Maxiplug - Uncorded Blister Pack of 5 Pairs

HEU669



CODE	RATING	PROTECTION	QTY	QTY
HEU669	SLC80	Class 5 / 27dB	1	50

FEATURES & BENEFITS

- AS/NZS 1270:2002 compliant
 - Class 5 protection with SLC80 rating of 27dB
 - Tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - 5 pairs per blister pack
- AS/NZS 1270:2002 compliant



Maxiplug - Corded Blister Pack of 5 Pairs

HEC670



CODE	RATING	PROTECTION	QTY	QTY
HEC670	SLC80	Class 5 / 27dB	1	50

FEATURES & BENEFITS

- AS/NZS 1270:2002 compliant
 - Class 5 protection with SLC80 rating of 27dB
 - Tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - 5 pairs per blister pack
- AS/NZS 1270:2002 compliant



HEU660

**Maxiplug
100 Tradies Pack**

HEU660

CODE	RATING	PROTECTION	QTY	QTY
HEU660	SLC80	Class 5 / 27dB	1	40

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 27dB
 - Tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - 100 Pairs per cone
- AS/NZS 1270:2002 compliant

Earplug dispenser

HED653

CODE	RATING	PROTECTION	QTY	QTY
HED653		Dispenser	1	N/A

FEATURES & BENEFITS

- Suits the Maxisafe Refill Bags of 300 pairs of earplugs
- Ideal for factory and warehouse environments
- Wall mountable



HED653

HED649 refill bag



**Maxiplug -
300 Refill Bag for Dispenser**

HEU649

CODE	RATING	PROTECTION	QTY	QTY
HEU649	SLC80	Class 5 / 27dB	1	10

FEATURES & BENEFITS

- Class 5 protection with SLC80 rating of 27dB
 - Tapered design for easy fit
 - Soft polyurethane for maximum comfort
 - 300 pairs per refill bag – dispensers available
- AS/NZS 1270:2002 compliant



mists, vapours,

From top of the line industrial quality respiratory protection to disposable single use masks, if you need protection from an airborne hazard you'll find the answer in this range. Mists, vapours, gas and fumes, whatever the hazard you can breathe easy with Maxisafe.

MAXISAFE PROTECTION

The Maxisafe range of disposable and industrial quality respirators provide a low cost, high quality respiratory solution. Packed with innovative features and modern designs, the range provides great protection at a competitive price and is certified to AS/NZS 1716 where applicable.

AIRBORNE HAZARDS

DUSTS are airborne solid particles with variable dimensions, which are generated during crushing process of organic and inorganic solid substances e.g. drilling, sawing and sandblasting.

MISTS are tiny liquid droplets that are formed from liquid materials by atomization and condensation processes such as spray painting.

FUMES are particles forming an airborne suspension, usually caused by the heating of a solid to such an extent that it vapourises and condenses into extremely fine particles. They are generally generated during combustion, fusion or welding processes and may be termed a thermally generated particulate.

VAPOUR A gaseous state formed by evaporation from substances that are solid or liquid at room temperature (petrol, methylated spirits).

GAS Air-like substance at room temperature such as carbon dioxide, chlorine, ammonia etc.

MAXISAFE ADVANTAGES

Maxisafe's respirators are designed with a unique and highly adapted pre-shaped nose area removing the need for an adjustable nose-bridge. This design has proved to be closer fitting and more comfortable ensuring a secure seal during long periods of use.

P2 Pre-moulded respirator fits a wide variety of face profiles

Exhalation valve provides increased air flow and comfort

P2 rating offers protection against mechanically and thermally generated particles

Pre-formed nose-bridge minimizes the risk of leaks

Twin straps offer firm comfortable fit

Suitable for medical, soldering, welding, grinding, sanding and dusty environments



whatever the hazard

500 SERIES



5

**Nuisance dust mask
box 50**

RES500



CODE	DESCRIPTION	QTY	QTY
RES500	Dust mask	1	20

FEATURES & BENEFITS

- A lightweight hygiene mask
- Economical and ideal for protection against large dust particles
- Aluminium nose-piece can be moulded for comfort and seal
- Ideal for sweeping and non-industrial applications
- 50 masks per box

SERIES



500 SERIES



P1 Respirator - box of 20/card of 3

CODE	RATING	DESCRIPTION	QTY	QTY
RES501	P1 rated	Box of 20 Respirators	20	12
RES501C-3	P1 rated	Card of 3 Respirators	1	20



FEATURES & BENEFITS

- P1 Pre-moulded respirator fits a wide variety of face profiles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

500 SERIES



P1 Respirator with Valve

CODE	RATING	DESCRIPTION	QTY	QTY
RES502	P1 rated	Box of 10 Valve Respirators	10	12



FEATURES & BENEFITS

- P1 Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

500 SERIES



P2 Respirator

RES503

CODE	RATING	DESCRIPTION	QTY	QTY
RES503	P2 rated	Box of 20 Respirators	1	12



FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- P2 rating offers protection against mechanically and thermally generated particles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

500 SERIES



P2 Respirator with Valve - box of 20/card of 3

RES504

CODE	RATING	DESCRIPTION	QTY	QTY
RES504	P2 rated	Box of 10 Valve Respirators	1	12
RES504C-3	P2 rated	Card of 3 Valve Respirators	1	20



FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- P2 rating offers protection against mechanically and thermally generated particles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty
- Certified to AS/NZS 1716



500 SERIES



P2 Respirator with Valve & Active Carbon Filter

CODE	RATING	DESCRIPTION	QTY	QTY
RES505	P2 rated	Valve / Filter	10	12



FEATURES & BENEFITS

- P2 Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- Active Carbon Filter protects against nuisance level organic vapours
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, soldering, welding, grinding, sanding and dusty environments
- Certified to AS/NZS 1716

500 SERIES



P1 horizontal flat fold respirator

CODE	RATING	DESCRIPTION	QTY	QTY
RES506	P1 rated	Respirator	20	20



AS/NZS 1716:
ID. No: 3858

FEATURES & BENEFITS

- P1 Flat Fold respirator fits a wide variety of face profiles
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments

500 SERIES



500 SERIES



5

P2 horizontal flat fold respirator

RES507				
CODE	RATING	DESCRIPTION	QTY	QTY
RES507	P2 rated	Respirator	20	20



AS/NZS 1716:
ID. No: 3858

FEATURES & BENEFITS

- P2 Flat Fold respirator fits a wide variety of face profiles
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments

P2 horizontal flat fold Respirator with Valve

RES508				
CODE	RATING	DESCRIPTION	QTY	QTY
RES508	P2 rated	Valve Respirator	12	20



AS/NZS 1716:
ID. No: 3858

FEATURES & BENEFITS

- P2 Flat Fold respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments



professional face masks & filters

The Maxisafe premium range offers a solution for every situation and application



EXCLUSIVE FEATURES

All Maxisafe half and full face respirators are manufactured and certified to AS/NZS 1716. Manufactured using premium quality products they are regarded as one of the most comfortable on the market today. All masks are manufactured from lightweight TPE Material or Silicone to prevent oxidation reaction with UV and loss of elasticity and provide durability and unmatched comfort. The RCX01 Full Face Masks can be easily converted to a PAPR or SAR unit providing protection against just about any contaminant at any concentration level.



COMFORTABLE

Extremely lightweight provides wearer comfort. (RRS01 only weighs 110grams!!)



FLEXIBLE

Easily convert full face respirators to PAPR or SAR system



BREATHE COMFORTABLY



Large inhalation ports provide lower breathing resistance enhancing wearer comfort



RANGE

Various sizes available across all models to allow diversity of face shapes and sizes

5



onal

FILTER SELECTION.

All Maxisafe filters are certified to AS/NZS 1716. These filters have been designed to protect workers against a wide range of contaminants including organic gases and vapors, acid gases, chlorine, hydrogen cyanide, hydrogen sulphide, sulphur dioxide, ammonia and particles including dust and mist. Selection of the appropriate filter cartridge and filter combination is dependent on a number of factors, including the type of contaminant, the level of exposure, and the length of exposure. Therefore, this information is presented as an overview only. Class P3 can only be assigned when combined with a full face piece.

FILTER LIFE EXPECTANCY

It is difficult to give an exact life expectancy of a filter cartridge. This is because the filter life depends on a number of variable factors including the wearers breathing rate, the characteristics and level of the contaminant, the length of time a user is exposed to a contaminant and environmental conditions such as temperature and humidity which could affect the wearers breathing rate. Saturated or used filter cartridges will leak trace amounts of contaminants to the wearer, this may be detected via odour, taste, and/or irritation. If a contaminant can be detected by any of these means, then the filter cartridges should be changed immediately.



**FREE
Respirator
Swap Program**

Get a FREE MAXISAFE REUSABLE RESPIRATOR in exchange for a competitor respirator with your purchase of Maxisafe cartridges and / or filters, conditions apply.

5

PROFESSIONAL RANGE





durable and reliable

Developed by a R&D team with nearly 100 years experience in the respiratory protection equipment industry. The Sole purpose - to provide users a mask with the highest quality while simple to use

Broad view visor

- Extremely broad field of vision
- Obstacle-free downward vision
- Polycarbonate
- Anti-fogging coating
- Anti-scratch coating

Twist lock

- Twist only 60 degrees to connect

Speech diaphragm

- For improved communication
- Steel mesh prevents damage from fumes

6-Point Head Harness

- Quick and smooth donning and doffing
- Excellent durability



Twin-double-cushion

- Double sealing action provides maximum protection and comfort
- Silicone rubber
- Available in three sizes, ensures a perfect fit for every type of face



Maxisafe Full Face Respirator - Silicone

RCX01

CODE	RATING	DESCRIPTION	QTY	QTY
RCX01-M	Class 2 Silicone	Medium Full Face Respirator Mask - Silicone	1	10
RCX01-L	Class 2 Silicone	Large Full Face Respirator Mask - Silicone	1	10

FEATURES & BENEFITS

- Certified to AS/NZ 1716
- Certified to EN136:1998 Class 2
- The Maxisafe Professional Twin full face respirator provides outstanding protection and comfort against a wide range of respiratory hazards. The lightweight and ergonomically designed respirator is ideal for many industrial applications.
- Wide View lens design also offers a broad field of vision along with Anti-Fog and Anti-Scratch coatings as added benefits.

- Featuring a unique speech diaphragm for outstanding speech transmission.
- 6 point harness design provides added comfort during extended wear times.
- Twin Double-Cushion seal offers secure fit to various facial contours.
- Ultra lightweight design – only 610 grams (without filters).
- Soft pliable Silicone facepiece for comfort
- Slim-line design allows easy integration with helmets and earmuffs.

- 5 point adjustable harness with quick release buckles for quick donning.
- Available in sizes Medium, Large.

RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Petrochemical industry
- Asbestos removal industry
- Smelter plants
- Automotive and Fibreglass industry
- Agriculture industry

full protection, half the burden

Light, low breathing resistance and affordable. RCF01 full face mask is the only user-friendly and wallet-friendly choice in the market.

3D curve visor

- Minimised distance between eyes and lens
- Broad field of vision
- Polycarbonate
- Anti-fogging coating
- Anti-scratch coating

Twist lock

- Twist only 60 degrees to connect

Speech diaphragm

- For improved communication

6-Point Head Harness

- Quick and smooth donning and doffing
- Non-sticky surface prevents hair entanglement



Optimised shape

- One of the lightest available in the market (less than 360g)
- Purposely designed to allow incorporated use with hard hat
- TPE (Thermoplastic elastomers)
- Available in 2 sizes, ensures a perfect fit for every type of face.



ULTRA lightweight 335g

- Lighter than a football (410-450g)
- Almost half the weight of other full face masks



Maxisafe Full Face Respirator - TPE

RCF01

CODE	RATING	DESCRIPTION	QTY	QTY
RCF01-M	Class 2 TPE	Medium Full Face Respirator Mask - TPE	1	10
RCF01-L	Class 2 TPE	Large Full Face Respirator Mask - TPE	1	10

FEATURES & BENEFITS

- Certified to AS/NZ 1716 and Certified to EN136:1998 Class 1
- The Maxisafe Professional Twin full face respirator provides outstanding protection and comfort against a wide range of respiratory hazards. The lightweight and ergonomically designed respirator is ideal for many industrial applications.
- Featuring a unique speech diaphragm for outstanding speech transmission.
- 6 point harness design provides added comfort during extended wear times.

- Twin Double-Cushion seal offers secure fit to various facial contours.
- Superior design techniques eliminates distortion providing clear visibility.
- Ultra lightweight design – only 335grams!! (without filters).
- Soft pliable TPE (Thermo Plastic Elastomer) facepiece for comfort – 100% metal free.
- Slim-line design allows easy integration with helmets and earmuffs.
- 5 point adjustable harness with quick release buckles for quick donning.

- Spherical Lens Eyepiece offers a broad field of vision along with Anti-Fog and Anti-Scratch coatings as added benefits.
- Available in sizes Medium, Large.

RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Petrochemical industry
- Asbestos removal industry
- Smelter plants
- Automotive and Fibreglass industry
- Agriculture industry

there's safe and there's Maxisafe.



weight 110g

Designed to prevent uncomfortable sticky surface to users face even under heavy sweat conditions and only 110g without filters.

Slim Shape

- Exhalation and inhalation valve mechanisms are embedded in the facepiece

Unique low profile design

- Enable mask to be worn under welding helmets and face shields

Easy to wear

- Easy adjustment of strap length. Just fasten the buckle on the back of the neck

EXTREMELY lightweight 110g

- Lighter than 3 golf balls (110g without filters)
- One of the lightest facepieces in the RPD market. With particle filters P3R attached still weighs only 150g



Maxisafe Half Face Respirator - TPE

RRS01

CODE	RATING	DESCRIPTION	QTY	QTY
RRS01-M	TPE	Medium Mask	1	10
RRS01-L	TPE	Large Mask	1	10

FEATURES & BENEFITS

- Certified to AS/NZ 1716
- The Maxisafe RRS01 1/2 Face Respirator is suitable for everyday tasks in the workplace, combining comfort, protection and low maintenance costs.
- One of the lightest face pieces on the market – only 110 Grams! With particle filters P3R attached, still weighing only 150 Grams!
- Made from TPE material (Thermo Plastic Elastomer) to prevent uncomfortable sticky surface on the facial skin, even under heavy sweat conditions.

- Large diameter valves create low breathing resistance and reduce wearer fatigue.
- Bayonet Filter mechanism enables fast, secure connection of filters.
- Slim Shape - exhalation and inhalation valve mechanisms are both embedded in the face piece.
- The adjustable elastic harness is threaded through the front cover of mask to ensure good stability and balance.
- Easy adjustment of strap length – just fasten the buckle on the back of the neck.
- Available in sizes Medium, Large.

RECOMMENDED USES

- Emergency Services
- Spray painting industry's
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass industry
- Agriculture industry

more comfort

Soft 100% silicone rubber for more comfort, protection and low maintenance cost for professional tradesmen

Speech diaphragm

- For improved communication



Metal free

- Full incinerable
- Weighs only 180g without filters (medium size)

Bayonet mount

- Enables fast secure connection of filters



Maxisafe Half Face Respirator - Silicone

RRX01

CODE	RATING	DESCRIPTION	QTY	QTY
RRX01-M	Silicone	Medium Mask	1	10
RRX01-L	Silicone	Large Mask	1	10

FEATURES & BENEFITS

- Certified to AS/NZ 1716
- Certified to EN140:1998
- The Maxisafe RX01 ½ Face Respirator is for the professional tradesman, combining comfort, protection and low maintenance costs.
- Only 180Grams in weight!
- Large Speech Diaphragm for optimum speech transmission.
- Made from 100% Silicone for maximum comfort.
- Large diameter valves create low breathing resistance and reduce wearer fatigue.

- Bayonet Filter mechanism enables fast, secure connection of filters.
- Slim Shape - exhalation and inhalation valve mechanisms are both embedded in the face piece.
- The adjustable elastic harness is threaded through the front cover of mask to ensure good stability and balance.
- Easy adjustment of strap length – just fasten the buckle on the back of the neck.
- Available in sizes Medium, Large.

RECOMMENDED USES


- Emergency Services
- Spray painting industry's
- Handling animals
- Spraying pesticides
- Automotive and Fibreglass industry
- Agriculture industry



2 component only combined filters



5 PROFESSIONAL RANGE



Gas Filters

Particle Filters



RCA-A1
EN14387:2000 A1

SPECIFICATIONS
82mm diameter
24mm height
47g weight (approx)



RCA-A2
EN14387:2000 A2

SPECIFICATIONS
82mm diameter
34mm height
69g weight (approx)



RCA-K1
EN14387:2000 K1

SPECIFICATIONS
82mm diameter
34mm height
101g weight (approx)



RCA-ABEK1
EN14387:2000 ABEK1

SPECIFICATIONS
82mm diameter
34mm height
86g weight (approx)



RP3RC
EN14387:2000 P3

SPECIFICATIONS
86mm diameter
+14.5mm height
14g weight (approx)




RP2RC
EN14387:2000 P2

SPECIFICATIONS
82mm diameter
+14.5mm height
14g weight (approx)

compact & light water and oil repellent effect

Prevent penetration from solid or liquid particulates!



**LOW
PROFILE**

5

PROFESSIONAL RANGE

Particle Filters



RP3R

EN143:2000 P3

SPECIFICATIONS
77mm diameter
21mm height
20g weight (approx)



RP2R

EN143:2000 P2

SPECIFICATIONS
77mm diameter
21mm height
20g weight (approx)



FREE Respirator Swap Program

Get a FREE MAXISAFE REUSABLE RESPIRATOR in exchange for a competitor respirator with your purchase of Maxisafe cartridges and / or filters, conditions apply.



A1 Gas Filter

RCA-A1				
CODE	RATING	PROTECTION	QTY	QTY
RCA-A1	A1	Gas Filter	1	20



A2 Gas Filter

RCA-A2				
CODE	RATING	PROTECTION	QTY	QTY
RCA-A2	A2	Gas Filter	1	20



K1 Gas Filter

RCA-K1				
CODE	RATING	PROTECTION	QTY	QTY
RCA-K1	K1	Gas Filter	1	20



ABEK Gas Filter

RCA-ABEK1				
CODE	RATING	PROTECTION	QTY	QTY
RCA-ABEK1	ABEK1	Gas Filter	1	20



P3 Particle Filter

RP3R				
CODE	RATING	PROTECTION	QTY	QTY
RP3R	P3	Particle Filter	1	28



P2 Particle Filter

RP2R				
CODE	RATING	PROTECTION	QTY	QTY
RP2R	P2	Particle Filter	1	28



P3 Combined Particle Filter and Retainer Cap

RP3RC

CODE	RATING	PROTECTION	QTY	QTY
RP3RC	P3	Particle Filter	1	28

P2 Combined Particle Filter and Retainer Cap

RP2RC

CODE	RATING	PROTECTION	QTY	QTY
RP2RC	P2	Particle Filter	1	28



Step 1 - Pinch the tube of fitness checker

Step 2 - Inhale to make sure no air is leaking between face and respirator



Step 1 - Pinch the tube of fitness checker

Step 2 - Inhale to make sure no air is leaking between face and respirator

Large Seal Tester for Gas Filters

R10

CODE	SIZE	DESCRIPTION	QTY	QTY
R10	Large		1	10

FEATURES & BENEFITS

- Used for 'fitment testing' on half and full face respirators
- Use only when testing Gas Filters
- When wearing the respirator, fit tester over the gas filter and inhale
- If 'leakage' occurs around mask it is not fitted properly

Small Seal Tester for Particle Filters

R15

CODE	SIZE	DESCRIPTION	QTY	QTY
R15	Small		1	10

FEATURES & BENEFITS

- Used for 'fitment testing' on half and full face respirators
- Use only when testing Particle Filters
- When wearing the respirator, fit tester over the particle filter and inhale
- If 'leakage' occurs around mask it is not fitted properly




Replacement Lens Cover for RCF01 Faceshield

RCF01-CG

CODE	SIZE	DESCRIPTION	QTY	QTY
RCF01-CG			1	10

FEATURES & BENEFITS

- Replacement lens cover
- Ideal for spray painters
- To be used on the RCF01 Mask



Replacement Lens Cover for RCX01 Faceshield

RCX01-PF

CODE	SIZE	DESCRIPTION	QTY	QTY
RCX01-PF			1	10

FEATURES & BENEFITS

- Replacement lens cover
- Ideal for spray painters
- To be used on the RCX01 Silicone Mask



respirator kits



Maxisafe's cost efficient respirator kits come complete with half face respirator and a pair of filters conveniently packed in a resealable storage container, providing protection for the respirator and filters.



TPE Half Mask Welder's Particulate Kit

RRS01WK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01WK-M	Medium	Welder Kit	1	6
RRS01WK-L	Large	Welder Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
- 2 x P3R Particle Filters
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



Silicone Half Mask Welding Particulate Kit

RRX01WK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01WK-M	Medium	Welding Kit	1	6
RRX01WK-L	Large	Welding Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Silicone Medium Half Face Respirator
- 2 x P3R Particle Filters
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



TPE Half Mask Painter's Kit

RRS01PK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01PK-M	Medium	Painter Kit	1	6
RRS01PK-L	Large	Painter Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
- 2 x A2 Gas Filters
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



Silicone Half Mask Painter's Kit

RRX01PK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01PK-M	Medium	Painter Kit	1	6
RRX01PK-L	Large	Painter Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Medium Silicone Half Face Respirator
- 2 x A2 Gas Filters
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



TPE Half Mask Chemical Kit

RRS01CK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRS01CK-M	Medium	Chemical Kit	1	6
RRS01CK-L	Large	Chemical Kit	1	6

FEATURES & BENEFITS

- 1 x RS01 Medium Half Face Respirator
- 2 x ABEK1 Gas Filter Cartridges
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



Silicone Half Mask Chemical Kit

RRX01CK

CODE	SIZE	DESCRIPTION	QTY	QTY
RRX01CK-M	Medium	Chemical Kit	1	6
RRX01CK-L	Large	Chemical Kit	1	6

FEATURES & BENEFITS

- 1 x RX01 Medium Silicone Half Face Respirator
- 2 x ABEK1 Gas Filter Cartridges
- 2 x P2RC Particle Filter with Retainer Cap
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Re-usable, Sealable and Food-Grade container for storage



'Bandit' Assembled Half Mask - with 2 Cartridges

RSB520 & RSB521

CODE	DESCRIPTION	QTY	QTY
RSB520	Large Mask	1	12
RSB521	Medium Mask	1	12

FEATURES & BENEFITS

- Half Mask Respirators from the trusted experts in respiratory protection for over 25 years!
- SAS Half Mask Respirators – RSB520

COMFORT

- Manufactured from odourless, TPE (soft thermoplastic elastomer) for ultimate comfort
- Large diameter valves create low breathing resistance
- Latex and Silicone Free to ensure no allergic skin reaction or irritation

FIT

- 'Ergo-Contour' design assures a secure, comfortable seal around the contours of the face
- Head strap designed for less tension for a secure fit
- Low profile design ensures compatibility with other PPE



5



'Bandit' Prefilters to suit Half Masks, box of 5 pairs

RSB522

CODE	DESCRIPTION	QTY	QTY
RSB522	Filters	1	24

FEATURES & BENEFITS

- Prefilters suit RSB520 and RSB521 Half Mask Respirators



RESPIRATORY FILTER SELECTION CHART



This **Filter Selection Chart** should be used as a guide only. An MSDS sheet should be consulted and concentration levels of the contaminants you are working with should be checked before deciding on a disposable or reusable respirator with filters. Some contaminant concentrations may require a higher level of protection such as a PAPR or SAR unit.

A Organic Vapours **B** Acid Gases **E** Sulphur Dioxide (SO₂) **K** Ammonia (NH₃) **P** Particulates

SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX			
A								
1 Acetaldehyde	75-07-0					■		
2 Acetamide	60-35-5					P3R		
3 Acetic acid	64-19-7	■		■		P2RC		
4 Acetic anhydride	108-24-7	■		■				
5 Acetone	67-64-1				■			
6 Acetone cyanohydrine	75-86-5	■		■				
7 Acetonitrile	75-05-8	■		■				
8 Acetylene	74-86-2						■	
9 Acetyl chloride	75-36-5			■		P2RC		
10 o-Acetylsalicylic acid	50-78-2					P2R		
11 Acrolein	107-02-8				■			
12 Acrylamide	79-06-1					P3R		
13 Acrylic acid	79-10-7	■		■		P2RC		
14 Acrylonitrile	107-13-1	■		■				
15 Aldrin	309-00-2					P3R		
16 Allyl alcohol	107-18-6	■		■				
17 Allylamine	107-11-9	■		■				
18 Allyl bromide	106-95-6	■		■				
19 Allyl chloride	107-05-1				■			
20 Allyl glycidyl ether	106-92-3	■		■				
21 Allyl isocyanate	1476-23-9	■		■		P2RC		
22 Allyl propyl disulfide	2179-59-1			■		P2RC		
23 Aluminium	7429-90-5					P2R		
24 Aluminium hydroxide	21645-51-2					P2R		
25 Aluminium oxide	1344-28-1					P2R		
26 Aluminium alkyl compounds		■		■		P2RC		
27 p-Aminoazobenzene	60-09-3					P3R		
28 o-Aminotoluene	97-56-3					P3R		
29 4-Aminodiphenyl	92-67-1					P3R		
30 3-Amino-9-ethylcarbazol	132-32-1					P2R		
31 2-Aminoethanol	141-43-5	■		■		P2RC		
32 2-Aminopyridine	504-29-0					P2R		
33 Amitrole (3-Amino-1,2,4-triazole)	61-82-5					P3R		
34 Ammonia	7664-41-7		■	■				
35 Ammonium chloride fume	12125-02-9					P2R		
36 Ammonium sulfate	7773-06-0					P2R		
37 n-Amyl acetate (1-Pentyl acetate)	628-63-7	■		■				
38 sec-Amyl acetate (2-Pentyl acetate)	626-38-0	■		■				
39 Aniline	62-53-3	■		■				
40 Anisidine, o-isomer	90-04-0	■		■		P3RC		
41 Anisidine, p-isomer	104-94-9					P2R		
42 Anthracene	120-12-7					P2R		
43 Antimony and compounds, as Sb	7440-36-0					P3R		
44 Antimony penta chloride	7647-18-9			■		P3RC		
45 Antimony trioxide, as Sb	1309-64-4					P3R		
46 ANTU (α-Naphthylthiourea)	86-88-4					P2R		
47 p-Aramid, fibrous dust	26125-61-1					P2R		
48 Argon	7440-37-1						■	
49 Arsenic and inorganic compounds (except arsine), as As	7440-38-2					P3R		
50 Arsenic acid and its salts, as As	7778-39-4					P3R		
51 Arsenic pentoxide, as AS	1303-28-2					P3R		
52 Arsenic trioxide, as AS	1327-53-3					P3R		
53 Arsenous acid and its salts, as As	13464-58-9					P3R		
54 Arsine	7784-42-1						■	
55 Asbestos, all forms	1332-21-4 12001-28-4 12172-73-5 7536-66-4 77536-67-5 77536-68-6 132207-32-0					P3R		
56 Asphalt fume (Bitumen)	8052-42-4	■		■		P2RC		
57 Atrazine	1912-24-9					P2R		
58 Auramine	492-80-8					P3R		
59 Azinphos-methyl (Guthion®)	86-50-0					P2R		
B								
60 Barium and soluble compounds, as Ba	7440-39-3					P2R		
61 Barium chloride	10326-27-9					P3R		
62 Benomyl	17804-35-2					P3R		
63 Beechwood dust						P3R		

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX			
64 Benzaldehyde	100-52-7	■		■				
65 Benzene	71-43-2	■		■			P2RC	
66 Benzidine	92-87-5						P3R	
67 Benzo[a]pyrene	50-32-8						P3R	
68 Benzo[e]pyrene	192-97-2						P2R	
69 Benzoyl peroxide (Dibenzoyl peroxide)	94-36-0						P2R	
70 Benzylamine	100-46-9	■		■			P2RC	
71 Benzyl butyl phthalate	85-68-7	■		■				
72 Benzyl chloride	100-44-7			■				
73 Beryllium and compounds, as Be	7440-41-7						■	
74 4,4'-Bis(dimethylamino)benzophenone (Michez's ketone)	90-94-8						P3R	
75 Biphenyl (Diphenyl)	92-52-4						P2R	
76 Bismuth telluride, Undoped	1304-82-1						P2R	
77 Bismuth telluride, Se-doped, as Bi ₂ Te ₃	1304-82-1						P2R	
78 Borax (Sodium tetraborate)	1330-43-4						P2R	
79 Boric acid	10043-35-3						P2R	
80 Boron oxide	1303-86-2						P2R	
81 Boron tribromide	10294-33-4						■	
82 Boron trifluoride	7637-07-2						■	
83 Bromacil	314-40-9						P3R	
84 2-Bromobutane	78-76-2	■		■				
85 Bromine	7726-95-6			■				
86 Bromine pentafluoride	7789-30-2						■	
87 Bromobenzene	108-86-1	■		■				
88 1-Bromo-2-chloroethane	107-04-0	■		■				
89 Bromoethane (Ethyl bromide)	74-96-4				■			
90 Bromoethylene (Vinyl bromide)	593-60-2				■			
91 Bromoform (Tribromomethane)	75-25-2	■		■			P2RC	
92 Bromomethane (Methyl bromide)	74-83-9	■		■				
93 2-Bromopentane	107-81-3	■		■				
94 1,3-Butadiene	106-99-0				■			
95 n-Butanal (Butyraldehyde)	123-72-8	■		■				
96 n-Butane	106-97-8				■			
97 1,4-Butane sultone	1633-83-6	■		■			P2RC	
98 2,4-Butane sultone	1121-03-5	■		■			P2RC	
99 1-Butanol (n-Butyl alcohol)	71-36-3	■		■				
100 2-Butanol (sec-Butyl alcohol)	78-92-2	■		■				
101 2-Butanone (Methyl ethyl ketone)	78-93-3	■		■				
102 2-Butanone peroxide (Methyl ethyl ketone peroxide)	1338-23-4						P2R	
103 2-Butenal (Crotonaldehyde)	4170-30-3	■		■				
104 2-Butoxyethanol (EGBE)	111-76-2	■		■				
105 2-Butoxyethyl acetate (EGBEA)	112-07-2	■		■				
106 n-Butyl acetate (1-Butyl acetate)	123-86-4	■		■				
107 sec-Butyl acetate (2-Butyl acetate)	106-46-4	■		■				
108 tert-Butyl acetate	540-88-5	■		■				
109 n-Butyl acrylate	141-32-2	■		■				
110 n-Butylamine	109-73-9	■		■				
111 sec-Butylamine	13952-84-6				■			
112 tert-Butyl chromate, as CrO ₃	1189-85-1						P2R	
113 Butyl formate	592-84-7	■		■				
114 n-Butyl glycidyl ether (BGE)	2426-08-6	■		■			P2RC	
115 tert-Butyl glycidyl ether	7665-72-7	■		■				
116 tert-Butyl hydroperoxide	75-91-2			■				
117 n-Butyl lactate	138-22-7	■		■			P2RC	
118 n-Butyl mercaptan (Butanethiol)	109-79-5			■				
119 n-Butyl methacrylate	97-88-1	■		■			P2RC	
120 tert-Butyl peroxyacetate	107-71-1			■			P2RC	
121 o-sec-Butyl phenol	89-72-5	■		■			P2RC	
122 p-tert-Butyl phenol	98-54-4						P2R	
123 Butyl stearate	123-95-5	■		■			P2RC	
124 p-tert-Butyltoluene	98-51-1	■		■				
C								
125 Cadmium and compounds, as Cd	7440-43-9						P3R	
126 Cadmium chloride, as Cd	10108-64-2						P3R	
127 Cadmium oxide, as Cd	1306-19-0						P3R	
128 Cadmium sulfate, as Cd	1306-23-6						P3R	
129 Calcium arsenate, as As	7778-44-1						P3R	
130 Calcium bisulfide solution	13780-03-5			■			P2RC	
131 Calcium carbonate	1317-65-3						P2R	
132 Calcium chromate, as Cr	13765-19-0						P3R	
133 Calcium cyanamide	156-62-7						P2R	

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
134 Calcium hydroxide	1305-62-0					P2R	
135 Calcium oxide	1305-78-8					P2R	
136 Camphor, synthetic	76-22-2					P2R	
137 Caprolactam	105-60-2					P2R	
138 Captafol	2425-06-1					P3R	
139 Captan	133-06-2					P3R	
140 Carbaryl (Sevin®)	63-25-2					P2R	
141 Carbofuran	1563-66-2					P3R	
142 Carbon black	1333-86-4					P3R	
143 Carbon dioxide	124-38-9						■
144 Carbon disulfide	75-15-0			■			
145 Carbon monoxide	630-08-0						■
146 Carbon tetrabromide	558-13-4					P2R	
147 Carbon tetrachloride	56-23-5	■		■			
148 Carbonyl fluoride	353-50-4						■
149 Cellulose	9004-34-6					P2R	
150 Chlordane	57-74-9					P3R	
151 Chlordecone (Kepone®)	143-50-0	■		■		P3RC	
152 Chlorine	7782-50-5			■			
153 Chlorine dioxide	10049-04-4			■			
154 Chlorine trifluoride	7790-91-2						■
155 Chloroacetaldehyde	107-20-0	■		■			
156 2-Chloroacetophenone (Phenacyl chloride) (CN)	532-27-4	■		■		P2RC	
157 Chloroacetyl chloride	79-04-9	■		■			
158 p-Chloroaniline	106-47-8					P3R	
159 Chlorobenzene (Monochlorobenzene)	108-90-7	■		■			
160 o-Chlorobenzylidene malononitrile (CS)	2698-41-1					P3R	
161 Chlorobromomethane (Bromochloromethane)	74-97-5	■		■			
162 Chlorodiphenyl, 42% chlorine	53469-21-9	■		■			
163 Chlorodiphenyl, 54% chlorine	11097-69-1	■		■		P3RC	
164 Chloroform (Trichloromethane)	67-66-3				■		
165 N-Chloroformyl-morpholine	15159-40-7	■		■		P2RC	
166 bis(Chloromethyl)ether	542-88-1			■			
167 Chloromethyl methyl ether (CME ; Methyl chloromethyl ether)	107-30-2	■		■		■	
168 3-Chloro-2-methyl-1-propene	563-47-3	■		■			
169 1-Chloronaphthalene	90-13-1	■		■			
170 1-Chloro-1-nitropropane	600-25-9	■		■		P2RC	
171 1-Chloropentane	543-59-9	■		■			
172 Chloropirin (Trichloronitromethane)	76-06-2	■		■			
173 β-Chloroprene (2-Chloro-1,3-butadiene)	126-99-8				■		
174 1-Chloropropane	540-54-5				■		
175 2-Chloropropane (Isopropyl chloride)	75-29-6				■		
176 o-Chlorostyrene	2039-87-4	■		■			
177 o-Chlorotoluene	95-49-8			■			
178 4-Chloro-o-toluidine	95-69-2	■		■		P3RC	
179 5-Chloro-o-toluidine	95-79-4	■		■		P2RC	
180 Chlorpyrifos	2921-88-2	■		■		P3RC	
181 Chromic acid and chromates, as Cr	7738-94-5					P3R	
182 Chromite, as Cr						P2R	
183 Chromium () inorganic compounds, as Cr	7440-47-3					P2R	
184 Chromium () inorganic compounds, water-soluble, as Cr						P3R	
185 Chromium () inorganic compounds, insoluble, as Cr						P3R	
186 Chromium carbonyl	13007-92-6						■
187 Chromium () oxide	1308-38-9					P2R	
188 Chromium oxychloride	14977-61-8			■			
189 Citric acid	77-92-9					P2R	
190 Coal dust, anthracite						P2R	
191 Coal dust, bituminous or lignite						P2R	
192 Coal tar pitch volatiles, as benzene soluble aerosol	65996-93-2	■		■		P3RC	
193 Cobalt and compounds	7440-48-4					P3R	
194 Cobalt () acetate tetrahydrate	6147-53-1					P2R	
195 Coconut oil						P2R	
196 Copper, dusts and mists, as Cu	7440-50-8					P2R	
197 Copper, fume, as Cu	7440-50-8					P2R	
198 Copper () chloride	7447-39-4					P2R	
199 Copper () sulfate	7758-98-7					P2R	
200 Cotton dust, raw, untreated						P3R	
201 Cresol, all isomers	1319-77-3	■		■		P2RC	
202 Cumene	98-82-8	■		■			
203 Cumene hydroperoxide	80-15-9			■			
204 Cyanamide	420-04-2			■		P2RC	
205 Cyanides, as CN				■		P3RC	
206 Cyanogen	460-19-5						■
207 Cyanogen bromide	506-68-3			■		P3RC	
208 Cyanogen chloride	506-77-4			■			■
209 Cyanuric chloride	108-77-0			■		P2RC	
210 Cyclohexane	110-82-7	■		■		P2RC	
211 Cyclohexanol	108-93-0	■		■		P2RC	
212 Cyclohexanone	108-94-1	■		■			

Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
213 Cyclohexene	110-83-8	■		■			
214 Cyclohexylamine	108-91-8	■		■			
215 Cyclonite (RDX)	121-82-4						P2R
216 1,3-Cyclopentadiene	542-92-7				■		
217 Cyclopentanone	120-92-3	■		■			
D							
218 2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7						P2R
219 DDT (Dichlorodiphenyltrichloro-ethane)	50-29-3						P3R
220 Decaborane	17702-41-9						■
221 n-Decane	124-18-5	■		■			
222 1-Decanol	112-30-1	■		■			P2RC
223 Demeton (Systox®)	8065-48-3	■		■			P3RC
224 Diacetone alcohol (4-Hydroxy-4-methyl-2-pentanone)	123-42-2	■		■			
225 Diacetyl peroxide	110-22-5			■			P2RC
226 2,4-Diaminoanisole	615-05-4						P3R
227 3,3'-Diaminobenzidine	91-95-2						P2R
228 3,3'-Diaminobenzidine tetrahydrochloride	7411-49-5						P2R
229 4,4'-Diamino-3,3'-dimethyldiphenylmethane	838-88-0						P3R
230 2,4-Diaminotoluene (Toluene-2,4-diamine)	95-80-7						P3R
231 Diatomaceous earth, calcinated	99439-28-8						P2R
232 Diatomaceous earth, uncalcinated	61790-53-2						P3R
233 Diazinon®	333-41-5	■		■			P3RC
234 Diazomethane	334-88-3						■
235 Dibenzylamine	103-49-1	■		■			
236 Dibenzylether	103-50-4	■		■			P2RC
237 Diborane	19287-45-7						■
238 1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	■		■			P3RC
239 1,2-Dibromoethane	106-93-4	■		■			P3RC
240 2-N-Dibutylaminoethanol	102-61-8	■		■			P2RC
241 Dibutyl ether	142-96-1	■		■			
242 Dibutyl phosphate	107-66-4	■		■			
243 Dibutyl phthalate	84-74-2	■		■			
244 Dichloroacetylene	7572-29-4						■
245 o-Dichlorobenzene	95-50-1	■		■			
246 m-Dichlorobenzene	541-73-1	■		■			
247 p-Dichlorobenzene	106-46-7	■		■			P3RC
248 3,3'-Dichlorobenzidine	91-94-1	■		■			P3R
249 1,4-Dichloro-2-butene	764-41-0	■		■			P3RC
250 2,2'-Dichloroethyl ether	111-44-4	■		■			
251 Dichlorodisopropyl ether	108-60-1	■		■			
252 Dichlorodimethyl ether	4885-02-3	■		■			P2RC
253 1,3-Dichloro-5,5-dimethyl hydantoin	118-52-5						P2R
254 1,1-Dichloroethane	75-34-3						■
255 1,2-Dichloroethane	107-06-2			■			
256 1,1-Dichloroethene	75-35-4						■
257 cis-1,2-Dichloroethene	156-59-2						■
258 trans-1,2-Dichloroethene	156-60-5						■
259 Dichloromethane	75-09-2						■
260 1,2-Dichloromethoxyethane	41683-62-9	■		■			P2RC
261 1,1-Dichloro-1-nitroethane	594-72-9	■		■			P2RC
262 1,2-Dichloropropane	78-87-5	■		■			
263 1,3-Dichloro-2-propanol	96-23-1	■		■			
264 1,3-Dichloropropene	542-75-6	■		■			
265 2,2-Dichloropropionic acid	75-99-0	■		■			P2RC
266 Dichlorotetrafluoroethane (1,2-Dichloro-1,1,2,2-tetrafluoroethane)	76-14-2						■
267 2,4-Dichlorotoluene	95-73-8	■		■			
268 Dichlorvos (DDVP)	62-73-7	■		■			P3RC
269 Dicyclohexylmethane-4,4'-diisocyanate	5124-30-1	■		■			P3RC
270 Dicyclohexyl peroxide	1758-61-8	■		■			P2RC
271 Dicyclohexyl phthalate	84-61-7						P2R
272 Dicyclopentadiene	77-73-6	■		■			P2RC
273 Dicyclopentadienyl iron, as Fe (Forrocene)	102-54-5						P2R
274 Dieldrin	60-57-1						P3R
275 Diesel fuel	68476-30-2 68334-30-5 68476-34-6 77650-28-3	■		■			
276 Diethanolamine	111-42-2	■		■			P3RC
277 Diethylamine	109-89-7						■
278 2-Diethylaminoethanol	100-37-8			■			
279 Diethyl carbonate	105-58-8	■		■			
280 Diethylene glycol	111-46-6	■		■			
281 Diethylene triamine	111-40-0	■		■			
282 Diethyl ether (Ethyl ether)	60-29-7						■
283 N,N-Diethylhydroxylamine (DEHA)	3710-84-7	■		■			P2RC
284 Diethyl oxalate	95-92-1	■		■			
285 Diethyl phthalate	84-66-2	■		■			

RESPIRATORY FILTER SELECTION CHART



5 PROFESSIONAL RANGE

SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airtone or SCBA
		A	K	A B E K	AX			
286 Diethyl sebacate	110-40-7	■					P2RC	
287 Diethyl sulfate	64-67-5	■						
288 Diethyl sulfide	352-93-2				■			
289 Difluorobromomethane	1511-62-2					■		
290 Difluorodibromomethane	75-61-6					■		
291 Diglycidyl ether (DGE)	2238-07-5	■					P2RC	
292 1,2-Dihydroxybenzene (Catechol)	120-80-9						P3R	
293 1,3-Dihydroxybenzene (Resorcinol)	108-46-3						P2R	
294 1,4-Dihydroxybenzene (Hydroquinone)	123-31-9						P3R	
295 Diisobutyl ketone	108-83-8	■						
296 Diisopropylamine	108-18-9	■						
297 Dilauryl peroxide	105-74-8	■					P2RC	
298 3,3'-Dimethoxybenzidine	119-90-4						P3R	
299 1,1-Dimethoxyethane	534-15-6							
300 1,2-Dimethoxyethane	110-71-4	■						
301 Dimethoxymethane	109-87-5					■		
302 N,N-Dimethylacetamide	127-19-5	■						
303 Dimethylamine	124-40-3					■		
304 1-Dimethylamino-2-propanol	108-16-7	■						
305 N,N-Dimethylaniline	121-69-7	■					P2RC	
306 3,3'-Dimethylbenzidine (Tolidine)	119-93-7						P3R	
307 2,2-Dimethylbutane	75-83-2							
308 2,3-Dimethylbutane	79-29-8					■		
309 1,3-Dimethylbutyl acetate	108-84-9	■					P2RC	
310 Dimethylcarbamoyl chloride	79-44-7							
311 N,N-Dimethylcyclohexylamine	98-94-2	■						
312 Dimethyl disulfide	624-92-0	■						
313 N,N-Dimethylethanamine	108-01-0	■						
314 Dimethyl ether	115-10-6							
315 N,N-Dimethylethylamine	598-56-1							
316 N,N-Dimethylformamide	68-12-2	■						
317 1,1-Dimethylhydrazine	57-14-7		■					
318 1,2-Dimethylhydrazine	540-73-8		■					
319 Dimethyl hydrogen phosphite	868-85-9	■						
320 N,N-Dimethylisopropylamine	996-35-0	■					P2RC	
321 Dimethyl phthalate	131-11-3	■					P2RC	
322 2,2-Dimethyl propane (Neopentane)	463-82-1							
323 Dimethyl sulfate	77-78-1	■						
324 Dimethyl sulfide	75-18-3	■						
325 1,2-Dinitrobenzene	528-29-0						P2R	
326 1,3-Dinitrobenzene	99-65-0						P2R	
327 1,4-Dinitrobenzene	100-25-4						P2R	
328 4,6-Dinitro-o-cresol	534-52-1						P3R	
329 1,5-Dinitronaphthalene	605-71-0						P2R	
330 2,6-Dinitronaphthalene	24824-26-8	■					P2RC	
331 Dinitropyrene	78432-19-6						P2R	
332 2,3-Dinitrotoluene	602-01-7						P2R	
333 2,4-Dinitrotoluene	121-14-2						P3R	
334 2,5-Dinitrotoluene	619-15-8						P2R	
335 2,6-Dinitrotoluene	606-20-2						P3R	
336 3,4-Dinitrotoluene	610-39-9						P2R	
337 3,5-Dinitrotoluene	618-85-9						P2R	
338 1,4-Dioxane	123-91-1	■					P3RC	
339 Dioxathion	78-34-2							
340 1,3-Dioxolane	646-06-0	■						
341 Dipentene	138-86-3	■						
342 Diphenylamine	122-39-4						P2R	
343 Diphenyl ether	101-84-8	■					P2RC	
344 Diphenylmethane diisocyanate (MDI)	101-68-8	■					P3RC	
345 Dipropylamine	142-84-7	■						
346 Dipropylene glycol methyl ether	34590-94-8	■						
347 Dipropyl ether	111-43-3	■						
348 Diquat dibromide	85-00-7						P3R	
349 Disulfoton	298-04-4						P3RC	
350 Disulfur dichloride (Sulfur monochloride)	10025-67-9							
351 Di-sec-octyl phthalate	117-81-7	■						
352 Disulfiram	97-77-8						P2R	
353 2,6-Di-tert-butyl-p-cresol	128-37-0						P2R	
354 Di-tert-butyl peroxide	110-05-4	■						
355 Diuron	330-54-1						P2R	
356 1,2-Divinylbenzene	91-14-5	■						
357 1,3-Divinylbenzene	108-57-6	■						
358 Dodecylbenzene	123-01-3	■						
E								
359 Emery	1302-74-5						P2R	
360 Endsulfan	115-29-7						P3R	
361 Endrin	72-20-8						P3R	
362 Entofurane	13838-16-9						P2RC	

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airtone or SCBA
		A	K	A B E K	AX			
363 Epichlorohydrin (1-Chloro-2,3-epoxypropane)	106-89-8	■						
364 EPN (O-Ethyl O-4-nitrophenyl phenyl phosphonothioate)	2104-64-5	■					P3RC	
365 1,2-Epoxybutane	106-88-7							
366 Ethanol	64-17-5	■						
367 2-Ethoxyethanol (EGEE; Cellosolve)	110-80-5	■						
368 2-Ethoxyethyl acetate (EGEEA; Cellosolve acetate)	111-15-9	■						
369 Ethyl acetate	141-78-6	■						
370 Ethyl acrylate (Acrylic acid)	140-88-5	■						
371 Ethylamine	75-04-7							
372 Ethyl amyl ketone (5-Methyl-3-heptanone)	541-85-5	■						
373 Ethyl benzene	100-41-4	■						
374 Ethyl carbamate (Urethane)	51-79-6	■					P3RC	
375 Ethyl chloride (Chloroethane)	75-00-3							
376 Ethyl chloroacetate	105-39-5	■						
377 Ethylene chlorohydrin (2-Chloroethanol)	107-07-3	■						
378 Ethylenediamine (1,2-Diaminoethane)	107-15-3	■					P2RC	
379 Ethyleneimine (Aziridine)	151-56-4		■					
380 Ethylene glycol	107-21-1	■						
381 Ethylene glycol dinitrate (EGDN)	628-96-6	■						
382 Ethylene glycol monoisopropyl ether	109-59-1	■						
383 Ethylene oxide	75-21-8							
384 Ethyl formate (Formic acid ethyl ester)	109-94-4							
385 2-Ethyl-1-hexanol	104-76-7	■						
386 Ethyl mercaptane (Ethaneethiol)	75-08-1							
387 4-Ethylmorpholine	100-74-3	■						
388 Ethyl propionate	105-37-3	■						
389 Ethyl silicate (Silicic acid tetraethyl ester)	78-10-4	■						
F								
390 Fenchlorophos	299-84-3	■					P2RC	
391 Fention	55-38-9	■					P3RC	
392 Ferbam	14484-64-1						P2R	
393 Ferrocene	102-54-5						P2R	
394 Ferrovanadium dust	12604-58-9						P2R	
395 Flour dust							P2R	
396 Fluorides, as F							P2RC	
397 Fluorine	7782-41-4							
398 Fluorobenzene	462-06-6	■						
399 Formaldehyde	50-00-0							
400 Formamide	75-12-7	■					P2RC	
401 Formic acid	64-18-6						P2RC	
402 Fuel oils		■					P2RC	
403 Furan	110-00-9							
404 Furfural	98-01-1	■						
405 Furfuryl alcohol	98-00-0	■						
G								
406 Gasoline	86290-81-5 8006-61-9	■						
407 Gelatin	9000-70-8						P2R	
408 Germanium tetrahydride	7782-65-2							
409 Glass, fibrous or dust							P3R	
410 Glutaraldehyde	111-30-8	■						
411 Glycerine	56-81-5	■					P2RC	
412 Glycidyl (2,3-Epoxy-1-propanol)	556-52-5	■						
413 Glycidyl isopropyl ether	4016-14-2	■					P2RC	
414 Glyoxal	107-22-2						P3RC	
415 Graphite, natural	7782-42-5						P2R	
H								
416 Hafnium and compounds, as Hf	7440-58-6						P2R	
417 Helium	7440-59-7							
418 Halotane (2-Bromo-2-chloro-1,1,1-trifluoroethane)	151-67-7							
419 Heptachlor	76-44-8						P3R	
420 n-Heptane	142-82-5	■						
421 2-Heptanone	110-43-0	■						
422 3-Heptanone	106-35-4	■						
423 4-Heptanone	123-19-3	■						
424 Hexachlorobenzene (HCB)	118-74-1						P3R	
425 Hexachlorocyclopentadiene	77-47-4	■						
426 Hexachloroethane	67-72-1	■					P3RC	
427 Hexamethylenediamine	124-09-4	■					P2RC	
428 Hexamethylene diisocyanate	822-06-0	■						
429 Hexamethylenetetramine	100-97-0						P2RC	
430 Hexamethylphosphoramide	680-31-9	■					P3RC	
431 n-Hexane	110-54-3	■						
432 n-Hexanol	111-27-3	■						
433 2-Hexanone	591-78-6	■						
434 1-Hexene	592-41-6							

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
435 cis-2-Hexene	7688-21-3	■		■			
436 trans-2-Hexene	4050-45-7	■		■			
437 Hexylamine	111-26-2	■		■			
438 Hexylene glycol	107-41-5	■		■			
439 Hydrazine	302-01-2		■	■		P3RC	
440 Hydrazobenzene (1,2-Diphenylhydrazine)	122-66-7					P2R	
441 Hydrozoic acid	7782-79-8			■			
442 Hydrogenated terphenyls	61788-32-7	■		■			
443 Hydrogen bromide	10035-10-6			■			
444 Hydrogen chloride	7647-01-0			■			
445 Hydrogen cyanide	74-90-8			■			
446 Hydrogen fluoride, as F	7664-39-3			■			
447 Hydrogen peroxide	7722-84-1			■			
448 Hydrogen selenide	7783-07-5			■			
449 Hydrogen sulfide	7783-06-4			■			
450 Hydroxylamine	7803-49-8			■			
451 2-Hydroxypropyl acrylate	999-61-1	■		■			
I							
452 Indene	95-13-6	■		■			
453 Indium and compounds, as In	7440-74-6					P3R	
454 Inorganic fiber						P3R	
455 Iodine	7553-56-2	■		■		P3RC	
456 Iodoform	75-47-8	■		■		P2RC	
457 Iodomethane (Methyl iodide)	74-88-4					■	
458 Iron() chloride	7758-94-3					P2R	
459 Iron() chloride	7705-08-0					P2R	
460 Iron() oxide	1345-25-1					P2R	
461 Iron() oxide	1309-37-1					P2R	
462 Iron pentacarbonyl	13463-40-6	■		■			
463 Iron() sulfide	1317-37-9					P2R	
464 Iron() sulfide	12063-27-3					P2R	
465 Iron salts, soluble, as Fe						P2R	
466 Isoamyl acetate	123-92-2	■		■			
467 Isoamyl alcohol	123-51-3	■		■			
468 Isobutane	75-28-5					■	
469 Isobutanol (Isobutyl alcohol)	78-83-1	■		■			
470 Isobutyl acetate	110-19-0	■		■			
471 Isobutylamine	78-81-9	■		■			
472 Isobutylformate	542-55-2	■		■			
473 Isobutyraldehyde	78-84-2					■	
474 Isotlurane	26675-46-7					■	P2RC
475 Isooctane (2,2,4-Trimethylpentane)	540-84-1	■		■			
476 Isophorone	78-59-1	■		■			
477 Isophorone diisocyanate	4098-71-9	■		■			
478 Isopropyl acetate	108-21-4	■		■			
479 Isopropylamine	75-31-0					■	
480 N-Isopropylaniline	768-52-5					■	
481 Isopropyl ether	108-20-3	■		■			
482 Isopropyl nitrate	1712-64-7	■		■		P2RC	
483 Isopropyl oil		■		■		P2RC	
J							
484 Jet fuel		■		■		P2RC	
K							
485 Kerosene		■		■		P2RC	
L							
486 Lactic acid	50-21-5			■		P2RC	
487 Lead and inorganic compounds, as Pb	7439-92-1					P3R	
488 Lead alkyls	75-74-1 78-00-2	■		■		P3RC	
489 Lead() acetate trihydrate	6080-56-4					P2R	
490 Lead arsenate	3687-31-8					P3R	
491 Lead chromate	7758-97-6					P3R	
492 Linseed oil		■		■		P2RC	
493 Lindane (γ-Hexachlorocyclohexane)	58-89-9					P3RC	
494 Lithium hydride	7580-67-8					P3R	
495 Lithium hydroxide	1310-65-2					P2R	
M							
496 Magnesium chloride	7786-30-3					P2R	
497 Magnesium hydroxide	1309-42-8					P2R	
498 Magnesium oxide	1309-48-4					P2R	
499 Magnesium sulfate	7487-88-9					P2R	
500 Malathion	121-75-5	■		■		P2RC	
501 Maleic acid	110-16-7					P2R	
502 Maleic anhydride	108-31-6	■		■		P3RC	

Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
503 Manganese and inorganic compounds, as Mn	7439-96-5						P2R
504 Manganese, fume, as Mn	7439-96-5						P2R
505 Manganese cyclopentadienyl tricarbonyl, as Mn	12079-65-1						P3R
506 Manganese() oxide	1313-13-9						P2R
507 2-Mercaptoethanol	60-24-2			■			
508 Mercury and compounds, as Hg	7439-97-6						■
509 Mesityl oxide	141-79-7	■		■			
510 Methacrylic acid	79-41-4	■		■			P2RC
511 Methacrylonitrile	126-98-7	■		■			
512 Methane	74-82-8						■
513 Methanol (Methyl alcohol)	67-56-1					■	
514 Methomyl	16752-77-5						P3R
515 Methoxychlor	72-43-5						P2R
516 2-Methoxyethanol (EGME)	109-86-4	■		■			
517 2-Methoxyethyl acetate (EGMEA)	110-49-6	■		■			
518 1-Methoxy-2-propanol	107-98-2	■		■			
519 2-Methoxy-1-propanol	1589-47-5	■		■			
520 1-Methoxy-2-propanol acetate	108-65-6	■		■			
521 2-Methoxy-1-propanol acetate	70657-70-4	■		■			
522 Methyl acetate	79-20-9					■	
523 Methyl acrylate	96-33-3	■		■			
524 Methylamine	74-89-5		■	■			
525 N-Methylaniline	100-61-8	■		■			
526 2-Methylbutane	78-78-4					■	
527 Methyl-tert-butyl ether	1634-04-4					■	
528 Methyl chloroform (1,1,1-Trichloroethane)	71-55-6	■		■			
529 Methyl-2-cyanoacrylate	137-05-3			■			
530 Methylcyclohexane	108-87-2	■		■			
531 Methylcyclohexanol	25639-42-3	■		■			
532 2-Methylcyclohexanone	583-60-8	■		■			
533 Methyl demeton (Demeton-methyl)	8022-00-2	■		■			P3RC
534 4,4'-Methylene-bis(2-chloroaniline) (MBOCA)	101-14-4						P3R
535 4,4'-Methylene dianiline (4,4'-Diaminodiphenyl-methane)	101-77-9						P3R
536 Methyl ethyl ketone peroxide	1338-23-4	■		■			
537 Methyl formate	107-31-3					■	
538 Methyl hydrazine	60-34-4			■			
539 Methyl isocyanate	110-12-3	■		■			
540 Methyl isobutyl carbinol (4-Methyl-2-pentanol)	108-11-2	■		■			
541 Methyl isobutyl ketone (4-Methyl-2-pentanone)	108-10-1	■		■			
542 Methyl isocyanate	624-83-9					■	
543 Methyl mercaptan (Methanethiol)	74-93-1					■	
544 Methyl mercury	22967-92-6						■
545 Methyl methacrylate	80-62-6	■		■			
546 Methyl parthion	298-00-0	■		■			P3RC
547 2-Methylpentane	107-83-5					■	
548 3-Methylpentane	96-14-0					■	
549 4-Methylpent-3-en-2-on	141-79-7	■		■			
550 2-Methyl-2-propanol (tert-Butyl alcohol)	75-65-0	■		■			P2RC
551 Methyl propyl ketone (2-Pentanone)	107-87-9	■		■			
552 2-Methyl-2-propanethiol	75-66-1					■	
553 Methyl propionate	554-12-1	■		■			
554 N-Methyl-2-pyrrolidone	872-50-4	■		■			
555 Methyl silicate	681-84-5	■		■			
556 α-Methyl styrene	98-83-9	■		■			
557 Mevinphos (Phosdrin®)	7786-34-7	■		■			P3RC
558 Mineral wool fiber							P2R
559 Molybdenum and compounds, as Mo	7439-98-7						P3R
560 Monochloroacetic acid	79-11-8						P2R
561 Morpholine	110-91-8	■		■			
562 Motor oils, used		■		■			P2RC
563 Mustard gas (2,2'-Dichlorodiethyl sulfide)	505-60-2			■			P3RC
N							
564 Naled (Dibrom)	300-76-5	■		■			P3RC
565 Naphtha, Benzin	8030-30-6	■		■			P2RC
566 Naphtha (petroleum), Hydrotreated heavy	64742-48-9	■		■			P2RC
567 Naphthalene	91-20-3	■		■			P3RC
568 1,5-Naphthalene diisocyanate (NDI)	3173-72-6						P2R
569 α-Naphthylamine (1-Naphthylamine)	134-32-7						P2R
570 β-Naphthylamine (2-Naphthylamine)	91-59-8						P3R
571 Neon	7440-01-9						■
572 Nickel	7440-02-0						P3R
573 Nickel carbonate	3333-67-3						P3R
574 Nickel chloride	7718-54-9						P3R
575 Nickel oxide	1313-99-1						P3R
576 Nickel sulfide	16812-54-7						P3R
577 Nicotine	54-11-5	■		■			
578 Nitrapyrin (2-Chloro-6-(trichloromethyl)pyridine)	1929-82-4						P2R
579 Nitric acid	7697-37-2			■			

RESPIRATORY FILTER SELECTION CHART



5

PROFESSIONAL RANGE

SUBSTANCE	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
580 5-Nitroacenaphthene	602-87-9					P3R	
581 2-Nitro-4-aminophenol	119-34-6					P2R	
582 4-Nitroaniline	100-01-6					P2R	
583 Nitrobenzene	98-95-3	■		■		P3RC	
584 4-Nitrobiphenyl	92-93-3					P3R	
585 Nitroethane	79-24-3	■		■			
586 Nitrogen dioxide	10102-44-0			■			
587 Nitrogen monoxide	10102-43-9						■
588 Nitrogen trifluoride	7783-54-2						■
589 Nitroglycerin (Glycerol trinitrate)	55-63-0	■		■		P2RC	
590 Nitromethane	75-52-5	■		■			
591 1-Nitronaphthalene	86-57-7					P2R	
592 2-Nitronaphthalene	581-89-5					P2R	
593 5-Nitro-o-toluidine	99-55-8					P3R	
594 2-Nitro-1,4-phenylenediamine	5307-14-2					P2R	
595 1-Nitropropane	108-03-2	■		■			
596 2-Nitropropane	79-46-9	■		■			
597 1-Nitropyrene	5522-43-0					P3R	
598 2-Nitropyrene	789-07-1					P2R	
599 4-Nitropyrene	57835-92-4					P3R	
600 N-Nitrosodiethanolamine (NDELA)	1116-54-7					P3R	
601 N-Nitrosodethylamine (NDEA)	55-18-5	■		■		P3RC	
602 N-Nitrosodisopropylamine	601-77-4					P2R	
603 N-Nitrosodimethylamine	62-75-9	■		■		P2RC	
604 N-Nitrosodi-n-butylamine (DBN)	924-16-3	■		■		P3RC	
605 N-Nitrosodi-n-propylamine (NDPA)	621-64-7	■		■		P3RC	
606 N-Nitrosoethylethylamine	612-64-6					P2R	
607 N-Nitrosomethylethylamine	10595-95-6	■		■		P3RC	
608 N-Nitrosomethylphenylamine	614-00-6	■		■		P2RC	
609 N-Nitrosomorpholine (NMOR)	59-89-2	■		■		P3RC	
610 N-Nitrosopiperidine (NPIP)	100-75-4	■		■		P3RC	
611 N-Nitrosopyrrolidine (NPYR)	930-55-2	■		■		P3RC	
612 2-Nitrotoluene	88-72-2	■		■			
613 3-Nitrotoluene	99-08-1	■		■		P3RC	
614 4-Nitrotoluene	99-99-0					P2R	
615 Nonane	111-84-2	■		■			
O							
616 Oakwood dust						P3R	
617 Octachloronaphthalene	2234-13-1					P3R	
618 n-Octane	111-65-9	■		■			
619 1-Octanol	111-87-5	■		■			
620 1-Octene	111-66-0	■		■			
621 Oil mist, mineral	8012-95-1	■		■		P2RC	
622 Osmium tetroxide	20816-12-0			■		P3RC	
623 Oxalic acid	144-62-7					P2R	
624 4,4'-Oxydianiline	101-80-4					P3R	
625 Oxygen difluoride	7783-41-7						■
626 Ozone	10028-15-6						■
P							
627 Palmitic acid	57-10-3					P2R	
628 Paraffin wax fume	8002-74-2	■		■		P2RC	
629 Paraldehyde	123-63-7	■		■		P2RC	
630 Paraquat dichloride	1910-42-5					P3R	
631 Parathion	56-38-2	■		■		P3RC	
632 Pentaborane	19624-22-7						■
633 Pentachloroethane	76-01-7	■		■			
634 Pentachloronaphthalene	1321-64-8					P2R	
635 Pentachlorophenol	87-86-5					P3R	
636 Pentane	109-66-0						■
637 n-Pentanol	71-41-0	■		■			
638 Peracetic acid	79-21-0			■		P2RC	
639 Perchloromethyl mercaptan	594-42-3	■		■		P2RC	
640 Perchloryl fluoride	7616-94-6			■			
641 Permethrin	52645-53-1	■		■		P2RC	
642 Phenol	108-95-2	■		■		P2RC	
643 Phenolphthalein dissolved in ethanol	77-09-8	■		■		P3RC	
644 Phenyl acetate	122-79-2	■		■		P2RC	
645 p-Phenylenediamine	106-50-3					P3R	
646 Phenyl ether	101-84-8	■		■		P2RC	
647 Phenyl ether/biphenyl mixture	8004-13-5	■		■		P2RC	
648 Phenyl glycidyl ether (PGE)	122-60-1	■		■		P2RC	
649 Phenylhydrazine	100-60-3	■		■		P3RC	
650 Phenyl isocyanate	103-71-9			■			
651 Phenyl mercaptan	108-98-5			■		P2RC	
652 N-Phenyl-β-naphthylamine	135-88-6					P2R	
653 Phenylphosphine	638-21-1						■
654 Phorate	298-02-2	■		■			



Substance	CAS No.	RECOMMENDED FILTERS				Particle Filter	Airline or SCBA
		A	K	A B E K	AX		
655 Phosgene (Carbonyl chloride)	75-44-5			■			
656 Phosphine	7803-51-2						■
657 Phosphoric acid	7664-38-2			■		P2RC	
658 Phosphorous acid	13598-36-2					P2R	
659 Phosphorus, Yellow	12185-10-3			■		P3RC	
660 Phosphorus oxychloride	10025-87-3			■		P2RC	
661 Phosphorus pentachloride	10026-13-8			■		P2RC	
662 Phosphorus pentasulfide	1314-80-3			■		P2RC	
663 Phosphorus pentoxide	1314-56-3			■		P2RC	
664 Phthalic anhydride	85-44-9	■		■		P2RC	
665 Picloram	1918-02-1					P2R	
666 Picric acid	88-89-1					P3R	
667 Platinum, soluble salts, as Pt	7440-06-4					P2R	
668 Polychlorinated biphenyls (PCBs)	1336-36-3					P3R	
669 Polyvinyl chloride (PVC)	9002-86-2					P2R	
670 Portland cement	65997-15-1					P2R	
671 Potassium chloride	7447-40-7					P2R	
672 Potassium chromate	7789-00-6					P3R	
673 Potassium cyanide, as CN	151-50-8					P3R	
674 Potassium hydroxide	1310-58-3					P2R	
675 Potassium sulfate	7778-80-5					P2R	
676 1,3-Propane sultone	1120-71-4	■		■		P3RC	
677 2-Propanethiol	75-33-2						■
678 n-Propanol (n-Propyl alcohol)	71-23-8	■		■			
679 2-Propanol (Isopropyl alcohol)	67-63-0	■		■			
680 Propargyl alcohol	107-19-7	■		■			
681 β-Propiolactone	57-57-8	■		■			
682 Propionaldehyde (Propanal)	123-38-6						■
683 Propionic acid	79-09-4			■			
684 Propoxur	114-26-1						P3R
685 n-Propyl acetate	109-60-4	■		■			
686 Propylamine	107-10-8			■			
687 Propylene	115-07-1						■
688 Propylene glycol	57-55-6	■		■			
689 Propylene glycol dinitrate (PGDN)	6423-43-4	■		■			P2RC
690 Propylene oxide (1,2-Epoxypropane)	75-56-9						■
691 Propyleneimine	75-55-8	■		■			P3RC
692 Propyl formate	110-74-7	■		■			
693 n-Propyl mercaptan	107-03-9			■			
694 Pyrethrum	8003-34-7	■		■			P2RC
695 Pyridine	110-86-1	■		■			
Q							
696 Quinone (p-Benzoquinone)	106-51-4	■		■			P2RC
R							
697 Radium, elemental	7440-16-6						P2R
698 Rotenone, commercial	83-79-4	■		■			P2RC
S							
699 Salicylic acid	69-72-7						P2R
700 Sarin (GB)	107-44-8	■		■			P3RC
701 Selenium compounds, as Se	7782-49-2						P3R
702 Silica, amorphous, fused	60676-86-0						P2R
703 Silica, amorphous, silica fume	69012-64-2						P2R
704 Silica, crystalline, cristobalite	14464-46-1						P3R
705 Silica, crystalline, α-quartz	14808-60-7						P3R
706 Silicon carbide, fibrous dust	409-21-2						P3R
707 Silicon carbide, nonfibrous	409-21-2						P2R
708 Silver, metal	7440-22-4						P3R
709 Silver, soluble compounds, as Ag	7440-22-4						P3R
710 Soap solution							P2R
711 Sodium azide	26628-22-8						P2R
712 Sodium benzoate	532-32-1						P2R
713 Sodium bisulfite	7631-90-5						P2R
714 Sodium chlorate	7775-09-9						P2R
715 Sodium chloride	7647-14-5						P2R
716 Sodium chromate	7775-11-3						P2R
717 Sodium cyanide, as CN	143-33-9			■			P3RC
718 Sodium fluoroacetate	62-74-8			■			P3RC
719 Sodium hydrogen carbonate	144-55-8						P2R
720 Sodium hydroxide	1310-73-2						P2R
721 Sodium metabisulfite	7681-57-4						P2R
722 Sodium silicate	6834-92-0						P2R
723 Sodium sulfate	7757-82-6						P2R
724 Sodium thiosulfate	7772-98-7			■			P2RC
725 Soman (GD)	96-64-0	■		■			P3RC
726 Stearic acid	57-11-4						P2R
727 Stibine	7803-52-3						■

SUBSTANCE	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX			
728 Stoddard solvent	8052-41-3	■		■			P3RC	
729 Strontium chromate, as Cr	7789-06-2						P3R	
730 Strychnine	57-24-9						P3R	
731 Styrene, monomer	100-42-5	■		■				
732 Subtilisin	1395-21-7						P3R	
733 Sulfolep (TEDP)	3689-24-5			■			P3RC	
734 Sulfur dichloride	10545-99-0			■				
735 Sulfur dioxide	7446-09-5			■				
736 Sulfuric acid	7664-93-9			■			P3RC	
737 Sulfur pentafluoride	5714-22-7			■				
738 Sulfur tetrafluoride	7783-60-0							■
739 Sulfur trioxide	7446-11-9			■			P2RC	
740 Sulfuryl chloride	7791-25-5			■				
741 Sulfuryl difluoride	2699-79-8							■
T								
742 2,4,5-T (2,4,5-Trichlorophenoxy acetic acid)	93-76-5						P2R	
743 Tabun (GA)	77-81-6	■		■			P3RC	
744 Talc, containing no asbestos fibers	14807-96-6						P2R	
745 Tannic acid and tannins	1401-55-4						P2R	
746 Tantalum, metal	7440-25-7						P2R	
747 Tar fumes							P2R	
748 Tartaric acid	526-83-0						P2R	
749 Tellurium and compounds, as Te	13494-80-9						P3R	
750 Tellurium hexafluoride, as Te	7783-80-4							■
751 Turpentine oil		■		■				
752 Terphenyls	26140-60-3						P2R	
753 1,1,2,2-Tetrabromoethane	79-27-6	■		■				
754 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746-01-6						P3R	
755 1,1,1,2-Tetrachloro-2,2-difluoroethane (FC-112a)	76-11-9	■		■			P2RC	
756 1,1,2,2-Tetrachloro-1,2-difluoroethane (FC-112)	76-12-0	■		■			P2RC	
757 1,1,2,2-Tetrachloroethane	79-34-5	■		■				
758 Tetrachloroethylene (Perchloroethylene)	127-18-4	■		■				
759 Tetrachloronaphthalene	1335-88-2						P2R	
760 Tetraethyl lead	78-00-2	■		■				
761 Tetraethyl pyrophosphate (TEPP)	107-49-3	■		■			P3RC	
762 Tetraethyl silicate	78-10-4	■		■				
763 Tetrahydrofuran	109-99-9	■		■				
764 Tetrahydrothiophene (THT)	110-01-0			■				
765 1,2,4,5-Tetramethylbenzene	95-93-2						P2R	
766 Tetramethyl lead	75-74-1	■		■				
767 Tetramethyl succinonitrile	3333-52-6	■		■			P3RC	
768 Tetranitromethane	509-14-8			■			P3RC	
769 1,3,6,8-Tetranitropyrene	28767-61-5						P2R	
770 Tetrasodium pyrophosphate	7722-88-5						P2R	
771 Tetryl (N-Methyl-N,2,4,6-tetranitroaniline)	479-45-8						P2R	
772 Thallium and soluble compounds, as Tl	7440-28-0						P3R	
773 4,4'-Thiobis(6-tert-butyl-m-cresol)	96-69-5						P2R	
774 4,4'-Thiodianiline	139-65-1						P3R	
775 Thioglycolic acid	68-11-1			■				
776 Thionyl chloride	7719-09-7			■				
777 Thiourea	62-56-6						P2R	
778 Thiram	137-26-8						P3R	
779 Tin() chloride	7646-78-8			■				
780 Titanium dioxide	13463-67-7						P3R	
781 Toluene (Toluol)	108-88-3	■		■				
782 Toluene-2,4-diisocyanate	584-84-9	■		■			P3RC	
783 Toluene-2,6-diisocyanate	91-08-7	■		■			P3RC	
784 p-Toluidine	106-49-0	■		■			P3RC	
785 Tributyl phosphate	126-73-8	■		■				
786 Tri-n-butyltin benzoate	4342-36-3	■		■			P2RC	
787 Tri-n-butyltin chloride	1461-22-9			■				
788 Tri-n-butyltin fluoride	1983-10-9						P3R	
789 Tri-n-butyltin linoleate	24124-25-2	■		■			P2RC	
790 Tri-n-butyltin methacrylate	2155-70-6	■		■			P2RC	
791 Tri-n-butyltin naphthenate	85409-17-2	■		■				
792 Trichloroacetic acid	76-03-9						P3R	
793 1,2,4-Trichlorobenzene	120-82-1	■		■			P2RC	
794 2,3,4-Trichloro-1-butene	2431-50-7	■		■				
795 1,1,2-Trichloroethane	79-00-5	■		■				
796 Trichloroethylene	79-01-6	■		■				
797 Trichloronaphthalene	1321-65-9						P2R	
798 1,2,3-Trichloropropane	96-18-4	■		■				
799 Tricyclohexyltin hydroxide	13121-70-5						P3R	
800 Tridymite	15468-32-3						P3R	
801 Triethanolamine	102-71-6	■		■			P2RC	
802 Triethylamine	121-44-8	■		■				
803 Triethylene tetramine	112-24-3	■		■				
804 Trimanganese tetroxide	1317-35-7						P2R	

Substance	CAS No.	RECOMMENDED FILTERS					Particle Filter	Airline or SCBA
		A	K	A B E K	AX			
805 Trimellitic anhydride	552-30-7							
806 Trimethylamine	75-50-3					■		P3R
807 2,4,5-Trimethylaniline	137-17-7							P2R
808 1,2,3-Trimethyl benzene	526-73-8	■		■				
809 1,2,4-Trimethyl benzene	95-63-6	■		■				
810 1,3,5-Trimethyl benzene (Mesitylene)	108-67-8	■		■				
811 2,4,4-Trimethyl-1-pentene	107-39-1	■		■				
812 Trimethyl phosphate	512-56-1	■		■				
813 Trimethyl phosphite	121-45-9	■		■				
814 2,4,7-Trinitrofluorenone	129-79-3	■		■				P2RC
815 2,4,6-Trinitrotoluene (TNT)	118-96-7							P3R
816 1,3,6-Trinitropyrene	75321-19-6							P2R
817 Tri-o-tolyl phosphate	78-30-8	■		■				
818 Tri-p-tolyl phosphate	78-32-0							P2R
819 Triphenyl amine	603-34-9							P2R
820 Triphenyl phosphate	115-86-6	■		■				P2RC
821 Tungsten and insoluble compounds, as W	7440-33-7							P2R
822 Turpentine	8006-64-2	■		■				
U								
823 n-Undecane	1120-21-4	■		■				
824 Uranium, natural, soluble and insoluble compounds, as U	7440-61-1							P3R
V								
825 Vanadium pentoxide, as V	1314-62-1							P3R
826 Vinyl acetate	108-05-4	■		■				
827 Vinyl chloride (Chloroethylene)	75-01-4					■		
828 Vinyl toluene	25013-15-4	■		■				
829 VM P naphtha	8032-32-4	■		■				
830 VX (nerve agent)	50782-69-9	■		■				P3RC
W								
831 Warfarin	81-81-2	■		■				P3RC
832 Welding fumes								P3R
833 White spirit		■		■				
834 Wood oil								P2R
X								
835 o-Xylene	95-47-6	■		■				
836 m-Xylene	108-38-3	■		■				
837 p-Xylene	106-42-3	■		■				P2RC
838 2,6-Xylenol (2,6-Dimethyl phenol)	576-26-1							P2R
839 2,5-Xylenol (2,5-Dimethyl phenol)	95-87-4	■		■				P2RC
840 2,4-Xylenol (2,4-Dimethyl phenol)	105-67-9							P2R
841 2,3-Xylenol (2,3-Dimethyl phenol)	526-75-0							P2R
842 3,4-Xylenol (3,4-Dimethyl phenol)	95-65-8	■		■				P2RC
843 3,5-Xylenol (3,5-Dimethyl phenol)	108-68-9							P2R
844 2,3-Xylydine	87-59-2	■		■				P3RC
845 2,4-Xylydine	95-68-1	■		■				P2RC
846 2,5-Xylydine	95-78-3	■		■				P2RC
847 2,6-Xylydine	87-62-7	■		■				P3RC
848 3,4-Xylydine	95-64-7	■		■				P3RC
849 3,5-Xylydine	108-69-0	■		■				P3RC
Y								
850 Yttrium and compounds, as Y	7440-65-5							P2R
Z								
851 Zinc chloride, fume	7646-85-7							P2R
852 Zinc chromates, as Cr	13530-65-9							P3R
853 Zinc oxide, fume	1314-13-2							P2R
854 Zinc sulfate	7733-02-0							P2R
855 Zirconium compounds, as Zr	7440-67-7							P2R
A1 Cartridges								
n Certified to ASNZ 1716								
n A1 Cartridges								



Retractable Visor Helmet




• CRASH-BOX integrated shock absorption



• Faceshield completely integrated within helmet



• Faceshield protects the face and chin



• The raised faceshield is protected by the double shell

The E-MAN helmet has been developed according to state of the art science of crumple zones in modern vehicle design. The helmet is also equipped with a fully retractable visor providing protection for the entire face.

E-MAN is introducing the CRASH BOX especially designed for partial or total destruction depending on the impact intensity. By destroying the CRASH BOX a certain amount of the impact energy will be taken over by the helmet shell while the rest of the impact energy is being forwarded to the suspension and from there to the head of the user. The functionality of the CRASH BOX is comparable to the crumple zones on contemporary cars.



E-MAN Retractable Visor Helmet

HEM569

CODE	STYLE	COLOUR	QTY	QTY
HEM569	Retractable Visor	Red	Each	10

FEATURES & BENEFITS

- State of the art crumple zones similar to modern day cars
- By compressing and destroying of the Crash Box, the E-MAN is capable to absorb far more impact energy than any single wall helmet and therefore provides additional protection to the user.
- Especially designed for partial or total destruction depending on the impact intensity
- E-MAN has been tested and certified according to EN 397 (Safety Helmets) and EN 50365 (Electricians Helmets). VDE approved.
- 6 point ratchet system harness
- Polycarbonate Visor delivers electric arc protection according to EN1668
- Red Dot Design Award Winner 2009



- The E-MAN helmet series offers a variety of accessories and upgrades according to every user need and workplace condition: Ratchet system, 6 point textile suspension, helmet lights, chin straps (designed to fit the self releasing mounts on the E-MAN, all types of sweatbands etc.





keep cool and comfort

All our hard hats are available ventilated and unventilated - to keep you cool and comfortable in any weather, UV protected for added strength and longer life, made from top quality materials and AS/NZS standards compliant. That's the Maxisafe difference.

Maxisafe's unique 'Rotating Six Point Ratchet Harness' ensures the hard hat stays on, Self-Adjusting itself through 60 degrees, staying on the wearers head when in awkward positions. Available in vented, unvented, long and short peak varieties as well as specific types suited to the mining, construction and forestry industries, along with an extensive range of replaceable parts and accessories, Maxisafe has your requirements covered.

VENTILATION Warm air rises. So ventilation holes need to be at the top of the helmet shell to expel hot air where it gathers and to draw in cool air from below, the Maxisafe design allows your head to breathe, especially when working outdoors in hot weather for optimum wearer comfort.

RAINTROUGH Large capacity raintrough to prevent water from dripping on users face.

UV PROTECTION High quality (UV Resistant) ABS materials are free from material aging due to intensive UV light exposure (i.e. sunlight). Also provides extra impact and penetration protection against normal ABS materials.

9

• All materials are UV resistant

• Vented or unvented

• Apply your company's logo, or a customer's company logo to the Maxisafe helmets. Various designs, locations and colours are available. Use the power of branding to reinforce and grow your company's image in the marketplace.

• Large capacity raintrough

• Attachment slot fits most brands of earmuffs



• Meets AS/NZS 1801 Type 2 standards

• Unique 'rotating six point harness' with ratchet harness model



POLYCARBONATE Material used for high temperature requirements. (This material meets AS/NZS 1801 Type 2 standards).

POLYPROPYLENE This is a new generation material specially designed to meet the requirements of AS/NZS 1801 Type 1. This material has better UV resistance than ABS - up until now ABS was the most commonly known material used for hardhats and is not as highly UV rated as Polypropylene.

Comfortable in any weather



Vented Hard Hat with Sliplock Harness

HHV550-S

CODE	STYLE	COLOUR	QTY	QTY
HHV550-SB	Sliplock hard hat	Blue	Each	20
HHV550-SF0	Sliplock hard hat	Flouro Orange	Each	20
HHV550-SFY	Sliplock hard hat	Flouro Yellow	Each	20
HHV550-SG	Sliplock hard hat	Green	Each	20
HHV550-SPK	Sliplock hard hat	Pink	Each	20
HHV550-SO	Sliplock hard hat	Orange	Each	20
HHV550-SW	Sliplock hard hat	White	Each	20
HHV550-SY	Sliplock hard hat	Yellow	Each	20
HHV550-SR	Sliplock hard hat	Red	Each	20



HHV550-SW

FEATURES & BENEFITS

- Complies with AS/NZS 1801
- Ergonomically designed 6 point Sliplock Harness
- Vented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain
- Available in white, blue, orange, yellow, green, red, flouro orange and flouro yellow



HHV550-SB



HHV550-SF0



HHV550-SFY



HHV550-SG



HHV550-SPK



HHV550-SO



HHV550-SY



HHV550-SR



Vented Hard Hat with Ratchet Harness

HHV550-R

CODE	STYLE	COLOUR	QTY	QTY
HHV550-RB	Ratchet hard hat	Blue	Each	20
HHV550-RFO	Ratchet hard hat	Flouro Orange	Each	20
HHV550-RFY	Ratchet hard hat	Flouro Yellow	Each	20
HHV550-RG	Ratchet hard hat	Green	Each	20
HHV550-RO	Ratchet hard hat	Orange	Each	20
HHV550-RPK	Sliplock hard hat	Pink	Each	20
HHV550-RW	Ratchet hard hat	White	Each	20
HHV550-RY	Ratchet hard hat	Yellow	Each	20
HHV550-RR	Ratchet hard hat	Red	Each	20



HHV550-RW

FEATURES & BENEFITS

- Complies with AS/NZS1801
- Ergonomically designed 6 point harness. Unique Maxisafe Ratchet harness for added comfort
- Vented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain
- Available in white, blue, orange, yellow, green, red, flouro orange and flouro yellow



White Unvented hard hat with sliplock harness

HHU555-SW

CODE	STYLE	COLOUR	QTY	QTY
HHU555-SW	Sliplock hard hat	White	Each	20



FEATURES & BENEFITS

- Complies with AS/NZS1801
- Ergonomically designed 6 point harness. Unique Maxisafe Ratchet harness for added comfort
- Unvented with replaceable cotton sweatband for ultimate comfort
- Long Peak for added protection and an edge gutter to catch and deflect rain



Professional Forestry Kit with Muffs, Mesh Visor and Hard Hat

HFK429

CODE	STYLE	COLOUR	QTY	QTY
HFK429	Forestry	Orange	Each	10



FEATURES & BENEFITS

- Designed for use with chainsaws, trimmers and mowers
- Tight fit around earmuffs to protect from flying fragments
- Nylon mesh is softer than wire mesh
- Patented joint keeps visor up no matter what size and weight
- Joint needs no maintenance and can never rust
- Accommodates safety specs, goggles and respirators

Maxisafe Forestry Kit with Mesh Visor and Muffs complete

HFK563

CODE	STYLE	COLOUR	QTY	QTY
HFK563	Forestry	Orange	Each	10

FEATURES & BENEFITS

- Complete Helmet, Muff and Clear Visor assembly
- Lightweight, easy to assemble Visor Holder with Clear Visor
- Visor fitted with EasyFit clips for quick and easy visor replacement



Hard Hat with Clear Visor and Earmuffs

HFK425

CODE	STYLE	COLOUR	QTY	QTY
HFK425	Rockman	White	Each	10

FEATURES & BENEFITS

- Complete Helmet, Muff and Clear Visor assembly
- Includes Class 5 Rockman 3017 Earmuff
- Lightweight, easy to assemble Visor Holder with Clear Visor
- Visor fitted with EasyFit clips for quick and easy visor replacement



Hard Hat Brim with Neck Flap

HBS558-G

CODE	STYLE	COLOUR	QTY	QTY
HBS558-G	Neck Flap	Green	Each	25
HBS558-N	Neck Flap	Navy	Each	25
HBS558-O	Neck Flap	Orange	Each	25
HBS558-W	Neck Flap	White	Each	25

FEATURES & BENEFITS

- Durable cotton construction
- Neck flap affords protects from the sun
- Available in white, yellow, navy blue, green & orange



HBS558-G



HBS558-N



HBS558-O



HBS558-W



Maxisafe Visor Holder

EVH432

CODE	STYLE	COLOUR	QTY	QTY
EVH432		Holder only	Each	10

FEATURES & BENEFITS

- Lightweight Visor holder to suit ERC430, EBC459, EBG443, EBG444, EBF434.
- Fitted with QuickFit Locks
- Fits all major brands of helmets



Maxisafe Replacement Clear Visor

ERC430

CODE	STYLE	COLOUR	QTY	QTY
ERC430	Clear	Visor only	Each	10

FEATURES & BENEFITS

- Anti-Fog visor fits EVH432 visor holder
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection



Maxisafe Replacement Mesh Visor - to suit EVH432

EMV451

CODE	STYLE	COLOUR	QTY	QTY
EMV451		Visor only	Each	10

FEATURES & BENEFITS

- Designed for use with Chainsaws, Trimmers, Mowers and Forestry use.
- Tight fit around earmuffs to fully protect from flying fragments
- Nylon Mesh visor, is softer and lighter the wire mesh
- Patented joints keeps visor up no matter what size or weight
- 'Maintenance free joint' means joint will never rust
- Accommodates safety specs, goggles and respirators.
- Can be used with or without earmuffs



Hard hat harness

HHV551

CODE	STYLE	COLOUR	QTY	QTY
HHV551-R	Ratchet	Harness only	Each	50
HHV551-S	Sliplock	Harness only	Each	50

FEATURES & BENEFITS

- Replacement hard hat harness with RATCHET or SLIPLOCK adjustment for easy adjustment
- Includes replaceable hygienic sweatband
- Compatible with all Maxisafe helmets



Hard hat chin strap

HCS561

CODE	STYLE	COLOUR	QTY	QTY
HCS561	Adjustable	Chin strap	Each	100

FEATURES & BENEFITS

- Adjustable hard hat chin strap
- Helps keep hard hat in place
- Comfortable elastic material and compatible with all Maxisafe helmets



Helmet Sweat band

HRS557

CODE	STYLE	COLOUR	QTY	QTY
HRS557	Cotton	Sweat band	5	50

FEATURES & BENEFITS

- Cotton Sweatband to suit all Maxisafe helmets
- Replaceable for hygiene and comfort
- Packet of 5
- Extra thick for superior sweat absorption
- Velcro closure for use with a variety of helmets & faceshields





safety

Hi-vis reflective safety vests for day use or day and night use. All vests comply to AS/NZS 4602. Quality velcro seals on both the day and day/night reflective tape and non reflective vests. Keep safe, be seen, be Maxisafe.



Hi-vis Yellow Safety Vest - DAY/NIGHT USE

SVF603				
CODE	SIZE	COLOUR	QTY	QTY
SVF603-S	Small	Hi-vis	Each	50
SVF603-M	Medium	Hi-vis	Each	50
SVF603-L	Large	Hi-vis	Each	50
SVF603-XL	XLarge	Hi-vis	Each	50
SVF603-2XL	2XLarge	Hi-vis	Each	50
SVF603-3XL	3XLarge	Hi-vis	Each	50
SVF603-4XL	4XLarge	Hi-vis	Each	50
SVF603-5XL	5XLarge	Hi-vis	Each	50

- FEATURES & BENEFITS
- Complies with AS/NZS 4602 – Day/Night Use
 - With 'H' pattern Reflective tape – Class D/N
 - Velcro closure



Hi-vis Orange Safety Vest - DAY/NIGHT USE

SVF604				
CODE	SIZE	COLOUR	QTY	QTY
SVF604-S	Small	Hi-vis	Each	50
SVF604-M	Medium	Hi-vis	Each	50
SVF604-L	Large	Hi-vis	Each	50
SVF604-XL	XLarge	Hi-vis	Each	50
SVF604-2XL	2XLarge	Hi-vis	Each	50
SVF604-3XL	3XLarge	Hi-vis	Each	50
SVF604-4XL	4XLarge	Hi-vis	Each	50
SVF604-5XL	5XLarge	Hi-vis	Each	50

- FEATURES & BENEFITS
- Complies with AS/NZS 4602 – Day/Night Use
 - With 'H' pattern Reflective tape – Class D/N
 - Velcro closure





Vic Roads Safety Vest

SVR605



CODE	SIZE	COLOUR	QTY	QTY
SVR605-M	Medium	Vic Roads	Each	50
SVR605-L	Large	Vic Roads	Each	50
SVR605-XL	XLarge	Vic Roads	Each	50
SVR605-2XL	2XLarge	Vic Roads	Each	50
SVR605-3XL	3XLarge	Vic Roads	Each	50
SVR605-4XL	4XLarge	Vic Roads	Each	50
SVR605-5XL	5XLarge	Vic Roads	Each	50
SVR605-6XL	6XLarge	Vic Roads	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602 – Vic Roads use
- Reflective yellow tape complies with 'Vic Roads' standards
- Zip closure



Hi-vis Yellow Safety Vest - DAY USE

SVV601



CODE	SIZE	COLOUR	QTY	QTY
SVV601-S	Small	Hi-vis	Each	50
SVV601-M	Medium	Hi-vis	Each	50
SVV601-L	Large	Hi-vis	Each	50
SVV601-XL	XLarge	Hi-vis	Each	50
SVV601-2XL	2XLarge	Hi-vis	Each	50
SVV601-3XL	3XLarge	Hi-vis	Each	50
SVV601-4XL	4XLarge	Hi-vis	Each	50
SVV601-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602
- No reflective tape – suitable for day use
- Velcro closure



Hi-vis Orange Safety Vest - DAY USE

SVV602



CODE	SIZE	COLOUR	QTY	QTY
SVV602-S	Small	Hi-vis	Each	50
SVV602-M	Medium	Hi-vis	Each	50
SVV602-L	Large	Hi-vis	Each	50
SVV602-XL	XLarge	Hi-vis	Each	50
SVV602-2XL	2XLarge	Hi-vis	Each	50
SVV602-3XL	3XLarge	Hi-vis	Each	50
SVV602-4XL	4XLarge	Hi-vis	Each	50
SVV602-5XL	5XLarge	Hi-vis	Each	50

FEATURES & BENEFITS

- Complies with AS/NZS 4602
- No reflective tape – suitable for day use
- Velcro closure





coveralls

The Maxisafe range of coveralls are designed to protect workers from a range of hazardous substances, products and processes. They are typically used in situations where cleanliness and hygiene are critical for protection from fine particles, liquid splashes or fine spray providing a physical, throw away barrier that is cost effective and doesn't require decontamination. Maxisafe coveralls meet the applicable European Standards for Chemical Protective Clothing, Category III.

TYPE 4 Spray-tight clothing. Barrier to saturation and spray of liquids (EN14605 and 468).

TYPE 5 Particle-tight clothing. Barrier to hazardous airborne particulate materials and dust (EN 13982-1).

TYPE 6 Limited splash-tight clothing. Barrier to limited splash and liquid spray (EN 13034).

EN 1149.5 Anti-static. Anti-statically treated and offering electrostatic protection according to EN 1149-1.



'Koolguard' Laminated Disposable Coveralls - White

COT619

CODE	SIZE	COLOUR	QTY	QTY
COT619-S	Small	White	1	25
COT619-M	Medium	White	1	25
COT619-L	Large	White	1	25
COT619-XL	XLarge	White	1	25
COT619-2XL	2XLarge	White	1	25
COT619-3XL	3XLarge	White	1	25
COT619-4XL	4XLarge	White	1	25
COT619-5XL	5XLarge	White	1	25

Chemguard' SMS Disposable Coveralls - Blue

COC620

CODE	SIZE	COLOUR	QTY	QTY
COC620-S	Small	Blue	1	25
COC620-M	Medium	Blue	1	25
COC620-L	Large	Blue	1	25
COC620-XL	XLarge	Blue	1	25
COC620-2XL	2XLarge	Blue	1	25
COC620-3XL	3XLarge	Blue	1	25
COC620-4XL	4XLarge	Blue	1	25
COC620-5XL	5XLarge	Blue	1	25

Chemguard' SMS Disposable Coveralls - White

COC621

CODE	SIZE	COLOUR	QTY	QTY
COC621-S	Small	White	1	25
COC621-M	Medium	White	1	25
COC621-L	Large	White	1	25
COC621-XL	XLarge	White	1	25
COC621-2XL	2XLarge	White	1	25
COC621-3XL	3XLarge	White	1	25
COC621-4XL	4XLarge	White	1	25
COC621-5XL	5XLarge	White	1	25



FEATURES & BENEFITS

- Two layer, microporous laminated fabric
- Provides a fluid and particulate barrier
- Water vapour permeable and water repellent
- Two way zipper and lint free
- Tough, durable fabric
- Outstanding comfort, breathability and softness
- Anti-static protection according to EN 1149-1
- White colour



FEATURES & BENEFITS

- SMS Polyolefin non-woven fabric
- Type 5 and Type 6 protection
- Water vapour permeable and water repellent
- Strong, lightweight and durable construction
- Outstanding comfort, breathability and softness
- Two way zipper and lint free
- Lightweight and tear resistant
- Blue colour



FEATURES & BENEFITS

- SMS Polyolefin non-woven fabric
- Type 5 and Type 6 protection
- Water vapour permeable and water repellent
- Strong, lightweight and durable construction
- Outstanding comfort, breathability and softness
- Two way zipper and lint free
- Lightweight and tear resistant
- White colour

coveralls



Blue Polypropylene Disposable Coveralls

CPB615

CODE	SIZE	COLOUR	QTY	QTY
CPB615-S	Small	Blue	1	50
CPB615-M	Medium	Blue	1	50
CPB615-L	Large	Blue	1	50
CPB615-XL	XLarge	Blue	1	50
CPB615-2XL	2XLarge	Blue	1	50
CPB615-3XL	3XLarge	Blue	1	50
CPB615-4XL	4XLarge	Blue	1	50
CPB615-5XL	5XLarge	Blue	1	50

FEATURES & BENEFITS

- Lightweight, breathable fabric
- Low cost protection for dirty environments
- White or blue colour
- Two way zipper
- Elasticised wrist, ankles, hood and waist
- Washable (30°C)



White Polypropylene Disposable Coveralls

CPW615

CODE	SIZE	COLOUR	QTY	QTY
CPW615-S	Small	White	1	50
CPW615-M	Medium	White	1	50
CPW615-L	Large	White	1	50
CPW615-XL	XLarge	White	1	50
CPW615-2XL	2XLarge	White	1	50
CPW615-3XL	4XLarge	White	1	50
CPW615-4XL	4XLarge	White	1	50
CPW615-5XL	5XLarge	White	1	50

FEATURES & BENEFITS

- Lightweight, breathable fabric
- Low cost protection for dirty environments
- White or blue colour
- Two way zipper
- Elasticised wrist, ankles, hood and waist
- Washable (30°C)



PVC Apron 980 x 1200mm

CPA629

CODE	SIZE	COLOUR	QTY	QTY
CPA629	Std	Blue	1	20
CPA630	Std	White	1	20

FEATURES & BENEFITS

- Heavy duty re-inforced PVC - Blue or White
- Popular in fishing and brick cutting industries
- Extremely tough



Arcguard

welding apparel



6

Arcguard® FR Pyrovatex® premium welding apparel boasts 100% flame resistance and is lightweight and cool to wear

Arcguard



Arcguard® FR Pyrovatex® Welding Jackets

CODE	SIZE	QTY	QTY
WFJ931/M	Medium	1	5
WFJ931/L	Large	1	5
WFJ931/XL	Extra Large	1	5
WFJ931/XXL	2 XLarge	1	5
WFJ931/3XL	3 XLarge	1	5
WFJ931/4XL	4 XLarge	1	5

FEATURES & BENEFITS

- 350GSM Pyrovatex® treated cotton drill material for enhanced breathability
- Arcguard® welding apparel is 100% flame resistant
- Kevlar stitched seams with premium split chrome leather
- Extended back for extra protection
- Off-set Velcro closure for extra durability
- Ideal for medium duty welding applications
- Lightweight and cool to wear
- Sold and packaged individually

Arcguard



Arcguard® Leather Welding Blankets

CODE	SIZE	QTY	QTY
WBL186-1.8	1.8m x 1.8m	1	5
WBL186-1.8E	1.8m x 1.8m with eyelets	1	5
WBL186-2	2.0m x 2.0m	1	5
WBL186-2E	2.0m x 2.0m with eyelets	1	5
WBL186-3	3.0m x 3.0m	1	5

FEATURES & BENEFITS

- Heavy Duty split leather construction for added durability
- 100% Kevlar Stitching for resistance to heat, cuts and abrasion
- Continuous working temperature of 80°C
- Packaged in reusable bags
- Available with Eyelets around the edge



Arcguard® Welding Cap with Neck Flap

CODE	SIZE	QTY	QTY
WBL180/F	One size fits all	1	50

FEATURES & BENEFITS

- Heavy Duty split leather construction for added durability
- With neck flap to protect neck from splatter and cross



Arcguard® Welder's Apron

CODE	SIZE	QTY	QTY
WAL182	60cm x 90cm	1	10
WAL183	80cm x 100cm	1	10

FEATURES & BENEFITS

- Manufactured from soft split leather
- Adjustable neck and waist straps
- Continuous working temperature of 80°C
- Reinforced Seams for strength



Arcguard® Seatless Welding Pants

CODE	SIZE	QTY	QTY
WBL187	Available in Large & XLarge	1	20

FEATURES & BENEFITS

- Heavy Duty split leather construction for added durability
- Seatless with full front, waist and buckle
- Comfortable fit over normal work clothes
- Heavy duty protection from dross and spatter



Maxisafe have developed a series of knee pads for every job where you need to be on your knees. Give your knees the comfort and quality they deserve and choose from any of our range. Be clever, be comfortable, be Maxisafe.



Premium Gel Knee Pad

KPE680

CODE	DESCRIPTION	PAIR	PAIRS
KPE680	Heavy Duty	1	20

FEATURES & BENEFITS

- Constructed of heavy-duty 600D polyester fabric
- Super-thick, ½' high density, closed-cell foam provides all-day comfort
- Anti-compression air injected gel
- Large, low-profile cap designed to prevent 'roll-over' onto hard surfaces
- Foam core gives maximum cushioning
- Comfortable elastic straps with Velcro fasteners

be clever,



10

knee pads



Knee Pad with Interchangeable Caps

KPI684

CODE	DESCRIPTION	PAIR	PAIRS
KPI684	Heavy Duty	1	20

FEATURES & BENEFITS

- Two types of interchangeable caps
 1. Non marking glide caps
 2. Grooved caps for better grip and abrasion resistance
- Thick foam gel interior cushioning
- Heavy duty hook and loop cap attachment for secure cap fastening
- Quick fit style



Soft Comifi Style Knee Pad

KPS683

CODE	DESCRIPTION	PAIR	PAIRS
KPS683	Super Strong	1	20

FEATURES & BENEFITS

- Anti-compression comfort pad
- Super strong 1680D polyester fabric
- Foam core gives maximum cushioning
- Elastic straps with Velcro fastening for rapid fit
- Non-marking design for smooth surfaces

be comfortable



Gumboots

Top quality, durable, light, comfortable, highly protective and available in a variety of materials, our premium gumboot range is designed to deliver the best protection available for industrial and rural environments. From acids to organic substances, food to construction, hot environments or cold, our boots are made for working!



- Reinforced ankle
- Oils & acid resistant
- Super grip soles
- True sizing for ultimate comfort
- Soft, flexible upper for hours of tireless wear

The Maxisafe premium gumboot range are manufactured to the highest quality levels and have been designed to suit an extensive range of industrial and rural environments. Available in both our specially formulated PVC/Nitrile Injection or 100% Polyurethane manufacturing processes, we offer the complete solution for your requirements whether it be in the food, agricultural, construction or industrial application.

PVC/NITRILE BLEND - made from Ultra High-Grade Virgin PVC and blended with Nitrile, the Maxisafe PVC boots have been specially formulated for the correct work application. This material is the most widely used for manufacturing gumboots and will not crack at up to -15°C.

LIGHT AS A FEATHER reducing wearer fatigue and increasing productivity.

THERMO-INSULATING - cool in summer and warm in winter (-30° to +90°C).

DURABLE reducing overall costs and increasing profitability.

RESISTANT to animal oils and fats, chemical and organic substances.



**Administrator Gumboot
Black with Safety Toe**

PAG852

CODE	SIZE	COLOUR	PAIR	PAIRS
PAG852-05	5	Black	1	6
PAG852-06	6	Black	1	6
PAG852-07	7	Black	1	6
PAG852-08	8	Black	1	6
PAG852-09	9	Black	1	6
PAG852-10	10	Black	1	6
PAG852-11	11	Black	1	6
PAG852-12	12	Black	1	6

FEATURES & BENEFITS

- Top quality PVC/nitrile blend sole for comfort & durability
- Ultra high grade virgin PVC upper
- Steel Toe and Mid Sole for added safety
- Reinforced at the heel, ankle and shin for extra protection
- Resistant to oils, grease, acids, fats and animal by-products
- Will not crack even at -15°C
- Comfort-Form™ mould to prevent foot fatigue
- True sizing with fuller fit at calf for ladies
- Soft flexible upper for hours of tireless wear



**Administrator
Gumboot - Black**

PAG856

CODE	SIZE	COLOUR	PAIR	PAIRS
PAG856-04	4	Black	1	6
PAG856-05	5	Black	1	6
PAG856-06	6	Black	1	6
PAG856-07	7	Black	1	6
PAG856-08	8	Black	1	6
PAG856-09	9	Black	1	6
PAG856-10	10	Black	1	6
PAG856-11	11	Black	1	6
PAG856-12	12	Black	1	6

FEATURES & BENEFITS

- Top quality PVC/nitrile blend sole for comfort & durability
- Ultra high grade virgin PVC upper
- Reinforced at the heel, ankle and shin for extra protection
- Resistant to oils, grease, acids, fats and animal by-products
- Will not crack even at -15°C
- Comfort-Form™ mould to prevent foot fatigue
- True sizing with fuller fit at calf for ladies
- Soft flexible upper for hours of tireless wear



**Administrator
Gumboot - White**

PAG853

CODE	SIZE	COLOUR	PAIR	PAIRS
PAG853-05	5	White	1	6
PAG853-06	6	White	1	6
PAG853-07	7	White	1	6
PAG853-08	8	White	1	6
PAG853-09	9	White	1	6
PAG853-10	10	White	1	6
PAG853-11	11	White	1	6
PAG853-12	12	White	1	6

FEATURES & BENEFITS

- Top quality PVC/nitrile blend sole for comfort & durability
- Ultra high grade virgin PVC upper
- Reinforced at the heel, ankle and shin for extra protection
- Resistant to oils, grease, acids, fats and animal by-products
- Will not crack even at -15°C
- Comfort-Form™ mould to prevent foot fatigue
- True sizing with fuller fit at calf for ladies
- Soft flexible upper for hours of tireless wear



NO TITANIUM DIOXIDE OR ZINC OXIDE

The Auscreen range of sunscreen products is Australian made for tough working conditions. Formulated to provide very high protection, Auscreen is a premium sunscreen which maintains a high SPF50+ for up to 4 hours of water immersion. With Vitamin E for increased skin care the lotion can be used all over the body including the face.

FEATURES & BENEFITS

- High quality lip balm SPF50+ sunscreen
- Very high protection for sun sensitive skin




SPF 50+ Balm

50+	SIZE	QTY	QTY
SMB654-50	Lip Balm 12gm	1	120




SPF 50+ 50ml with Carabiner

50+	SIZE	QTY	QTY
SMB659	50ml Bottle	1	6




Maxiblock 50+ Roll-on

50+	SIZE	QTY	QTY
SMB654	13.5g Stick	1	120




SPF 50+ Sunscreen 125ml tube

50+	SIZE	QTY	QTY
SMB650-50	125ml tube	1	6




SPF 50+ Sprayable Sun Lotion

50+	SIZE	QTY	QTY
SMB655-50	250ml trigger spray	1	6

12



**Metal bracket to suit
1 Litre sunscreen bottles**

SMB657

CODE	SIZE	QTY	QTY
SMB657	N/A	1	25



**SPF 50+
Sunscreen 250ml bottle**

50+

CODE	SIZE	QTY	QTY
SMB651-50	250ml bottle	1	6



**SPF 50+
Sunscreen 500ml bottle/pump**

50+

CODE	SIZE	QTY	QTY
SMB652-50	500ml bottle	1	6



**SPF 50+
Sunscreen with 1 litre pump**

50+

CODE	SIZE	QTY	QTY
SMB653-50	1 litre bottle	1	4

12



Barriers and warning tapes are a must on work sites to ensure unavoidable hazards are made as obvious as possible. 'Prevention is better than cure' is a good motto to adopt when setting up and maintaining worksites, to not only ensure the safety of construction workers, but also the public.



450mm Reflective Traffic Cones

BTC760R

CODE	SIZE	QTY	QTY
BTC760R	450mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers
- High intensity reflective tape for greater visibility
- 450mm height

450mm Traffic Cones

BTC760

CODE	SIZE	QTY	QTY
BTC760	450mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers for maximum visibility
- 450mm height

700m Reflective Traffic Cones

BTC761R

CODE	SIZE	QTY	QTY
BTC761R	700mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers
- High intensity reflective tape for greater visibility
- 700mm height

safety



**700mm
Traffic Cones**

BTC761

CODE	SIZE	QTY	QTY
BTC761	700mm	1	10

FEATURES & BENEFITS

- Flexible PVC construction for maximum safety on impact
- Fluorescent orange with UV stabilizers for maximum visibility
- 700mm height



**6kg T-Top Bollard
with base**

BTB758-6

CODE	SIZE	QTY	QTY
BTB758-6	1155mm	1	10

FEATURES & BENEFITS

- High quality PVC construction
- 6kg rubber base for stability
- Economical cost effective delineation system
- High intensity reflective tape for greater visibility
- 1155mm height



**8kg T-Top Bollard
with base**

BTB758

CODE	SIZE	QTY	QTY
BTB758-8	1155mm	1	12

FEATURES & BENEFITS

- High quality PVC construction
- 8kg rubber base for stability
- Economical cost effective delineation system
- High intensity reflective tape for greater visibility
- 1155mm height



CAUTION
black on yellow tape

BTC710

CODE SIZE QTY QTY

BTC710	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



DANGER DO NOT ENTER
black on red/white

BRD714

CODE SIZE QTY QTY

BRD714	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



DANGER
black on red/white tape

BTD711

CODE SIZE QTY QTY

BTD711	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



Red and white
barricade tape

BTR713

CODE SIZE QTY QTY

BTR713	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



Yellow & black
barricade tape

BRY712

CODE SIZE QTY QTY

BRY712	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



Blue and white
barricade tape

BTB708

CODE SIZE QTY QTY

BTB708	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



Green and white
barricade tape

BTB709

CODE SIZE QTY QTY

BTB709	100m x 75mm	1	20
---------------	-------------	---	----

FEATURES & BENEFITS

- Non-adhesive barricade tape
- 100 metre roll x 75mm width
- Heavy duty polyethylene



Extruded plastic barricade mesh 6kg and 8kg

BPM720-6

CODE	SIZE	QTY	QTY
BPM720-6	1m x 50m	1	20
BPM720-8	1m x 50m	1	20

FEATURES & BENEFITS

- Heavy duty safety fence
- Easy to use 6kg or 8kg rolls
- High UV stabilized fluorescent orange
- 1 metre high x 50 metre roll



PVC Bunting Flagline - Fluro Orange

BBF722

CODE	SIZE	COLOUR	QTY	QTY
BBF722	30m	Orange Fluro	1	20

FEATURES & BENEFITS

- Hi-Vis Orange fluorescent PVC flags
- 30metres reuseable nylon rope
- Excellent visibility for dangerous areas



PVC Bunting Flagline - Green Fluro

BBF717

CODE	SIZE	COLOUR	QTY	QTY
BBF717	30m	Green Fluro	1	20

FEATURES & BENEFITS

- Hi-Vis Green fluorescent PVC flags
- 30metres reuseable nylon rope
- Excellent visibility for dangerous areas



6mm Heavy Duty Safety Chain

BSC759/40

CODE	SIZE	QTY	QTY
BSC759/40	40m x 6mm	1	10

FEATURES & BENEFITS

- Yellow 6mm plastic chain
- 40 metre roll
- Suitable for internal or external cordoning
- Easily attached to walls and posts for permanent applications
- UV Stabilised



Maxisafe personal first aid kit

FMV819

CODE	QTY	QTY
FMV819	1	10

FEATURES & BENEFITS

- Basic personal safety kit, ideal for cars, trucks and machinery



PPE Safety Kit

BPK737

CODE	QTY	QTY
BPK737	1	20

FEATURES & BENEFITS

- Personal Safety Kit for basic use includes:
 - 1 x Pair of Leather Riggers Gloves
 - 1 x Clear Texas Safety Glasses
 - 3 x P2 Valved Respirators
 - 3 x Pairs of Uncorded Maxisafe Earplugs
 - 1 x Yellow Day Safety Vest



Star Picket Caps

BSC726

CODE	QTY
BSC726	100

FEATURES & BENEFITS

- Safety yellow
- Give visual warning and protect from sharp edges on starter bars and steel fence posts
- Supplied in a box of 100



SPRAY HEAD ASSEMBLY

- ABS yellow plastic eyewash heads with integral flip dust covers, internal flow controls and filters to remove debris from the water.

SHOWERHEAD

- Yellow, ABS plastic 190mm diameter showerhead with a 20 gpm flow regulator.

SHOWER VALVE

- 1" NPT chrome plated brass stay-open ball valve. Unit is provided with a stainless steel pull rod.

WATER SUPPLY

- 1-1/4" NPT female threaded side or top inlet

WASTE

- 1-1/4" NPT female outlet

EYEWASH VALVE

- 1/2" NPT chrome stay-open ball valve with a stainless steel push handle and a 50 mesh inline strainer.

EYE/FACE WASH BOWL

- Yellow, ABS plastic 300mm diameter bowl.

UNIVERSAL SIGN

- ANSI compliant, vertical identification sign.

WEEKLY TEST TAG

- A water proof test card to record the date and inspectors name for weekly functional testing of the unit.

PIPING & MOUNTING

- Schedule 40 galvanized steel piping and a 230mm diameter cast iron floor flange with a yellow powder coated finish.

SPECIFICATIONS

- Model EWS473 is a pedestal mounted combination station with an eye/face wash, plastic bowl and ABS plastic eye/facewash spray heads, an inline strainer and a stay-open 1/2" ball valve with a push handle and a shower with a plastic showerhead and a 1" stay-open ball valve with a pull rod.



Floor Mounted Combo Unit - Drench Shower & Eyewash

EWS473

CODE

QTY

QTY


EWS473

1

5

FEATURES & BENEFITS

- Pedestal Mounted Combination Shower
- With Eye/Face wash and a plastic bowl
- Inline strainer
- Push Handle with ball valve for Eye/Face wash activation
- Plastic showerhead with ball valve and pull rod for activation
- Floor Mounting base for easy installation
- Galvanized pipe system, powder coated finish
- ANSI Compliant



Extension lead hooks - pk 19

BEH765

CODE		QTY	QTY
BEH765		20	100

FEATURES & BENEFITS

- Attaches to pipe, scaffolding, nails, reo bar etc
- Takes 4 power leads and 2 air hoses
- Manufactured from insulating polypropylene
- Packets of 20 hooks

Lead Stand

CODE			EACH	QTY
BLS731		Stand and Grip	1	3
BLG732		Grip only	1	5

FEATURES & BENEFITS

- Keeps electrical leads and air hoses up off the ground in work areas and passageways.
- Prevents electrical and trip hazards
- Allows freedom of movement for machines and personnel
- Thumb screws on assembly and adjustment
- Extendable 1.5M to 2.6M
- Simple robust design
- Powder coated safety yellow for visibility
- Removable telescopic lead stand attachment makes it easy to store and transport
- Takes 8 electrical leads
- Takes 2 air hoses
- Lead grip made from insulating polypropylene
- Lead grip easily replaced if necessary



height safety harnesses



Offering leading edge technology and design, Maxisafe's new height safety harnesses and kits raise the bar

WHY USE FALL PROTECTION

Falls from heights are the single biggest cause of death or serious injury in the workplace. For businesses whose staff and maintenance teams need to work at height quickly and effectively, fall protection is increasingly important.

Health and Safety legislation and the controlling organisations are enforcing stricter rules and best practice for safe access and working at heights

WHY USE FALL PROTECTION

All Maxisafe's height safety products are AS/NZ compliant and have this marked on the data plate of every product



Professional Full Body Roofers Harness

ZBH901

CODE	SIZE	QTY	QTY
ZBH901	N/A	1	10

FEATURES & BENEFITS

- Full Body Roofers Harness with front and rear attachment points
- EN 361 and AS/NZ 1891 compliant
- General purpose harness with front and back attachment points
- Fully adjustable with quick release buckles
- Dorsal extension
- Karabiner provided with front attachment loops

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Scaffolders
- Access equipment



Professional Full Body Harness & Lanyard Set

ZBH902

CODE	SIZE	QTY	QTY
ZBH902	N/A	1	10

FEATURES & BENEFITS

- Full Body Roofers Harness with front and rear attachment points
- 2M energy absorbing lanyard and snap hook
- EN 361 and AS/NZ 1891 compliant
- General purpose harness with front and back 'D' attachment points
- Fully adjustable with quick release buckles
- Dorsal extension
- Karabiner provided with front attachment loops

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Vertical climbing
- Access equipment



Professional Full Body Roofers Kit

ZRK903

CODE	SIZE	QTY	QTY
ZRK903	N/A	1	10

FULL ROOFERS KIT INCLUDING

- ZBH901 Harness
- 15M Ropeline
- 2M Webbing Sling
- Karabiner
- Kit Bag

RECOMMENDED AND INDUSTRY USES

- General tradesperson
- Construction workers
- Roofing
- Scaffolders
- Access equipment



merchandisers



FREE MAXISAFE SPINNER DISPLAY

These new 'spinner' merchandisers make selling easy for you. Eye catching, bold and clearly branded, we are offering them **FREE** when you put our safety range in.

- Display your full safety range
- Make it easy for your customers to buy
- Draw attention to new products
- Small foot print but large product selection!

...ask how today!



SAFETY GLASSES DISPLAY

Boost your Safety Glasses Sales with a New Maxisafe Counter Merchandiser

- SUGGESTED STOCK LIST:
 EUV322 x 12prs
 EUV325 x 10prs
 EDE307 x 12prs
 EDE308 x 12prs
 EBR334 x 12prs
 EBR336 x 12prs
 EPO312 x 12prs
 EKA305 x 12prs



GLOVE MERCHANDISER

The Maxisafe Mechanics Glove Range

- Display the complete range of Maxisafe mechanics gloves
- Dynamic counter display is in your customers face!
- Offer a solution for every application
- Compact footprint: 25cm x 60cm

Offer your clients the highest level of protection available in hand protection! The Maxisafe Premium range offers a solution for every situation and application

& displays



**FREE MAXISAFE
PRODUCT SMALL DISPLAY**

These new small floor merchandisers make selling easy for you. Eye catching, bold and clearly branded, we are offering them FREE when you put our safety range in.

- Display your full safety range
- Make it easy for your customers to buy
- Draw attention to new products
- Small foot print but large product selection!

...ask how today!



**FREE MAXISAFE
PRODUCT DISPLAY**

These new floor merchandisers make selling easy for you. Eye catching, bold and clearly branded, we are offering them FREE when you put our safety range in.

- Display your full safety range
- Make it easy for your customers to buy
- Draw attention to new products

...ask how today!



Your Maxisafe Dealer

Blank lined area for writing the dealer name.