

BEAVER®



BLACK RAT 4WD

11



Recreational 4 wheel driving should be challenging and enjoyable. For the professional, it can be a necessity to get across some wild and difficult terrain, so when you get into a jam you need to know that you have the right equipment to get out of it safely, efficiently and that your gear will stand up to the harshest of environments.

The Black Rat range of products, with ease of functionality and application in mind has the solution for all situations involving unpredictable terrain.



Contents

BLACK RAT 4WD

BLACK RAT – NYLON RECOVERY STRAPS	4
BLACK RAT – TREE TRUNK PROTECTORS	5
BLACK RAT – SAFETY RECOVERY KIT	6
BLACK RAT – SPARE BAGS	7
BLACK RAT – WIRE ROPE WINCH	7
BLACK RAT – CABLE PULLER	8
BLACK RAT – OFF ROAD BLOCK	8
BLACK RAT - RECOVERY SHOVEL	9
BLACK RAT – EQUALISING STRAPS	10
BLACK RAT – BOW SHACKLES	10
BLACK RAT – WEB SNATCH BLOCK	11
BLACK RAT – TOWING HOOK ASSEMBLY	11
BLACK RAT – TOWING KIT	12
BLACK RAT – RATCHET ASSEMBLY	13
BLACK RAT – GRADE 70 DRAG CHAIN	15
BLACK RAT - GRUNT 12V AIR COMPRESSOR	16

BLACK RAT 4WD ACCESSORIES

Black Rat 4WD Nylon Heavy Duty Recovery (Snatch-em) Strap Kit



Specifically designed to recover your vehicle when bogged. This heavy duty nylon strap is 9 metres long x 60mm wide complete with reinforced eyes. It has a 20% stretch factor for ease of vehicle recovery with a minimum breaking strain "MBS" of 9,000 kgs, also available "MBS" 12,000kgs.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342304BHK	Each Kit contains, 9m x 60mm Heavy Duty Snatch Strap, Leather Safety Gloves, 2 Bow Shackles 16 x 19mm 3.2t W.L.L. & Carry Bag.	9000	4.2	Each	1
342322BHK	Each Kit contains, 9m x 75mm Heavy Duty Snatch Strap w/- red overload indicator fibre, Leather Safety Gloves, 2 Bow Shackles 16 x 22mm 4.7t W.L.L. & Carry Bag.	12000	4.4	Each	1



Black Rat 4WD Nylon Heavy Duty Recovery (Snatch-em) Strap

c/w Red overload indicator fibres

Code	Description	M.B.S.	Weight (Kg)	UOM	Pack Qty
342319B	9m x 60mm Heavy Duty	9000	2.38	Each	8
342322B	9m x 75mm Heavy Duty	12000	3.4	Each	8
342316	9m x 60mm Heavy Duty 2 Ply	16000	3.9	Each	1
342318F	9m x 60mm Heavy Duty 4 Ply	30000	7.7	Each	1





Black Rat 4WD Polyester Tree Trunk Protector Strap with Carry Bag



Black Rat Tree Trunk Protectors are designed for tying off or anchoring a vehicle to a tree. It is used when attempting to reverse, steer up or pull out of an awkward position. The 3 metres long x 75mm wide polyester webbing has a minimum breaking strain "MBS" of 12,000 kgs.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342312B	3m x 75mm Tree Trunk Protector	12000	1.5	Each	8



Black Rat 4WD Polyester Winch Extension Straps



Black Rat Extension Straps are designed for extending winch cable when the cable is too short. They are made from 50mm black polyester webbing and have a minimum breaking strain "MBS" of 4,000 kgs. They have yellow reinforced eyes, protection at both ends and are available in 10, 20 & 30 metre lengths.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342305B	10m x 50mm Winch Extension Strap	4000	1.35	Each	1
342306B	20m x 50mm Winch Extension Strap	4000	2.47	Each	1
342308B	30m x 50mm Winch Extension Strap	4000	3.42	Each	1



BLACK RAT 4WD ACCESSORIES

Black Rat 4WD Safety Recovery Kit

Code	Description	Weight (Kg)	UOM	Pack Qty
342350BK	4WD Safety Recovery Kit	11.6	Each	1

The kit contains:

- 1 x 4WD recovery bag
- 1 x 9 metre x 60mm heavy duty snatch strap
- 1 x Heavy duty off road block to suit 11 mm maximum wire rope
- 1 x 3 metre x 75mm tree truck protector with 12,000kgs MBS
- 1 x 5 metre x 25mm heavy duty ratchet tie down assembly lashing capacity LC 500 kg to AS/NZS 4380
- 1 x 16 x 19mm screw pin bow grade S shackle, W.L.L. 3.2T
- 1 x 19 x 22mm screw pin bow grade S shackle, W.L.L. 4.7T
- 1 x Open mesh drying bag
- 1 x Pair of riggers leather gloves





Black Rat 4WD Open Weave Mesh Drying Bag

Code	Description	Weight (Kg)	UOM	Pack Qty
342351B	4WD Open Weave Mesh Drying Bag	0.3	Each	12



Black Rat 4WD Safety Recovery Bag

Code	Description	Weight (Kg)	UOM	Pack Qty
342350B	4WD Safety Recovery Bag	0.9	Each	25



Black Rat 4WD Recovery Hoist c/w Wire Rope

Complies to AS 1418.2



Beaver's light weight Recovery Hoist is manufactured from robust steel and is simple and safe to use in all recovery situations. These units are supplied in capacities of 800 & 1,600 kgs and come complete with 20 metres of wire rope, wire rope reel, eye safety sling hooks, extendable handle, spare shear pins and are manufactured to AS 1418.2.

Code	Description	Weight (Kg)	UOM	Pack Qty
519508B	800kg Capacity, supplied with 20m of 8mm wire rope, c/w safety hook. Other lengths available on request	14	Each	Each
519516B	1600kg Capacity, supplied with 20m of 11mm wire rope, c/w safety hook. Other lengths available on request	26	Each	Each




BLACK RAT 4WD ACCESSORIES

Black Rat 4WD 2 TONNE Cable Puller



This lightweight multi-purpose wire rope puller is a great asset when off road. It has all steel construction with drop forged hooks and comes complete with safety latches. One hook has a built-in sheave block for ease of recovery. It comes with 1.5 metres of 5mm galvanised wire rope with a 2 tonne pulling capacity.

Code	Description	Weight (Kg)	UOM	Pack Qty
341002B	2 TONNE Cable Puller c/w 1.5m Wire Rope	3.8	Each	4



Black Rat 4WD Off Road Block c/w Vinyl Carry Bag



Specially designed for off-road use, a robust sheave block that has two heavy duty steel cover plates, zinc passivated (gold) finish that allows for an easy insertion of wire rope on to the sheaves. Sheaves are made from high grade cast iron which are precision machine grooved to accept wire rope to a maximum of 11mm. The off-road block comes complete with a pressure grease lubrication bearing on one side and an "R" type retaining pin, packed in a vinyl storage pouch. Minimum breaking strain "MBS" of 8,000 kgs.

Code	Description	Wire Rope (mm)	Weight (Kg)	UOM	Pack Qty
514125B	Off Road Block with Carry bag, MBS 8,000kg	11	3.8	Each	1





BLACK RAT 4WD

SECTION

11

Black Rat 4WD Recovery Folding Shovel with Handy Carry Pouch



This compact, light weight shovel is made from steel for durability with a serrated blade for tough jobs. It also has a knurled collar to easily secure the blades in position. It comes with a carry pouch and measures 425mm x 152mm in folded position.



Code	Description	Weight (Kg)	UOM	Pack Qty
519507BP	Folding Shovel c/w Carry Pouch	1.1	Each	20



BLACK RAT 4WD ACCESSORIES



To be used on both front recovery points of the vehicle to equalise the forces on the chassis when the use of a snatch strap or winch is required.

Black Rat 4WD Polyester Equalising Straps

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
519503B	4m x 50mm Equalising Straps c/w G80 Eye Sling Hooks & Latches each end	4000	1.3	Each	1



When you need to ensure reliability, use only AS 2741 Grade 'S' 4WD Bow Shackles. These shackles are individually tested and stamped with the working load limit for safety & conform to Australian Standards AS 2741. Common sizes are 16 x 19mm (W.L.L 3.2 tonne) and 19 x 22mm (W.L.L 4.7 tonne). Other sizes are available. Full spec sheet available.

Black Rat 4WD Rated Bow Shackles (Boxed)



Code	Description	W.L.L. (tonnes)	Weight (Kg)	UOM	Pack Qty
342216BK	16 x 19mm 3.2t	3.2	0.65	Each	2
342219BK	19 x 22mm 4.7t	4.7	1.115	Each	1



Black Rat Eye Nut with Metric Thread

Self Colour Finish, Conforms to AS 2317

Code	Size mm	Finish	A	B	C	D	E	F	G	W.L.L. (tonnes)	Weight (Kg)	UOM
360024	24	Self Colour	77	126	47.5	22	89	24	53	4.5	1.47	Each





Black Rat 4WD Towing Assembly



This handy accessory on your vehicle allows for easy coupling of recovery equipment. These hooks are manufactured from forged steel and come in a black or chrome finish with nuts, bolts and plate to suit standard tow bars. Rated to “MBS” 4,545 kgs.



Code	Description	Weight (Kg)	UOM	Pack Qty
519501B	Towing Hook Assembly (BLACK) MBS 4,545kg	1.015	Each	6

Black Rat 4WD Web Snatch Block



Thoroughly inspected and tested in accordance with AS 2089. Solid all steel construction with roller bearings for easy movement. Each Web Snatch Block has a special side design for easy web assembly and fully machined sheave. All Beaver Web Snatch Blocks have an individual test serial number stamped on the identification plate. Minimum breaking strain “MBS” of 3,000kgs.



Code	Description	Sheave Dia. (mm)	Weight (Kg)	W.L.L. (Kg)	Web Dia. (mm)	UOM	Pack Qty
557075	750kg Hook Type Web Snatch Block	60	2.68	750	50-56	Each	1

BLACK RAT 4WD ACCESSORIES

Black Rat 4WD Towing Kit



With safety and ease of handling in mind, Black Rat have produced a 4 metre polyester (snatch-em) towing strap that has built-in, an elasticised retention cord which incorporates the safety technology of polyester load bearing fibres that are traditionally incorporated in round sling manufacture and comes complete with black reinforced eye protection at each end. In the event of the strap being pulled to its breaking strain, the inner load bearing fibres will bunch up and not spring back, therefore eliminating the sling shot effect that would normally occur in a nylon snatch-em strap. It has the advantages of having a 30% stretch factor of its original length, which enables the user to slowly pull/move a vehicle out of a problem situation. It has a minimum breaking strain "MBS" of 12,000 kgs. Supplied in vinyl carry bag.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342309BK	4m Towing Kit c/w Carry Bag	12000	3.5	Each	1





Black Rat Ratchet Assembly



When lashing down loads in a 4WD situation, it is important to use heavy duty reliable tie downs. Black Rat ratchet tie downs are fully tested with polyester webbing, reinforced eyes, steel hooks & keepers and two protective wear sleeves. They comply to the Australian standards AS/NZS 4380. Standard sizes are 5m x 25mm (lashing capacity) LC 500 kgs and 6m x 35mm (lashing capacity) LC 1,500 kgs.

Black Rat 4WD Heavy Duty 5m x 25mm Ratchet Tiedown Assembly with Hook & Keeper & Protective Sleeves

Code	Description	Weight (Kg)	UOM	Pack Qty
349025BRB	Heavy Duty Ratchet With Rubber Grip. Fitted with 5m x 25mm webbing and Hook & Keeper c/w Protective Sleeves. LC 500 Kg	0.85	Each	6
349025BRSB	Heavy Duty Ratchet With Rubber Grip. Fitted with 4m x 25mm webbing and Black Vinyl coated. "S" Hooks c/w Protective Sleeves. LC 450 Kg	0.8	Each	6



Black Rat 4WD Heavy Duty 5m x 25mm Ratchet Tiedown Assembly with Hook & Keeper & Protective Sleeves

Code	Description	Weight (Kg)	UOM	Pack Qty
349035BRB	Heavy Duty Ratchet With Rubber Grip Fitted with 6m x 35mm webbing and Hook & Keeper c/w Protective Sleeves. L.C. 1500 Kg	1.8	Each	5
349035BRSB	Heavy Duty Ratchet With Rubber Grip. Fitted with 6m x 35mm webbing and Black Vinyl coated. "S" Hooks c/w Protective Sleeves. L.C. 1000 Kg	1.5	Each	6



BLACK RAT 4WD ACCESSORIES

4WD Grade 70 Combo Drag Chain Kit with Lug Link, Grab & Slip Hooks



This is one of the products most used in 4WD vehicles. To give you the full range of uses, the Black Rat G70 combo drag kit comes supplied with three fittings - lug link, grab hook and slip hook complete with chain in a handy bucket. The chain is 5 metres long, size 8mm, manufactured from Grade 70 high tensile steel, lashing capacity LC 3,800 kgs that is tested to Australian standard AS/NZS 4344.



Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number	Slip Hook Part Number	Lashing Capacity	Weight (Kg)	UOM
412007BK	5m x 7mm with Lug Link, Grab & Slip Hooks	7.1	5	145007	354008	353008	356008	3000kg	6.69	Each
412008BK	5m x 8mm with Lug Link, Grab & Slip Hooks	8	5	145008	354008	353008	356008	3800kg	8.39	Each
412010BK	5m x 10mm with Lug Link, Grab & Slip Hooks	10	5	145010	354010	353010	356010	6000kg	12.8	Each



4WD Grade 70 Drag Chain with Lug Link & Grab Hook

Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number	Lashing Capacity	Weight (Kg)	UOM
410007BK	5m x 7mm with Lug Link & Grab Hook	7.1	5	145007	354008	353008	3000kg	6.33	Each
410008BK	5m x 8mm with Lug Link & Grab Hook	8	5	145008	354008	353008	3800kg	8.03	Each
410010BK	5m x 10mm with Lug Link & Grab Hook	10	5	145010	354010	353010	6000kg	12.2	Each



4WD Grade 70 Drag Chain with Lug Link & Slip Hook

Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number	Lashing Capacity	Weight (Kg)	UOM
411007BK	5m x 7mm with Lug Link & Slip Hook	7.1	5	145007	353008	356008	3000kg	6.31	Each
411008BK	5m x 8mm with Lug Link & Slip Hook	8	5	145008	353008	356008	3800kg	8.01	Each
411010BK	5m x 10mm with Lug Link & Slip Hook	10	5	145010	353010	356010	6000kg	12.3	Each



BLACK RAT 4WD ACCESSORIES

Grunt 12v Air Compressor

Code	Description	Max. Duty Cycle	Power Supply DC	Max Pressure PSI	Current Amps	Air Flow L/Min	Cord with Battery Clips	PU Hose mtr	Weight (Kg)	UOM	Pack Carton
GC400	12V Air Compressor- Max 85 litres/ min. Twin Cylinder	40 min @ 40psi 24°C	12V	150	30	84	2.4	5	4.5	Each	4





BLACK RAT 4WD

SECTION

11

PRODUCT REFERENCE GUIDE

Part Number	Page Number
342316	4
341002B	8
342216BK	10
342219BK	10
342304BHK	4
342305B	5
342306B	5
342308B	5
342309BK	12
342312B	5

Part Number	Page Number
342318F	4
342319B	4
342322B	4
342322BHK	4
342350B	7
342350BK	6
342351B	7
349025BRB	13
349025BRSB	13
349035BRB	13

Part Number	Page Number
349035BRSB	13
360024	11
410007BK	15
410008BK	15
410010BK	15
411007BK	15
411008BK	15
411010BK	15
412007BK	14
412008BK	14

Part Number	Page Number
412010BK	14
514125B	8
519501B	11
557075	11
519503B	10
519507B	9
519508B	7
519516B	7
GC400	16



BLACK RAT 4WD



NOTES

BLACK RAT 4WD



BLACK RAT 4WD

SECTION

11

BLACK RAT 4WD



**NATIONAL HEAD OFFICE
NEW SOUTH WALES**

Email: sydneysales@beaver.com.au
National Sales: 1300 783 606
Phone: (02) 8882 5700
Fax: (02) 8882 5899

55 Sarah Andrews Close
Erskine Park NSW 2759
PO Box 5001
St Clair NSW 2759

WESTERN AUSTRALIA

Email: perthsales@beaver.com.au
Ph: (02) 8882 5700

VICTORIA/ TASMANIA

Email: melbournesales@beaver.com.au
Ph: (02) 8882 5700

**SOUTH AUSTRALIA/
NORTHERN TERRITORY**

Email: adelaidesales@beaver.com.au
Ph: (08) 8244 3555
Fax: (08) 8244 3533

QUEENSLAND

Email: brisbanesales@beaver.com.au
Ph: (07) 3279 1100
Fax: (07) 3279 1381

www.beaver.com.au