

The WORKSHOP Catalogue


July - October 2025

All prices quoted include GST.

HARLINGEN® NEW!

150 MM / 6" Fabricated Offset Steel Bench Vice

Jaw Face: 150 x 25 mm
Jaw Range: 190 mm
Width: 280 mm
Height: 190 mm
Weight: 22 kg



\$499

PN: H-732-33-015

More on page 51

10 Piece Damaged Bolt Removal Kit

- Removes damaged, stripped or rusted screws, nuts or bolts
- Ideal in tight spaces

Sizes: 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19 mm



NEW!

\$59

PN: H-60-015-001

Inner & Outer Reamers

- Suitable for stainless steel, copper PPR & PVC pipes



NEW!

6-35 mm
PN: H-10-176-A02

12-54 mm
PN: H-10-170-A01

\$89 ea

ACEUD

Torque Wrenches



Highly Accurate!
±3 Percent

Supplied with calibration certificate
Accuracy: ±3%
Meets ISO6789 & ASMEB107.14

More on page 111

5-25 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

\$229

PN: AC-TWM25Q

40-200 Nm Torque Wrench

Anvil Size: 1/2"
Length: 505 mm

\$299

PN: AC-TWM200Q

10-50 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

\$269

PN: AC-TWM50Q

70-340 Nm Torque Wrench

Anvil Size: 1/2"
Length: 695 mm

\$385

PN: AC-TWM340Q

geiger™

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.



HOT PRICE!

\$189

PN: GD88030

More on page 21

geiger™

Metric TiN Coated Tungsten Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course metric tap & dies:

M6 x 0.75	M6 x 1.0
M8 x 1.0	M8 x 1.25
M10 x 1.25	M10 x 1.5
M12 x 1.5	M12 x 1.75
M14 x 1.5	M14 x 2.0
M16 x 1.5	M16 x 2.0
M18 x 1.5	M18 x 2.5
M20 x 1.5	M20 x 2.5
M22 x 1.5	M22 x 2.5
M24 x 1.5	M24 x 3.0

\$229

PN: GTDS45

More on page 31



MICHAELPRO®

Made in Taiwan.

3/4" Dr Extended Impact Sockets

HOT PRICES!

6 POINT

- One-Piece Chrome Molybdenum Steel



200 mm Overall Length

32 mm Socket PN: MP005055	\$89
33 mm Socket PN: MP005056	\$95
41 mm Socket PN: MP005057	\$99

Thread Repair Kit

- Includes 1.5D long Stainless Steel threaded inserts
- HSS tap and twist drill

Replacement Thread Inserts on page 5.

M6 x 1.0 Metric Course
Includes 25 inserts
PN: GTRKM6

\$29

M8 x 1.0 Metric Fine
Includes 25 inserts
PN: GTRKM8F

\$34

M8 x 1.25 Metric Course
Includes 25 inserts
PN: GTRKM8

\$34

M10 x 1.0 Metric Extra Fine
Includes 25 inserts
PN: GTRKM10EF

\$29

M10 x 1.25 Metric Fine
Includes 25 inserts
PN: GTRKM10F

\$29

M10 x 1.5 Metric Course
Includes 25 inserts
PN: GTRKM10

\$39



M12 x 1.25 Metric Extra Fine
Includes 10 inserts
PN: GTRKM12EF

\$42

M12 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM12F

\$42

M12 x 1.75 Metric Course
Includes 10 inserts
PN: GTRKM12

\$42

M14 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM14F

\$45

M14 x 2.0 Metric Course
Includes 10 inserts
PN: GTRKM14

\$45

3 Piece Step Drill Set

- TIN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM
4-32 MM

\$189

PN: G3SD



Screw Extractor Set



5 piece set is suitable
for extracting screws or
bolts from 4M to M20.

\$20

PN: GSES

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.

1 Litre 5 Litres 20 Litres

\$34

PN: SOLOIL1

\$125

PN: SOLOIL5

\$419

PN: SOLOIL20



Letter Stamp Sets

27 piece set includes
A-Z plus "&" character
Made from CRV (6150).



10 mm Stamp Set
PN: GYC601-10

\$119

12 mm Stamp Set
PN: GYC601-12

\$149

16 mm Stamp Set
PN: GYC601-16

\$269

19 mm Stamp Set
PN: GYC601-19

\$309

Alphanumeric Stamp Sets

36 piece set
includes
27 "A" to "Z",
"&", and
9 Piece 0-8
(6 is used as 9)
Hardness:
HRC 58-62°



3 mm Stamp Set
PN: GYC607-3

\$60

4 mm Stamp Set
PN: GYC607-4

\$69

5 mm Stamp Set
PN: GYC607-5

\$86

6 mm Stamp Set
PN: GYC607-6

\$99

8 mm Stamp Set
PN: GYC607-8

\$179

Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).



3 mm Stamp Set
PN: GYC602-3

\$30

4 mm Stamp Set
PN: GYC602-4

\$32

5 mm Stamp Set
PN: GYC602-5

\$39

6 mm Stamp Set
PN: GYC602-6

\$42

8 mm Stamp Set
PN: GYC602-8

\$52

10 mm Stamp Set
PN: GYC602-10

\$62

12 mm Stamp Set
PN: GYC602-12

\$89

16 mm Stamp Set
PN: GYC602-16

\$99

19 mm Stamp Set
PN: GYC602-19

\$129

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.
100 Piece set includes:
9 Character Type Holder,
hex wrench, A-Z, 0-9,
&, /, - and blank space.

3 mm Stamp Set

\$499

PN: GYC610-3

6 mm Stamp Set

\$609

PN: GYC610-6



Double Deburrer

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard



**REPLACEABLE
BLADES**

\$31

PN: GDDB

Quick Release Handle with
3.2 mm MC-blades

\$39

PN: GD38333



Includes 3.2 mm Quick Release Handle (GDSDSDMK) with the following Multi-cutting Edge blades:

GDSMC10, GDSMC20,
(steel, aluminium, copper, zinc)
GDSC101
(cast iron, brass)

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted
3.2 mm blades. Storage for
blades in handle.

Set Includes:

3.2 mm Standard Quick
Release Handle (GDSDSDMK)



Standard 3.2 mm Deburring blades:
2 x GDSC10 (aluminium, copper, zinc),
2 x GDSC101 (steel & aluminium),
2 x GDSC15 (stainless steel & hard plastics),
2 x GDSC20 (cast iron, brass),
1 x GDSC30 (aluminium, copper, zinc),
1 x GDSC35 (aluminium, copper, zinc)

\$53

PN: GD88040



Metric Course Drill & Tap Kits

Kits include HSS Drill and HSS intermediate tap.



M4 x 0.7 PN: GDTKM4	\$19
M5 x 0.8 PN: GDTKM5	\$21
M6 x 1.0 PN: GDTKM6	\$24
M8 x 1.25 PN: GDTKM8	\$27
M10 x 1.5 PN: GDTKM10	\$30
M12 x 1.75 PN: GDTKM12	\$33

Tungsten Steel Tap & Die Sets

39 Piece Metric / Imperial Tungsten Steel Tap & Die Set

\$99
PN: GTDS39

Set Includes: Long Handle & T-Handle Tap Wrench, Long Handle Die Wrench, Metric & Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:
M3 x 0.5	#4-40 UNC
M4 x 0.7	#6-32 UNC
M5 x 0.8	#8-32 UNC
M6 x 1.0	1/4"-20 UNC
M7 x 1.0	5/16"-18 UNC
M8 x 1.25	3/8"-16 UNC
M10 x 1.5	7/16"-14 UNC
M12 x 1.75	1/2"-13 UNC

NPT Tap & Dies: 1/8"-27 NPT



60 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes:
T-Handle Tap Wrench,
Long Handle Tap Wrench,
Long Handle Die Wrench,
Metric Screw Pitch Gauge,
Imperial Screw Pitch Gauge

Metric Tap & Dies:		Imperial Tap & Dies:		
M3 x 0.5	M8 x 1.25	#4-40 UNC	1/4"-28 UNF	7/16"-20 UNF
M4 x 0.7	M9 x 1.25	#6-32 UNC	1/4"-20 UNC	7/16"-14 UNC
M5 x 0.8	M10 x 1.0	#8-32 UNC	5/16"-24 UNF	1/2"-20 UNF
M6 x 1.0	M10 x 1.5	#10-32 UNF	5/16"-18 UNC	1/2"-13 UNC
M7 x 1.0	M12 x 1.75	#10-24 UNC	3/8"-24 UNF	
		#12-24 UNC	3/8"-16 UNC	
NPT Tap & Dies: 1/8"-27 NPT				

NPT Tap & Dies: 1/8"-27 NPT

\$149
PN: GTDS60



Imperial TiN Coated Tungsten Steel Tap & Die Set

NEW!

Set Includes Tap & Die Wrenches and the following fine & coarse metric tap & dies:

Imperial UNF Tap & Dies:	Imperial UNC Tap & Dies:
1/4"-28 UNF	1/4"-20 UNC
5/16"-24 UNF	5/16"-18 UNC
3/8"-24 UNF	3/8"-16 UNC
7/16"-20 UNF	7/16"-14 UNC
1/2"-20 UNF	1/2"-13 UNC
9/16"-18 UNF	9/16"-12 UNC
5/8"-18 UNF	5/8"-11 UNC
3/4"-16 UNF	3/4"-10 UNC
7/8"-14 UNF	7/8"-9 UNC
1"-14 UNF	1"-8 UNC

\$249
PN: GTDS451



Screw Extractor Kits


Kit includes left handed HSS-M35 drill bit (Cobalt 5%) & Screw Extractor

NEW!



M4 PN: GSESM4	\$12
M5 PN: GSESM5	\$14
M6 PN: GSESM6	\$15
M8 PN: GSESM8	\$16
M10-M12 PN: GSESM10-12	\$19

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$52
PN: TV102-4

150 MM Drill Press Vice

Base: 238 x 210 mm
Jaw Size: 150 X 28 mm
Jaw opening: 150 mm

\$89
PN: TV102-6

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



150 MM Bench Vice

Jaw face: 155 x 85 MM
Jaw opening: 150 MM
Weight: 14 Kg

\$379
PN: GBV6

200 MM Bench Vice


Jaw face: 205 x 85 MM
Jaw opening: 200 MM
Weight: 18 Kg

\$489
PN: GBV8

**HEAVY DUTY
CAST STEEL!**

Magnetic Soft Jaws

- Horizontal & vertical vee grooves
- Integrated magnets firmly hold soft jaws in position.



100 MM
\$19
PN: GMSJ4



Vise not included.

125 MM
\$20
PN: GMSJ5

150 MM
\$22
PN: GMSJ6

200 MM
\$29
PN: GMSJ8



Diamond Knurling Tool Holders

3-1 Diamond Knurling Tool Holder

Shank: 20 x 20 x 140 mm
Knurling Pitches:
Fine - 0.8 mm
Medium - 1.2 mm
Coarse - 1.8 mm

\$129
PN: H-11-285-001



Diamond Knurling Tool Holder

Shank: 20 x 12.7 x 100 mm
Knurling Pitch: 1 mm

\$59
PN: H-11-161-003

Nickel Plated 7 Piece Indexable Lathe Tool Sets

- Corrosion resistant Nickel Plating

Each set includes the following tool holders, inserts, torx and hex wrenches.

Left & Right Handed CCMT Tool Holders
Neutral & Right Handed DCMT Tool Holders
Right Handed WCMT Tool Holder
Grooving Tool Holder & Threading Tool Holder



PN: H-11-126-T20

12 MM Shank

\$299

PN: H-11-126-T20

16 MM Shank

\$339

PN: H-11-126-T25

20 MM Shank

\$399

PN: H-11-126-T30

Nickel Plated Threading Tool Holder Set

- Set includes tool holders and four ti-nite coated tungsten carbide inserts for right-handed metric fine and coarse, internal and external thread cutting
- Suited to general purpose steel cast iron, and stainless steel



PN: H-11-300-A45

16 MM Shank

\$249

PN: H-11-300-A30

20 MM Shank

\$289

PN: H-11-300-A40

25 MM Shank

\$329

PN: H-11-300-A45

Cut-Off & Grooving Lathe Tool Sets

- Corrosion resistant Nickel Plating



PN: H-11-262-T30

Kit includes the following ranges of tool block, blades and 10 inserts

Block	Blades	Parting Inserts	PN	
12 mm	19 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T15	\$269
16 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T20	\$299
20 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T30	\$319
25 mm	32 x 3, 4 & 5 mm	GTN-3, GTN-4, GTN-5	H-11-262-T35	\$489

Nickel Plated CCMT Boring Bar Set

- Set includes boring bars with TiN Micro-Grain Carbide Semi-Finishing CCMT Inserts
- Suited to cast iron, general purpose steel and stainless steel

4 Piece set includes:
8 x 100mm Boring Bar
10 x 125mm Boring Bar
12 x 150mm Boring Bar
16 x 200mm Boring Bar



\$279

PN: H-11-383-T19

90° APKT Indexable End Mill Set

- Set includes an APKT tool holder and 20 TiAlN micro-grain carbide inserts
- Suited to semi-finishing of general purpose steel

Shank Dia: 16 mm
Length: 85 mm
Cutting Dia: 16 mm
Inserts Pockets: 2



\$289

PN: H-11-373-S40

1-13 mm HSS Drill Set

- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments
Material: HSS



\$119

PN: H-512-11-1S1

Cobalt/HSS Drill Sets

- HSS, Cobalt 5% (M35)
- 135° split point



1-13 mm Cobalt/HSS Drill Set

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments.
Material: HSS, Cobalt 5% (M35)

\$179

PN: H-512-11-4S1

170 Piece Cobalt/HSS Twist Drill Set

170 piece set includes ten sets of:
1.0 to 8.0 mm drill bits in 0.5 mm increments
Five sets of 8.5 to 10.0 mm drill bits in 0.5 mm increments.

\$479

PN: H-11-275-003

Master Thread Repair Kits

- The most reliable and effective tool for thread repair.
- Quickly and permanently restore stripped, worn or damaged

- threads to their original size, condition and strength.
- Increase the strength and durability of threads in soft materials.

M5 to M12 Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x M5 x 0.8, 25 x M6 x 1.0
25 x M8 x 1.25, 25 x M10 x 1.5
10 x M12 x 1.75

\$179

PN: H-11-303-A01

1/4" to 1/2" UNC Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-20 UNC, 25 x 5/16"-18 UNC
25 x 3/8"-16 UNC, 25 x 7/16"-14 UNC
10 x 1/2"-13 UNC

\$189

PN: H-12-303-A01UNC

1/4" to 1/2" UNF Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-28 UNF, 25 x 5/16"-24 UNF
25 x 3/8"-24 UNF, 25 x 7/16"-20 UNF
10 x 1/2"-20 UNF

\$189

PN: H-12-303-A02UNF

Stainless Steel Threaded 1.5D Inserts

Thread Profile	Thread Length	Quantity	PN	
M5 x 0.8	7.5 mm	25	H-11-303-310	\$19
M6 x 1.0	9 mm	25	H-11-303-315	\$19
M8 x 1.0	12 mm	25	H-11-303-321	\$19
M8 x 1.25	12 mm	25	H-11-303-320	\$19
M10 x 1.0	15 mm	25	H-11-303-327	\$19
M10 x 1.25	15 mm	25	H-11-303-326	\$19
M10 x 1.5	15 mm	25	H-11-303-332	\$19
M12 x 1.25	18 mm	10	H-11-303-331	\$19
M12 x 1.5	18 mm	10	H-11-303-330	\$19
M14 x 1.5	21 mm	10	H-11-303-340	\$19
M16 x 2.0	24 mm	10	H-11-303-342	\$19
1/4"-20 UNC	0.375"	25	H-12-303-310	\$19
5/16"-18 UNC	0.46875"	25	H-12-303-315	\$19
3/8"-16 UNC	0.5625"	25	H-12-303-320	\$19
7/16"-14 UNC	0.65625"	25	H-12-303-325	\$29
1/2"-13 UNC	0.75"	10	H-12-303-330	\$19
1/4"-28 UNF	0.375"	25	H-12-303-350	\$19
5/16"-24 UNF	0.46875"	25	H-12-303-355	\$19
3/8"-24 UNF	0.5625"	25	H-12-303-360	\$19
7/16"-20 UNF	0.65625"	25	H-12-303-365	\$29
1/2"-20 UNF	0.75"	10	H-12-303-370	\$19

TiN Coated Two & Four Flute HSS End Mills

NEW!

- Weldon shank
- DIN844 Standard

Flutes	Size	Shank Dia.	Flute	Length	PN	
2	3 mm	6 mm	5 mm	49 mm	H-11-048-T001	\$11
2	4 mm	6 mm	7 mm	51 mm	H-11-048-T002	\$11
2	5 mm	6 mm	8 mm	52 mm	H-11-048-T003	\$11
2	6 mm	6 mm	8 mm	52 mm	H-11-048-T004	\$11
2	8 mm	10 mm	11 mm	61 mm	H-11-048-T006	\$15
2	10 mm	10 mm	13 mm	63 mm	H-11-048-T008	\$15
2	12 mm	12 mm	16 mm	73 mm	H-11-048-T010	\$15
2	14 mm	12 mm	16 mm	73 mm	H-11-048-T011	\$27
2	16 mm	16 mm	19 mm	79 mm	H-11-048-T012	\$31
2	20 mm	20 mm	22 mm	88 mm	H-11-048-T014	\$46
4	3 mm	6 mm	8 mm	52 mm	H-11-047-T001	\$11
4	4 mm	6 mm	11 mm	55 mm	H-11-047-T002	\$11
4	5 mm	6 mm	13 mm	57 mm	H-11-047-T003	\$11
4	6 mm	6 mm	13 mm	57 mm	H-11-047-T004	\$11
4	8 mm	10 mm	19 mm	69 mm	H-11-047-T006	\$17
4	10 mm	10 mm	22 mm	72 mm	H-11-047-T008	\$17
4	12 mm	12 mm	26 mm	83 mm	H-11-047-T010	\$22
4	14 mm	12 mm	26 mm	83 mm	H-11-047-T011	\$30
4	16 mm	16 mm	32 mm	92 mm	H-11-047-T012	\$36
4	20 mm	20 mm	38 mm	104 mm	H-11-047-T014	\$52

90° HSS Three Flute Countersink Set

- Achieve consistent high quality results and chatterless burr-free operation with the latest unequally spaced geometry
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm

\$119

PN: H-11-040-S01

Drill Press Vises


- Replaceable precision hardened & ground prisma jaws
- Rolled trapezoidal spindle thread
- High quality cast iron body

Jaw Face	Jaw Opening	Weight	PN	
100 x 27 mm	75 mm	3.5 Kg	H-41-074-002	\$99
150 x 34 mm	125 mm	7.0 Kg	H-41-074-004	\$169
200 x 40 mm	175 mm	10.0 Kg	H-41-074-005	\$289



Full range:
accud.com.au

70 mm Mini Vernier Caliper



PN: AC-121-003-11

\$89

Graduation: 0.05 mm
Accuracy: 0.05 mm

Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"
Accuracy: $\pm 0.03/01$ "

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12

\$89

200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12


\$119

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12

\$229

Dual Scale Digital Calipers



Resolution: 0.01 mm
Accuracy: ± 0.03 mm

150 mm Dual Scale Digital Caliper

PN: AC-111-006-12

\$119

200 mm Dual Scale Digital Caliper

PN: AC-111-008-12


\$179

300 mm Dual Scale Digital Caliper

PN: AC-111-012-12

\$249

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"



- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11

\$149

200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11


\$199

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11

\$289

Fractional Metric & Imperial Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ± 0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11

\$159

200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11

\$219

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11

\$299

125 mm Dual Scale Digital Disc Brake Caliper



- Measure disc brakes thickness
- Buttons: on/off, zero, mm/inch
- Automatic power on/off
- Made of stainless steel



Range: 0-125 mm/0-5"
Resolution: 0.01 mm/0.0005"
Accuracy: ± 0.05 mm
Length: 223 mm

PN: AC-157-005-11

\$339

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-101-006-11

\$179

200 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-101-008-11

\$209

300 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.04 mm

PN: AC-101-012-11

\$319

Coolant Proof IP67 Dual Scale Digital Calipers



HOT PRICES!

150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-006-12

\$259

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-008-12

\$279


300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-012-12

\$429

Dual Scale Long Series Digital Calipers



- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside

Analogue Versions Available!

600 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ± 0.05 mm / 02"
Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"
Jaw Reach: 100 mm

PN: AC-118-024-11

\$799

1000 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ± 0.08 mm / 03"
Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"
Jaw Reach: 150 mm

PN: AC-118-040-11

\$1529

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11

\$99

25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11

\$129

1" Dial Indicator

Graduation: 0.001"
Accuracy: 0.004"

PN: AC-225-025-11

\$89

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back



PN: AC-212-025-13

\$229

Indicator Point Extensions

Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$19

50 mm - PN: AC-270-000-09

\$19

75 mm - PN: AC-270-000-14

\$19

100 mm - PN: AC-270-000-17

\$25

IMPERIAL SIZES AVAILABLE

Caliper Attachments

Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



PN: GCAK

\$49

Caliper not included.

75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00

\$49

100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01

\$89



Dial Indicators

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: $\pm 35 \mu\text{m}$

PN: AC-229-030-11

\$159

- 1 mm range per revolution
- Lug and flat back

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: $\pm 35 \mu\text{m}$

PN: AC-229-050-21

\$339

2" Imperial Dial Indicator

Graduations: 0.001"
Accuracy: 0.008"

PN: AC-225-050-11

\$149



Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

0.14 mm Dial Test Indicator

Graduation: 0.001 mm
Accuracy: $\pm 4 \mu\text{m}$

PN: AC-261-014-01

\$399

0.80 mm Dial Test Indicator

Graduation: 0.01 mm
Accuracy: $\pm 13 \mu\text{m}$

PN: AC-261-008-11

\$139



Dial Bore Gauges



18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: $\pm 0.015 \text{ mm}$

PN: AC-251-035-11

\$269

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: $\pm 0.018 \text{ mm}$

PN: AC-251-060-11

\$269

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: $\pm 0.018 \text{ mm}$

PN: AC-251-160-11

\$269

2-6" Dial Bore Gauge

Graduations: 0.0005"
Accuracy: 0.0009"

PN: AC-252-060-11

\$299

18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / $\pm 0.015 \text{ mm}$
35-60mm / $\pm 0.018 \text{ mm}$
50-160mm / $\pm 0.018 \text{ mm}$

PN: AC-251-346-13

\$789



Cylinder Liner Height Gauge

Range: -5 to +5 mm
Graduations: 0.01
Accuracy: $\pm 20 \mu\text{m}$

- Jeweled Bearing
- Limit hands
- Sturdy metal base



PN: AC-438-010-11

\$279

Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: $\varnothing 4 \text{ mm}$, $\varnothing 8 \text{ mm}$, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: $\pm 20 \mu\text{m}$

PN: AC-280-000-02

\$189



1" Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: $\varnothing 4 \text{ mm}$, $\varnothing 8 \text{ mm}$, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: $\pm 20 \mu\text{m}$

PN: AC-280-001-02

\$189

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-01

\$89

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-02

\$79

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01

\$209

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02


\$239

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

\$49





Dual Scale Stainless Rulers



HOT PRICE!
On 600 & 1000 mm Rulers!

150 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-006-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$13**

300 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-012-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$20**

600 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-024-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$36**

1000 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-040-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$56**

Straight Edge Rulers



300 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 300 mm
PN: AC-991-012-01 **\$149**

500 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 500 mm
PN: AC-991-020-01 **\$239**

1000 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 50 mm
Length: 1000 mm
PN: AC-991-040-01 **\$499**

Double Ended Scriber

- Nickel plated with Hardened tips
 - Knurled handle
- Length: 250 mm



PN: AC-995-009-01
\$19

Radius Gauge Sets



- Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34
\$39

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm


PN: AC-941-015-32
\$39

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30
\$39

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
Length: 200 mm
PN: AC-982-008-01 **\$39**

300 mm Inside Spring Caliper

Range: 18-290 mm
Length: 300 mm
PN: AC-982-012-01 **\$49**

500 mm Inside Spring Caliper

Range: 25-490 mm
Length: 500 mm
PN: AC-982-020-01 **\$79**



200 mm Spring Divider

Range: 0-190 mm
Length: 200 mm
PN: AC-985-008-01 **\$39**

300 mm Spring Divider

Range: 0-290 mm
Length: 300 mm
PN: AC-985-012-01 **\$49**

500 mm Spring Divider

Range: 0-490 mm
Length: 500 mm
PN: AC-985-020-01 **\$79**



200 mm Outside Spring Caliper

Range: 0-190 mm
Length: 200 mm
PN: AC-984-008-01 **\$39**

300 mm Outside Spring Caliper

Range: 0-290 mm
Length: 300 mm
PN: AC-984-012-01 **\$49**

500 mm Outside Spring Caliper

Range: 0-490 mm
Length: 500 mm
PN: AC-984-020-01 **\$79**



200 mm Dividing Caliper

Range: 0-190 mm
Length: 200 mm
PN: AC-986-008-01 **\$39**

300 mm Dividing Caliper

Range: 0-290 mm
Length: 300 mm
PN: AC-986-012-01 **\$49**

500 mm Dividing Caliper

Range: 0-490 mm
Length: 500 mm
PN: AC-986-020-01 **\$69**

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β): 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02

\$39

150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β): 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02

\$59

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β): 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02

\$69

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β): 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02

\$99

600 mm Wide Base Machinist Square


Squareness: (α) 75 μm (β): 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02

\$389



Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52

\$39

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24

\$29

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30

\$29

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm

PN: AC-956-012-11

\$42

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm

PN: AC-956-028-11

\$59

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm

PN: AC-956-044-11

\$79

Metric Outside Micrometers



**SIZES AVAILABLE
UP TO 1000 mm**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 29 mm

PN: AC-321-001-01

\$79

50-75 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 53 mm

PN: AC-321-003-01

\$95

100-125 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 6 µm
Jaw Reach: 65 mm

PN: AC-321-005-01

\$129

25-50 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm
Jaw Reach: 39 mm

PN: AC-321-002-01
\$89

75-100 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 5 µm
Jaw Reach: 65 mm

PN: AC-321-004-01
\$99

Imperial Outside Micrometers



**SIZES AVAILABLE
UP TO 40"**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 29 mm

PN: AC-324-001-01

\$79

2-3" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm

PN: AC-324-003-01

\$110

1-2" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00015"
Jaw Reach: 39 mm

PN: AC-324-002-01
\$89

3-4" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.0002"
Jaw Reach: 53 mm

PN: AC-324-004-01
\$119

4-5" Outside Micrometer

Graduation: 0.0001"
Accuracy: ±0.00025"
Jaw Reach: 65 mm

PN: AC-324-005-01

\$149

Micrometer Sets

- Supplied with Calibration certificate



**IMPERIAL SETS
AVAILABLE**

150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm

PN: AC-321-012-06
\$1239

75 mm Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm
Graduation: 0.01 mm
Accuracy: 5 µm

PN: AC-321-003-03
\$229

100 mm Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-100 mm
Graduation: 0.01 mm
Accuracy: ± 4-5 µm

PN: AC-321-004-04
\$369

150 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm

PN: AC-321-006-06
\$599

300 mm Micrometer 12 Piece Set

Set of 12 Micrometers
Range: 0-300 mm
Graduation: 0.01 mm
Accuracy: ± 4-6 µm

PN: AC-321-012-12
\$1719

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.

25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.01 mm
Accuracy: 3 µm
Jaw Reach: 25 mm

PN: AC-313-001-01
\$259

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.01 mm
Accuracy: 3 µm
Jaw Reach: 32 mm

PN: AC-313-002-01
\$279

3 Piece Measuring Tool Set

150 mm Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm

Beveled Square

Size: 100 x 70 mm
DIN875 grade 0
Squareness: 7 µm



PN: AC-280-000-13

\$299

Micrometer Stand



Micrometer not included.

PN: AC-381-000-00

\$59

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm

PN: AC-352-012-01

\$399

50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm
Graduation: 0.01 mm

PN: AC-352-024-01

\$499

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01

\$89

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm
Graduation: 0.01 mm
Size: 150 x 60 x 33 mm

PN: AC-297-003-11

\$299

300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ±0.04 mm
Beam Width: 23 mm
External Jaw Reach: 80 mm
Length: 470 mm

PN: AC-181-012-11

\$579



Depth Caliper & Micrometers

25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11

\$159



200 mm Digital Depth Caliper

PN: AC-171-008-11

\$199

300 mm Digital Depth Caliper

PN: AC-171-012-11

\$399

500 mm Digital Depth Caliper

PN: AC-171-020-11

\$779

Resolution: 0.01 mm
Accuracy: ±0.03 mm





Full range:
accud.com.au

Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments



PN: AC-CT900

\$139

Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with
45 cm of 3M™
Reflective Tape.

PN: AC-LT900

\$129



Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g



PN: AC-SLM130

\$129

Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g



PN: AC-AM30

\$129

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa

Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350

\$899

Shore Hardness Tester

- Meets ISO868, ISO7619, ASTM D2240
- Peak value indicator

Scale: Shore A
For material: soft plastic, rubber, leather, etc.
Range: 20-90 HA
Graduation: 1 HA
Accuracy: ±1 HA



PN: AC-HSM1A

\$389

Wood Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range: 2-40/50/60/70%



PN: AC-WMM700

\$99

FN Coating Thickness Gauge

- Measures thickness of non-magnetic coatings on both magnetic and electrically conductive substrates
- V-type probe for cylindrical work pieces

Range: 0 ~ 1500µm
Resolution: 0.1µm (0-99.9µm) / 1µm (100-1500µm)
Accuracy: 2µm (0-100µm) / 3% (100-1500µm)
Min. measuring area: 25 x 25 mm
Memory: 30 sets



PN: AC-CFN1500B

\$799

Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m
Memory: 20 data points
Power: 2 x AAA
Weight: 110 g



40 Meter Range

PN: AC-TM40

\$129



100 Meter Range

PN: AC-TM100

\$279

HOT PRICE!

Dual Scale Digital Temperature & Humidity Monitor



- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hr display modes
- Daily alarm function
- Alternating display function

Temperature Range: Indoor: -10 - +50°C
Humidity Range: indoor 20% - 99%
Power supply: 1.5V (AAA size) x1
Size 96W mm x 105H mm

PN: AC-HTC-1

\$39

Infrared Thermometers & Imaging



- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

950° Infrared Thermometer

Range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700

\$189

1650°C Infrared Thermometer

Range: -50 to 1650 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT1650S

\$539

Refractometers

Automotive Refractometer



- Measures concentration levels of Glycol, Propylene Glycol, Battery fluid, Cleaning liquid & Adblue

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM50S

\$149

Engineering Refractometer



- Measures metal working coolant concentration levels

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM10

\$159

Combination Squares

Combination Square

90° or 45° square
90° square accuracy: $\pm 8'$,
45° square accuracy: $\pm 10'$

**Wear Resistant
Cast Iron Head**

PN: AC-817-090-12

\$139

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ± 0.15 mm
Ruler range: 300 mm / 12"

Protractor
Range: 0-180°
Accuracy: $\pm 7'$

PN: AC-817-180-02

\$269

Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-005-01

\$69

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-006-01

\$99

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-008-01

\$129

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01

\$110

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01

\$129

Radius & Hole Gauges

Radius Gauge Set



Range: 0.5-13 mm
Accuracy: ± 0.05 mm
Increments: 0.5 mm

PN: AC-942-013-26

\$109

Small Hole Gauge Set

Range: 3-13 mm




PN: AC-952-004-01

\$59

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm



PN: AC-977-025-01

\$69

Fillet Weld Gauge

Face width: 4, 5, 6, 7, 8, 9, 10, 12 mm
Leg width: 4, 6, 7.5, 10, 12, 14, 16, 18 mm
Accuracy: ± 0.5 mm



PN: AC-972-012-01

\$39

Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm

PN: AC-978-006-01

\$69



Digital Welding Gauge

Crown Height Range: 5 mm
Fillet Throat Range: 20 mm
Angles: 60° 70° 80° 90°
Accuracy: 0.3 mm

PN: AC-970-010-11

\$229



Metric Torque Wrenches

**Highly
Accurate!**
 ± 3 Percent



- Supplied with calibration certificate
- Accuracy: $\pm 3\%$
- Meets ISO6789 & ASMEB107.14

5-25 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM25Q

\$229

10-50 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM50Q

\$269

40-200 Nm Torque Wrench

Anvil Size: 1/2"
Length: 505 mm

PN: AC-TWM200Q

\$299

70-340 Nm Torque Wrench

Anvil Size: 1/2"
Length: 695 mm

PN: AC-TWM340Q

\$385

5-25 Nm Torque Wrench Set


Set includes 5-25 Nm Torque Wrench (AC-TWM25Q), 100 mm 3/8" extension bar and the following sockets:
2, 2.5, 3, 4, 5, 6, 8 mm hex,
T10, T15, T20, T25,
T27 & T30 Torx®

PN: AC-STWM25Q

\$369



Feeler Gauges



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 200 mm

PN: AC-914-100-20

\$49

150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20

\$39

300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 300 mm

PN: AC-915-100-20

\$49

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



PN: AC-919-030-26

\$49

Tapered Feeler Gauge

Metric Range: 0.03-1.00 mm
Blade Length: 100 mm

PN: AC-912-100-32

\$29

- Meets DIN2275
- Accuracy: $\pm (3+T/80)$ μ m,

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: ± 4 μ m



0.02 mm Feeler Tape

PN: AC-916-002-01

\$49

0.04 mm Feeler Tape

PN: AC-916-004-01

\$49

Protractor & Levels

Digital Level & Protractor

- Magnetic V-groove Base



PN: AC-722-360-01

\$229

Resolution: 0.05°
Accuracy: $\pm 0.1^\circ$ (at 0°/90°/180°/270°)
 $\pm 0.2^\circ$ (other direction)

Size: 150 x 60 x 33 mm

Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions: 59 x 28 mm
Accuracy: $\pm 0.1^\circ$
 $\pm 0.2^\circ$ (other directions)

PN: AC-721-180-01

\$129



600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base



Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°


PN: AC-725-360-01

\$209



1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$45
3	2 1/2"	CBSA3	\$66
5	2 3/4"	CBSA5	\$89

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$45
3	2 1/2"	CBSB3	\$66
5	2 3/4"	CBSB5	\$89

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$45
3	3"	CBSL3	\$66
5	3"	CBSL4	\$88

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$45
3	2 1/2"	CBSM4	\$66
5	2 3/4"	CBSM5	\$89

Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$45
3	2 3/8"	CBSE3	\$66
5	2 5/8"	CBSE5	\$89

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$45
3	2 1/2"	CBSC3	\$66
5	2 3/4"	CBSC5	\$89

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$45
3	2 1/8"	CBSN3	\$66
5	2 1/4"	CBSN5	\$88

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$45
3	2 1/2"	CBSF3	\$66
5	2 3/4"	CBSF5	\$88

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$45
3	2 1/8"	CBSD3	\$66
5	2 1/4"	CBSD5	\$88

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$45
3	2 1/4"	CBSJ3	\$66
5	2 3/8"	CBSJ5	\$88

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$45
3	2 1/2"	CBSG3	\$66
5	2 3/4"	CBSG5	\$89

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$45
3	2 1/2"	CBSH3	\$66
5	3"	CBSH5	\$89

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$45
3	2 1/8"	CBSK3	\$66
5	2 1/8"	CBSK5	\$88

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$110
End Cut Cylinder	CBSB3L6	\$110
Radiused Cylinder	CBSC3L6	\$110
Ball	CBSD3L6	\$110
Oval	CBSE3L6	\$110
Radiused Tree	CBSF3L6	\$110
Pointed Tree	CBSG3L6	\$110
Radiused Cone	CBSL3L6	\$110

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$110
Ball	CBSD3L6NF	\$110
Oval	CBSE3L6NF	\$110
Radiused Tree	CBSF3L6NF	\$110
Flame	CBSH3L6NF	\$110

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



\$205

PN: CBSET10

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



\$165

PN: CBSET3

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



\$339

PN: CBSET8

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



\$365

PN: CBSET5

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



\$195

PN: CBSET3NF

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



\$209

PN: CBSET3INOX

Workshop Stools & Creepers

Workshop Stool

- 100 MM swivel casters, with 2 lockable
- Centre mounted pull out drawer
- Metal Frame

Size: 670L x 330D x 380H mm
Max. Load: 130 Kg



**PULL OUT
DRAWER**

\$139
PN: GWS

Mechanics Creeper

Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm

- Integrated side trays
- Made in Taiwan

**STEEL REINFORCED
CASTER MOUNTS**



**MAX RATING
150 KG**

\$189
PN: GCR40

Workshop Trolleys

Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm
Capacity: 130 kg



**MADE
FROM
HDPE
PLASTIC**

\$199
PN: GT3SP

Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 MM steel uprights.

Size: 410W x 760D x 885H mm
(including handle)



**MAX RATING
150 KG**

\$299
PN: GT3S

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 MM steel uprights.

Size: 470W x 785D x 825H mm
(including handle)



**MAX RATING
150 KG**

\$359
PN: GT3SD

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 kg per shelf, max total weight 200 kg per unit.

Size: 500W x 873D x 880H mm
(including handle)



**LOAD
RATING
200 KG**

\$599
PN: CTH5086

Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$39
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$39
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$52
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$69
PN: FO604

Single Sided 46 Bin Pivot Drawer Cart

Includes

2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$899
PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308,
4 x FO306, 4 x FO605 &
4 x FO604, 92 bins in all

\$1399
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

**UP TO
92 BINS OF
STORAGE!**



Additional freight
charges may apply.

HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$6 ea

• PN: HB210B
• PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$7 ea

• PN: HB220B
• PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$13 ea

• PN: HB230B
• PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$22 ea

• PN: HB239B
• PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$19 ea

• PN: HB235B
• PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm



\$32 ea

• PN: HB250B
• PN: HB250R

Wall Storage Kit

Includes 2 Panels,
40 x HB210 Bins,
screws & wall plugs.

• PN: HP1KITB
• PN: HP1KITR

\$245 ea



Mobile HB Storage Cart

Make your HB bins mobile with this
hanging display unit with caster wheels
(2 with brakes). This is an excellent
time and space saver for any workshop.

HB Bins are easily detached from
the storage cart, making it easy to
take only what you need to the work
area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart
with 72 x HB220 and 32 x HB230 bins, in
combination of • Blue or • Red.
Overall Size: 740W x 560D x 1460H mm

**CUSTOM LOAD-OUTS
ALSO AVAILABLE!**

Additional freight
charges may apply.

\$1199

PN: MS20020K




Wall Mountable

All HB series bins can be wall
mounted when combined with
HP Hanging Panels (see HP1 &
HP1KITB/R). HP Panels can be
tiled together and mounted
horizontally or vertically.

Free Standing Bench Storage

Included with all HB bins are four
interlocking legs which create
free-standing versatile bench storage.



Set of 2 HB-Series Hanging Panels

Includes 2 Panels, screws & wall plugs.
Panel size: 605W x 455H x 8D mm



\$83

PN: HP1

Heavy Duty A-Series Parts Cabinets

ST2



Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet

\$669

PN: ST2460

Size: 586W x 222D x 937H mm

A5



Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet

\$629

PN: A5336

Size: 586W x 290D x 937H mm

24 Drawer Parts Cabinet

\$489

PN: A5324

586W x 290D x 640H mm

A7



Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet

\$499

PN: A7448

Size: 586W x 222D x 937H mm

24 Drawer Parts Cabinet

\$339

PN: A7324

Size: 444W x 222D x 642H mm

16 Drawer Parts Cabinet

\$249

PN: A7416

Size: 586W x 222D x 350H mm

A8



Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet

\$599

PN: A8560

Size: 586W x 222D x 937H mm

32 Drawer Parts Cabinet

\$359

PN: A8432

Size: 466W x 222D x 642H mm

15 Drawer Parts Cabinet

\$239

PN: A8315

Size: 355W x 222D x 415H mm

Heavy Duty Lockable A7 Parts Cabinets

Each cabinet comes with 2 movable dividers.
The front face of each drawer features a window.

Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

\$799

PN: A7448D

Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

\$669

PN: A7324D



**LOCKABLE
DOORS**

HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf.
Each drawer comes with 2 movable dividers and is acid and oil resistant.
The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and can take up to 7 Dividers.
All is acid and oil resistant.

HD Drawer

External Size: 160W x 410D x 110H mm
Internal size: 140W x 370D x 100H mm



\$20

PN: HD1641

HD Drawer Dividers

Packet of 10



\$20

PN: HD1641DIV

30 Drawer Parts Cabinet

980W x 400D x 1010H mm
(inc handle and caster wheels)



\$1159

PN: NHD530

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
880W x 400D x 1725H mm



Additional freight charges may apply.

\$1799

PN: NHD560

Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm

Drawer size: 160W x 110H x 410D mm

\$575

PN: HD515



18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm

External Size: 160W x 110H x 410D mm

30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm

External size: 160W x 110H x 410D mm



\$699

PN: HD318

Additional freight charges may apply.

\$945


PN: HD530

Multi-Function Bins & Crates

Jumbo Storage Bin

Includes removable two stage folding lid.
Made from impact resistant polypropylene.
Size: 395W x 635D x 335H mm

**TAKES UP TO
30KG!**



**50 LITRE
CAPACITY!**

\$75

PN: HB4068B

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm
Collapsed Height: 50 mm

**SPACE SAVING
COLLAPSIBLE
DESIGN**



\$49

PN: FB5336B

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS




Mini Twin-Beam Headlamp



Brightness: 700 Lm
Intensity: 4000 Cd

\$89
PN: H11

- High-quality anodised aluminium body
- Primary Beam:
LOW (50Lm)
MED (250Lm)
HIGH (500Lm)
Weight: 59g
- Flood Light:
LOW (35Lm)
HIGH (100Lm)
Weight: 59g




Mini Rechargeable Headlamp



Brightness: 500 Lm
Intensity: 160 Cd


\$69
PN: H17

- Anodised aluminium body
 - Angle head vertically up to 180°
 - USB-C Charge Port
- Weight: 42g



2 in 1 Utility Work Lamp

- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand



\$119
PN: WL83

Brightness: 500 / 200 Lm
Intensity: 225 Cd

Primary Beam:
LOW (200Lm)
HIGH (500Lm)
Spot Light:
LOW (200Lm)

Size: 200 x 60 x 30 mm
Weight: 285g

Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
 - Both lamps combined output 1600 Lm
 - Headlamp vertical range of motion 120°
 - Includes li-ion battery
- Weight: 69g




Primary Beam:
LOW (50Lm)
MED (250Lm)
HIGH (500Lm)
MAX (1000Lm)


Flood Light:
LOW (50Lm)
MED (200Lm)
HIGH (400Lm)
MAX (800Lm)

\$129
PN: H35

Brightness: 1600 Lm
Intensity: 4000 Cd



2 in 1 Utility Work Lamp



Integrated Flashlight



HOT PRICE!

\$110
PN: WL85

- Foldout stand with integrated hook
- Primary Beam:
LOW (12 Lm)
MED (160 Lm)
HIGH (450 Lm)

Spot Light:
LOW (60 Lm)
HIGH (280 Lm)
Size: 123 x 55 x 32 mm
Weight: 180 g

TWIST Pen Light



\$99
PN: B73R


HOT PRICE!

- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam:
LOW (60Lm)
HIGH (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g



UV PRO TWIST Light




\$119
PN: B75

- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam:
LOW (100Lm)
MED (500Lm)
HIGH (1000Lm)
UV Light:
HIGH (395nm)

Size: 160 x 28 mm
Weight: 220g



Camo TWIST Light




\$119
PN: B70PLUS

- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g





Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81-83-85



Integrated Battery Indicator

A dedicated built-in LED battery indicator.

Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

Mini Key Chain Flashlight

\$49


PN: N1pro



**Brightness: 1000 Lm
Intensity: 1440 Cd**

Primary Beam:
LOW (120Lm)
MED (400Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Size: 85 x 16 mm
Weight: 34 g

- Up to 24 hour battery life
- Two-way clip mounts to caps or pockets



High Performance Pocket Flashlight

\$99


PN: C1



**Brightness: 1200 Lm
Intensity: 5500 Cd**

Primary Beam:
LOW (25Lm)
MED (70Lm)
HIGH (200Lm)
MAX (1200Lm)
STROBE: (1200Lm)
Size: 65 x 20 mm
Weight: 45g

- Two-way clip mounts to caps or pockets



Mini Focusable Flashlight

\$89

PN: F51



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

**Brightness: 600 Lm
Intensity: 3800 Cd**

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)
Size: 103 x 26 mm
Weight: 80g

Rechargeable Mini Focusable Flashlight

\$59

PN: F72R



- USB-C Concealed Charge Port
- Focusable Beam
- Pen Clip

**Brightness: 450 Lm
Intensity: 4000 Cd**

Spot Light:
LOW (20Lm)
MED (130Lm)
HIGH (450Lm)
STROBE: (450Lm)
Size: 153 x 18.4 mm
Weight: 64g

Long Range Tactical Flashlight

\$179


PN: B200



**Brightness: 1,600 Lm
Intensity: 250,000 Cd**

Primary Beam:
LOW (100Lm)
MED (750Lm)
HIGH (1600Lm)
STROBE: (1000Lm)
Size: 235 x 59 mm
Weight: 550g

**1000m
RANGE!**



Extreme Tactical Flashlight

\$489


PN: B400



- Flood & Spot functions
- Fast Charging Li-ion
- Beam proximity sensor
- USB-A power bank functionality

**Brightness: 16,000 Lm
Intensity: 19,360 Cd**

Primary Beam:
LOW (7Lm)
MED (170Lm)
HIGH (3,450Lm)
MAX (12,300Lm)
EXTREME (16,000Lm)
STROBE: (6,000Lm)
Size: 175 x 82 mm
Weight: 880g



Focusable Flashlight

\$119

PN: F81



- USB-C Charge Port
- Pen Clip
- Strong magnetic base

**Brightness: 1000 Lm
Intensity: 6500 Cd**

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE: (1000Lm)
Size: 170 x 35mm
Weight: 200g


Utility Flashlight



\$65
PN: WL15

**Brightness: 500 Lm
Intensity: 800 Cd**

Primary Beam:
LOW (80Lm)
HIGH (200Lm)
Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)
Size: 164 x 22 mm
Weight: 140g




Utility Flashlight



\$119
PN: WL81

**Brightness: 1000 Lm
Intensity: 6000 Cd**

Primary Beam:
LOW (80Lm)
MED (500Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Flood Light:
LOW (35Lm)
HIGH (250Lm)
Size: 121 x 27 mm
Weight: 110g





MICHAELPRO®

Made in Taiwan.

Hex Key Wrench Sets

Metric Two-Way T-Handle Ball End Hex Key Set

Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

Hardened
CR-V

8-Piece Set

\$89

PN: MP001044



Imperial T-Handle Ball End Hex Key Set

Sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8".

Hardened
CR-V

8-Piece Set

\$89

PN: MP001045



Metric T-Handle Ball End Hex Key Set

Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

Hardened
CR-V

8-Piece Set

\$79

PN: MP001042



Folding Imperial & Metric Hex Key Set


Metric set includes 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm
Imperial set includes 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 17 sizes in total.
Length: 200 mm

Hardened
CR-V

Pack of 2

\$39

PN: MP001007



Metric & Imperial Short Arm Hex Key Set

Metric:
1.5, 2, 2.5, 3, 4, 5, 6, 7, 8 & 10 mm
Imperial:
1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8 inches

Hardened
CR-V

20-Piece Set

\$39

PN: MP001046



Wrenches

Combination Wrenches

- Combination Wrenches with patented super comfortable spiral grip design
- The 12-Point closed end doubles the access angle compared to 6-point
- 0 & 15 degree taper at the open end allows better accessibility

12
POINT

Super Comfortable
Wide Body Grip

15° Angled
Closed End

Tapered
Open End



**HOT
PRICE!**

Metric Combination Wrenches

8 piece set includes
8, 10, 11, 12, 13, 14, 17 & 19 mm

\$99

PN: MP001015

Imperial Combination Wrenches

8 piece set includes 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

\$99

PN: MP001014

11-in-1 Ratchet Wrench with Interchangeable Gear Rings

- Our gear ring spanner replaces the need to carry a full range of wrenches. Simply insert the desired gear ring and start using it!

Includes 90 Tooth Double End Ratchet Wrench, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19 mm gear rings and a durable storage case.

Quick-Release
Button

6
POINT



12-Piece Set

\$99

PN: MP001204

1/4" & 3/8" 2 Way T-Handle Spinner Wrench Set

- Second square drive on handle
- 3 position adjustable spinner grip



2-Piece Set

\$149

PN: MP009015

Auto Adjusting Crowsfoot Wrenches & Adapters

This spring-loaded, self adjusting design tightens it's grip as force is applied, making it ideal for damaged extraction bolts and pipe work.



Auto Adjusting Crowsfoot Wrench

- Constructed from high grade Chrome Vanadium (CR-V) steel



Range: 8 to 32 mm

\$69

PN: MP001206

Set of 3 Auto Adjusting Crowfoot Wrench Adapters

- Multiple square drive attachment point make ideal for confined spaces.

Range: 5-32 mm



\$99

PN: MP001205

Ratchet Wrenches and Adapters

Quick Release Ratchet Set

- 90 teeth ratcheting mechanism allows for ease of movement in today's tight and confined engine compartments.
- Ratchets supplied in foam tray.
- Chrome Vanadium steel
- Meets and exceeds ASME torque performance standards.

Set includes:
1/4", 3/8", and
1/2" drive ratchets.
Ratcheting mechanism:
90 teeth (4° swing)



3-Piece Set

\$89

PN: MP006009

Extendable Flex-Head Ratchet Set

- Push-Button socket release
- 72 tooth ratcheting mechanism (5° swing)
- Extendable handles
- 180° Flex-Head for accessing tight corners or spaces
- Drop-forged and heat treated chrome vanadium (CR-V) for superior durability and lifespan
- Satin Chrome finish
- Ratchets supplied in foam tray

1/4" ratchet length: 140 to 185 mm
3/8" ratchet length: 185 to 245 mm
1/2" ratchet length: 225 to 310 mm
Ratcheting mechanism:
72 teeth (5° swing)
Ratchet head range;
180° (5° detents)



Extendable
Handle

3-Piece Set

\$189

PN: MP001210

Impact Adapter & Reducer Set

- Meet or exceed DIN & ANSI standards.
- Made from Chrome Molybdenum Steel

4-piece set includes:
1/4"(F) to 3/8"(M)
3/8" (F) to 1/4"(M)
3/8"(F) to 1/2"(M)
1/2"(F) to 3/8"(M)



4-Piece Set

\$26

PN: MP005023

Hex Drive Impact Socket Adapter Sets

- Meet or exceed DIN & ANSI standards.
- Made from Chrome Molybdenum Steel

Input: 1/4" Hex
Output: 1/4", 3/8" & 1/2" Sqr



75 mm
Adapter Set

\$25

PN: MP005020

150 mm
Adapter Set

\$29

PN: MP005021

3/8" Drive Flex Head Ratchet Wrench & Socket Set

- 72 tooth ratcheting mechanism (5° swing)
- Standard & deep sockets included to access fasteners in a wider range of areas.
- Can be used as breaker bar by engaging ratchet lockout
- Lockable flex-head
- Quick Release socket button
- Meets ASME torque performance standards.
- Set supplied in foam tray.

Set includes:
1 x 3/8" Drive Flex Head Ratchet
Standard & deep sockets in
8, 10, 12, 13, 14, 15,
17, 19 & 21 mm Sizes



19-Piece Set

\$119

PN: MP001228

6
POINT

Hardened
CR-V

Portable Socket Organizer

Size: 332 x 154 x 25 mm
80 socket organizer holds:
20 x 1/4" Dr per rail
20 x 3/8" Dr per rail
20 x 1/2" Dr per rail
10 x 3/8" Dr &
10 x 1/2" Dr per rail

\$72

PN: MP014006



Sockets not
included.

3 Piece Aluminium Socket Rails

Capacity: 16 x 1/4" clips, 16 x 3/8" clips and
14 x 1/2" clips, 46 sockets total
Size: 395 x 26 mm




Sockets not included.

\$59

PN: MP014001

Extension Breaker Bars

These time and space saving breaker bars featuring a square drive socket in the handle and a centre detented in knuckle. Enabling it to both function as a breaker bar and extension bar.



Square Drive
Socket End

180° Knuckle with
Centre Detent

Manufactured from extremely durable and
corrosion-resistant mirrored chrome vanadium steel.

3/8" Drive x 300 mm Extension Breaker Bar

\$29

PN: MP007001

1/2" Drive x 450 mm Extension Breaker Bar

\$39

PN: MP007003

Set of 3 Extension Breaker Bars

\$129

PN: MP007004

Set includes:
1/4" drive 150 mm long breaker bar
3/8" drive 300 mm long breaker bar
1/2" drive 450 mm long breaker bar



MICHAELPRO®

Made in Taiwan.

Pick & Pry Tools and Screwdrivers

Precision Two-Way Ratcheting Screwdriver Set

Set Includes 30-Tooth Full Aluminium Ratcheting Screwdriver, H4 mm x 50 mm L Bits in
Phillips: #000 / #00 / #0 / #1 / #2 / #3
Torx: T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25
Slotted: 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 6mm
Hex: H1.5 / H2.0 / H2.5
Square: S1/S2



31-Piece Set
\$69
PN: MP002026

Slotted & Phillips Screwdriver Set

- Made from industrial grade Chrome Vanadium Steel Alloy (Cr-V) for superior durability and rust resistance.
- PP+TPV Rubber Soft Grip Handle provides users with greater comfort and torque application.
- Permanent magnetic tips enable placement of fasteners in confined areas.

8-Piece Set Includes:


6.5 mm slot / 38 mm shank	#2 Phillips / 38 mm shank
5 mm slot / 75 mm shank	#1 Phillips / 75 mm shank
6 mm slot / 100 mm shank	#2 Phillips / 100 mm shank
8 mm slot / 150 mm shank	#3 Phillips / 150 mm shank



8-Piece Set
\$69
PN: MP002008

Precision Screwdriver Set

- Made from industrial grade Chrome Vanadium Steel Alloy (Cr-V) for superior durability and rust resistance.
- Permanent magnetic tips enable placement of fasteners in confined areas.
- Soft PP+TPV Rubber Grip provides users with greater comfort and torque application.



Phillips Sizes: 00, 0 & 1
Slotted Sizes:
1.6, 2, 2.4 & 3.15 mm
Shank: 60 mm

7-Piece Set
\$59
PN: MP002007

Torx Screwdriver Set

- Permanent and strong magnetic tips to firmly hold screws.
- PP+TPV Rubber Soft Grip Handle provides users with greater comfort and torque application.
- Patented SVCN Satin Chrome Plated Steel.
- Meets and even exceeds ANSI standards for performance and quality.



Set Includes: T10, T15, T20, T25, T27, T30, T40
Shank: 100 mm

7-Piece Set
\$65
PN: MP002010

Precision Hook & Pick Set

Includes full hook, right angled hook, angled hook and straight pick.



4-Piece Set
\$29
PN: MP002006

19-in-1 Multi Bit Ratchet Screwdriver

Includes an assortment of 16 tips:
1/4" Hex x 75 mm double end bits:
3 mm Slotted & Phillips #0
5 mm Slotted & Phillips #1
6.5 mm Slotted & Phillips #2
1/8" Hex & Hex 3/16"
T15 Torx & T20 Torx
Pozi #1 & Pozi #2
Square #1 & Square #2
5/16" Hex x 75 mm double end bits:
Phillips #3 & Slotted
Nut Drivers:
2 x Nut Drivers on tube 1/4" x 5/16"
1 x Nut Driver on ratchet 7/16"



25 TOOTH RATCHET
\$39
PN: MP002001

7-in-1 Ratcheting Nut & Screwdriver Driver

Includes 25-Tooth Ratchet Screwdriver with storage for two double ended bits: Phillips #1 / 5 mm slot & Phillips #2 / 6 mm slot. It also features a Stainless Steel Collar with 1/4 & 5/16 Hex tips with magnetised bit tips to hold screws.



25 TOOTH RATCHET

\$35
PN: MP002025

Roll Head Pry Bar Set

- Heavy duty forged steel alloy
- Supplied in foam tray
- Black oxide finish



4-Piece pry bar set includes 150, 300, 405 & 510 mm sizes

4-Piece Set
\$139
PN: MP009105

Magnetic Parts Trays

- Specially designed swiveling rim keeps non-magnetic parts from falling out when hung vertically.

Set includes 150 mm circular magnetic tray & 240 x 150 mm magnetic tray

Weight capacity:
2 Kg (magnetic)



2-Piece Set

\$75

PN: MP009014

16L No-Spills Oil Drain Pan

- Specially designed to easily drain and dispose of waste oil with it's specially designed anti-splash spout.
- Made from durable high density polyethylene.

\$39

PN: MP009063

Size: 580L x 480W x 150H mm
Capacity: 16L



Fabricating Tools

Curved Jaw Locking Pliers

Jaw grip range: 25 mm
Length: 250 mm



\$28

PN: MP003002

Locking Sheet Metal Clamp Pliers

Jaw grip range: 25 mm
Jaw face: 80 x 40 mm
Length: 200 mm



\$37

PN: MP003064

Locking C-Clamp

- Swivel Pads

Jaw Face: 30 x 30 mm
Internal Jaw Size:
90W x 70L mm
Length: 290 mm



\$46

PN: MP003063

Straight Jaw Locking Pliers

Jaw grip range: 25 mm
Length: 250 mm



\$28

PN: MP003062

Set of 6 Pliers

- Forged Steel

6 piece set includes
Large & Small Slip Joint Pliers,
Diagonal Cutting Pliers,
Long Nose Pliers,
Lineman's Pliers,
Groove Joint Pliers



\$148

PN: MP003059

Ball Peen Hammers

- Fibreglass handle with soft anti-slip vibration absorbing TPR grip
- Drop-forged steel head with sand-blasted finish



16 Oz / 325 mm

\$39

PN: MP004007

24 Oz / 380 mm

\$49

PN: MP004008

22 oz / 30 cm Soft Hammer

- Shock & Spark Resistant Head
- Non-marring, Double ended Soft Mallet



\$49

PN: MP004026

16 oz Claw Hammer

- Fibreglass handle with soft anti-slip vibration absorbing TPR grip
- Drop-forged steel head with sand-blasted finish



\$39

PN: MP004005

Stainless Multi-Purpose Shears

- Serrated blades to ensure precise and clean cuts
- Lower blade has an anti-slip wire cutting notch
- Manufactured from high grade Japanese stainless steel
- Ergonomically designed for both left & right handed users



HIGH-GRADE
JAPANESE
STAINLESS STEEL

\$35

PN: MP010027

Stainless Workshop Scissors

- Serrated blades to ensure precise and clean cuts
- Design integrates wire stripper and terminal crimper
- Manufactured from high grade Japanese stainless steel



HIGH-GRADE
JAPANESE
STAINLESS STEEL

\$45

PN: MP010025

Wire Striping Capacity: 16-12 AWG
Wire Cutting Capacity 3.5 mm (Aluminium & Copper)
Notch Blade Size: 8.5mm (0 AWG)

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.



INCLUDES NUTSERTS!

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a range of M3 to M6 nutserts



\$139

PN: GHTJ703A

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms



\$259

PN: GHTH3

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts

Riveting Tools

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$59

PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$119

PN: GHTTC20

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$41

PN: GXHK9M

\$50

PN: GXHK13

\$52

PN: GXTX13

\$52

PN: GXTP13

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable for mass production

POWERED FORWARD + REVERSE

M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)
Weight: 1.3 kg

\$789

PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)
Weight: 1.3 kg

\$799

PN: GP200B



Steel & Aluminium Nutserts

4 MM Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$35	M4 Steel PN: NM4PNS	\$19
M5 Aluminium PN: NM5RNA	\$39	M5 Steel PN: NM5PNS	\$25
M6 Aluminium PN: NM6RNA	\$46	M6 Steel PN: NM6PNS	\$29
M8 Aluminium PN: NM8RNA	\$49	M8 Steel PN: NM8PNS	\$32
M10 Aluminium PN: NM10RNA	\$59	M10 Steel PN: NM10PNS	\$39
		M12 Steel PN: NM12PNS	\$65

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 kg



HOT PRICE!

\$1189

PN: KP4258

Gasket Punch Set

14 Piece set includes:

1/4", 5/16", 3/8", 7/16", 1/2", 5/8",
3/4", 7/8", 1", 1 1/8", 1-1/4",
1-3/8" & 1-1/2"

\$110

PN: GGPS



Hook & Pick Set

Includes Straight,
Right-Angle,
Curved &
Hooked Picks.

\$36

PN: GXHP4



Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.

Main Beam: 115 mm
Arm Reach: 75 mm
Lens Dia.: 60 mm

\$33

PN: GHMM



Precision Screwdriver Set

65 piece set includes:

4 mm & 1/4" Driver Handles &
Extension Bars

Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm

Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm

Pozidriv: #0 to #3

Phillips: 000 to 3

Square: 0 to 3 mm

Sockets: 5 to 13 mm

Torx®: T5, T6, T7, T8, T9, T10,
T15, T20, T25, T30 & T40

**65
PIECE
SET**

\$39

PN: GXBS1465



Magnetic Clean-Up Tools

Magnetic Reach Extender

Head size: 96 mm
Length: 960 mm
Capacity: 4.5 Kg

\$115

PN: MRE001



Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length:
720-1035 mm
Head width: 377mm

\$155

PN: MB001



Socket Sets

1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench,
Driver Handle, 50 mm Extension,
Tee Bar & Universal Joint.

Standard Socket sizes:

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
13, & 14 mm

Hex Bits: 3, 4, 5 & 6 mm

Phillips Bits: #1, #2, & #3

Pozidriv Bits: #1, #2 & #3

Slotted Bits: 3, 4 & 6 mm

Torx® Bits: T8, T9, T10 T15, T20,
T25, T27, T30, & T40

**40
PIECE
SET**



**HOT
PRICE!**

\$89

PN: GXSS1440

3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench,
75 & 150 mm Extension Bars and
Universal Joint.

Standard Socket sizes:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21 & 22 mm

Deep Socket sizes:

10, 11, 12, 13, 14, 15, 17 & 19 mm

Spark Plug Socket: 16 & 21 mm

**29
PIECE
SET**



**HOT
PRICE!**

\$99

PN: GXSS3829

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 mm
Working Range: 0-135 mm

Large Bearing Separator

Jaw Range: 50-75 mm
Working Range: 0-180 mm

Includes Centre Adapter.

**S45C Drop Forged hardened
Main Beam and
Bearing Separators.**

\$249

PN: GBTK

**HOT
PRICE!**



Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened
Bearing Separator.

Working Range: 0-370 mm
Jaw Range: 75-105 mm

Gear Puller

Working Range: 25-185 mm

Set includes: Twin &
Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 mm, 150 mm, & 100 mm arms
85 mm, 35 mm, Spacers,
25 mm Centre Adapter

\$589

PN: GHPK



Air-Hydraulic Riveters

3/16" Industrial Rivet Gun



Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power:
1980 lbs
Weight: 1.45 Kg

\$299
PN: GP6302

9/32" Industrial Rivet Gun



**SUITABLE
FOR STAINLESS
RIVETS!**

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity:
3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg

\$799
PN: GP6304

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$59
PN: GPA1565

Impact Wrenches

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Weight: 2.0 Kg



\$299
PN: GP260T

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Weight: 3.48 Kg



\$699
PN: GP3125

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$110
PN: GPA034

Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg



\$189
PN: GP41013

1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg



\$269
PN: GP4204

3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg



\$299
PN: GP4209

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$99
PN: GP2202

1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed:
21,000 RPM
Weight: 0.833 Kg



\$129
PN: GP2202R

1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$199
PN: GP2203R

Tyre Inflators

0-60psi Tyre Pressure Gauge

Range: 0-60 psi.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$42
PN: GPATPG60

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, kPa



\$149
PN: GPA6200

Digital Tyre Inflator

Range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa

\$159
PN: GP1558-4



3" In-Line Cut Off Grinder

- Includes 3" cut off disc.
- Adjustable guard
- Spindle lock
- Rubber grip
- Rear exhaust



Disc Size: 3" (75 mm)
Free Speed: 18,000 RPM
Weight: 0.8 Kg

\$239
PN: GP3203

75 MM Cut Off Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed:
25,000 RPM



Packs of 5
\$29
PN: CO007K

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$269
PN: GP9301

Quality Bi-metal Blades



18 TPI PN: PT301A18
24 TPI PN: PT301A24
32 TPI PN: PT301A32

Packs of 5
\$30 ea

Economical Gravity Feed Spray Guns

- Stainless steel nozzle & needle
- Brass cap
- Great atomisation
- High transfer rate

Working Pressure: 15-43 PSI
Pattern Width: 270 mm
Fluid Output:
200-220 mL/min
Capacity: 600 cc
Weight: 600 g



\$89 ea

1.4 mm PN: SG898-14
1.8 mm PN: SG898-18
2.2 mm PN: SG898-22



- Individual nozzle kits also available

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed:
11,000 RPM
Weight: 1.95 Kg

\$359
PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed:
11,000 RPM
Weight: 1.95 Kg

\$399
PN: GP31003

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 MM

\$289
PN: GP1264A



20 MM Belt Sander

Belt Size: 20 x 520 MM

\$459
PN: GP1265A

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels,
Spare disc hub & carry case.



\$735
PN: GP2001A

Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$49 ea

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 MM needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Length: 420 mm
Weight: 2.8 Kg



\$399
PN: GP201

7" Sander



\$369
PN: GP1206A

Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC

Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

7" Polisher



\$369
PN: GP1206P

Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC

Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

Sandblasters

Sand Blasting Kit

Includes 3 extra nozzles,
hose and tube.
Siphon feed
Weight: 0.9 Kg



\$69
PN: GP909

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc

\$79
PN: GPASB100



Economical Random Orbit Sanders

6" / 150 MM Random Orbit Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 830 g

\$110

PN: GP6151-6

6" / 150 MM Random Orbit Dust Free Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 930 g

\$129

PN: GP6151-6-S



Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

\$20 ea

Standard PN: E6505

Dust Free PN: E6565



Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg

\$329

PN: GP110




1/8" Micro Die Grinder Kit

Free Speed : 55,000 RPM
Hose length: 1.5m

\$249

PN: GP2204K



**INCLUDES
10 GRINDING
STONES**

Blowguns

4" Rubber Tipped Blowgun

\$20

PN: GP1562



- Integrated metal inlet thread
- Rubber Tip


Length: 110 mm
Material: POM/Steel

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring



Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$69

PN: GPB90K

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High
Flow Nozzle, Heavy
Duty High Flow Nozzle &
Standard Nozzle.

\$69

PN: GHF60AS



**ALL
METAL
BODY!**

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 1/4" Nitto fitting
Nozzle size: 4.5 x 70 mm



\$29

PN: GPA9025

**ALL
METAL
BODY!**

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



**ALL
METAL
BODY!**

\$79

PN: GP1561

Filter Cleaning Nozzle

Suitable for cleaning
cylindrical filters or
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm



\$29

PN: GP1561FN

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun,
Vacuum Hose, brush,
extended small &
flat nozzles, Extendable
Hose (30 to 80cm) &
Dust Bag



\$129

PN: GPA0310KB

Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
Free Speed: 3,000 BPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg



\$139
PN: GP102KD

Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$19
PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$39
PN: GPA2311

38 MM Flattening Hammer



\$59
PN: HAC-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles
Needle size: 3 x 180 mm

\$110
PN: GP60012

7" Chisel Set

- 5 piece set includes 20 MM Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



\$59
PN: GPA57

KUANI PNEUMATIC TOOLS

Gear up your world™

Compact Needle Scaler

\$299
PN: KP4714



Impact Rate: 3,700 BPM
Overall Length: 290 mm
12 Needles Ø3 x 125 mm

Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm

\$449
PN: KP4722P

Heavy Duty Air Scaling Hammer

Impact Rate: 2,400 BPM
Stroke: 26 mm
Length: 550 mm
Weight: 4.45 Kg



- Replaceable carbide tips

\$969
PN: KP4733

Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust



Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg

\$969
PN: KP4735S3H

Includes
2
Chisels

4" Heavy Duty Extended Cut Off Tool

- 90° adjustable swivel guard with detented quick release & spindle lock
- Extended reach & ultra compact 39 mm head



\$489
PN: KP4413

Through Ratchet Wrench

- Included socket sizes: 8, 10, 12, 13, & 14 mm
5/16, 3/8, 7/16, 1/2 and 9/16"
1/4" & 3/8" anvils



Includes
10
Sockets

Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

HOT PRICE!

\$289
PN: KP2219

Pittsburgh Air Hammer



- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
Stroke: 50 mm
Weight: 2.20 Kg

\$299
PN: KP4711PH

1" Super Duty Impact Wrench



Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1439
PN: KP1838A-P

1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"

Length: 325 mm
Weight: 5.8 Kg



\$1339
PN: KP1835

1" HD Impact Wrench

- 4 power settings with forward & reverse selector
- Rubber body protection
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg



1.5" Variant
PN: KP1050 \$2999

\$2679
PN: KP1045

2,500 Ft/lbs

SG420 Gravity Feed Air Brush



\$149
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$285 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$299 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$289 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$325
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

1.2 MM Nozzle

\$215
PN: K357M08

\$245
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

2 Litre Pressure Feed Tank

Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 Kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$529 ea

10 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

10 Litre Pressure Feed Tank

Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 Kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$685 ea

20 Litre Pressure Feed Spray Tank Systems

Features:

- 10 meter hose
- Stainless Steel Liner
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 Kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1199 ea

1/2" Twin Hammer Impact Wrench

- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg



\$369

PN: BIT260M1

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight : 0.55Kg



\$189

PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 Kg



\$229

PN: BG230RA1

1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 Kg



\$199

PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 kg



\$199

PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Output : 0.45 hp
Weight: 0.8 Kg



\$199

PN: BG222RA1

2" Grinder Disc
Thickness: 4 mm
Max Speed: 23,500 RPM



\$13

PN: 3510232

6" Random Orbital Sander

Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg



\$289

PN: BOS156A2

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg



\$299

PN: BOS156SA2

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 kg



Standard

\$579

PN: BOS258GR-D1

Dust Free

\$589

PN: BOS258GRC-D1

1/2" Reversible Keyless Drill

Free speed: 800 RPM
Weight: 1.95 Kg



HOT PRICE!

\$279

PN: BDR208KLA1

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

\$289

PN: BHA67A1



3" Cut Off Tool



Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 kg

Cutting Disc not included.

\$149

PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



Pack of 5

\$29

PN: CO007K

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

\$19

PN: GPA1523K



75 MM Quick-Lock Backing Pad

\$24

PN: GPA1524K



HOT PRICES!

Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

Fine Blue PN: GPA1527X10

Maroon Medium PN: GPA1528X10

Brown Coarse PN: GPA1526X10

75 MM Abrasive Pads

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1529X10

\$32 ea

\$49 ea

Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

60 Grit PN: AB22012S60CP

80 Grit PN: AB22012S80CP

120 Grit PN: AB22012S120CP

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22013S36CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22013S120CP

\$27 ea

\$32 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

60 Grit PN: AB22012F60CP

80 Grit PN: AB22012F80CP

120 Grit PN: AB22012F120CP

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22013F40CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22013F120CP

\$19 ea

\$29 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.

\$39

PN: GPK2



3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.

\$49

PN: GPK3



Abrasive & Sanding Pads made in USA.

Ceramic Sanding Belts

Pack of 10 Belts.



10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$27 ea



20 MM Sanding Belts

Size: 20 mm x 520 mm


40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$35 ea



30 MM Sanding Belts

Size: 30 mm x 540 mm

40 Grit PN: AB2830-40CP

60 Grit PN: AB2830-60CP

80 Grit PN: AB2830-80CP

\$56 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$53

PN: TS12



\$39

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$39

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$49

PN: GPA75

Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad



\$14

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



\$24

PN: 119-102

8 Piece Flap Wheel Kit

Kit includes:

25 x 12 mm, 120 Grit, x 1
25 x 25 mm, 40 Grit, x 1
25 x 25 mm, 80 Grit, x 1
40 x 25 mm, 60 Grit, x 1
40 x 25 mm, 80 Grit, x 1
50 x 25 mm, 80 Grit, x 1
50 x 25 mm, 60 Grit, x 2



HOT PRICE!

\$49

PN: GFWK

150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

Velcro Backing Pad



\$49

PN: F6505

Dust Free Velcro Backing Pad



\$49

PN: F6565

125 MM Turbo Backing Pad

• Lock Nut included

Pad Thickness: 18 MM
Max Speed: 10,000 RPM
Thread Size: M14 x 2 Int.

\$39

PN: GTP162214



Clean & Strip Discs

• Removals of paint & light rust
• Will not damage the original surface



HOT PRICE!

Packs of 2

10 x 50 MM

\$15

PN: ABCH902P

10 x 75 MM

\$25

PN: ABCH903P

Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm



\$20 ea

Standard PN: E6505

Dust Free PN: E6565

Cut off Discs



50 MM Discs

Disc Size: 50 x 1 mm
Bore: 1/4"
Max Speed: 30,000 RPM

Packs of 10

\$39

PN: ABPCWHEELS



75 MM Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed: 25,000 RPM

Packs of 5

\$29

PN: CO007K

Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

\$159

PN: GLED2CIL



SUPER BRIGHT 880 LUMENS!

flexipads®

WHAT QUALITY FEELS LIKE™

180 MM Nylon Backing Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM



\$39

PN: FP20305

Heavy Duty 5" TURBO Grinding Pads

Ultra Tough & Rigid Pads ideal for grinding!



Thread Size: M14 x 2 Int.
Pad Thickness: 18 MM
Max Speed: 12,250 RPM

\$32

PN: FP11723

Nylon Backing Pads

100 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$29

PN: FP20020

125 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$29

PN: FP20210

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$89

PN: FP17099



Suits Festool & Makita Sanders!

Sheep Skin Polishing Bonnets



100% Merino Sheep Skin Wool!

Disc Size: 5" (125 MM)
Max. speed: 2,500 RPM
Thickness: 32 MM

\$39

PN: FP40005

In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$39

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$30

PN: GPA1025

Swivel Connectors

Male thread to
Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$20 ea



In-line Regulators

1/4" Air Flow Regulator

\$22

PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$22

PN: GPA1011



Air Line Quick Coupler Manifolds

2 Way Cluster Quick Coupler



\$39

PN: GPA1513

3 Way Cluster Quick Coupler



\$49

PN: GPA1514

2 Way In-line Quick Coupler



\$39

PN: GPA1515

3 Way In-line Quick Coupler



\$49

PN: GPA1516

4 Way In-line Quick Coupler



\$49

PN: GPA1517

20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

\$299

PN: GPHR1220



20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Hose OD: 10 mm
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

\$299

PN: GPHR1020



Bare In-line Manifolds

2 Way In-line Bare Manifold

\$20

PN: GPATA2

3 Way In-line Bare Manifold

\$21

PN: GPATA3

4 Way In-line Bare Manifold

\$23

PN: GPATA4



One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$32

12mm Kit
PN: AHPACK12

\$41



Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll
\$59

PN: AH1020

30m Roll
\$99

PN: AH1030

100m Roll
\$279

PN: AH10100

12 MM Bare Air Hoses

20m Roll
\$99

PN: AH1220

30m Roll
\$139

PN: AH1230

100m Roll
\$419

PN: AH12100

Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool
Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

\$13

PN: SI250

1 Litre

\$27

PN: SI1000

5 Litre

\$98

PN: SI5000

One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre
PN: GPH1003LBHL **\$57**

5 Metre
PN: GPH1006LBHL **\$72**

6 Metre
PN: GPH1008LBHL **\$78**

8 Metre
PN: GPH1010LBHL **\$95**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre
PN: GPH1206LBHL **\$78**

6 Metre
PN: GPH1208LBHL **\$94**

8 Metre
PN: GPH1210LBHL **\$97**

10 Metre
PN: GPH1212LBHL **\$110**

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre
PN: AH1010F **\$52**

20 Metre
PN: AH1020F **\$83**

30 Metre
PN: AH1030F **\$109**

12 MM Fitted Air Hoses

12 mm ID

20 Metre
PN: AH1220F **\$119**

30 Metre
PN: AH1230F **\$159**



Made in Australia

Impact Socket Sets

HOT PRICES!

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" Drive Impact Socket Sets

8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13,
15, 17 & 19 mm

8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8",
7/16", 1/2", 9/16", 5/8",
11/16" & 3/4"



was \$62 **Now! \$49 ea**

1/2" Drive Impact Socket Sets

13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15,
17, 18, 19, 21, 22, 24,
27 & 30 mm

13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16,
1, 1-1/16, 1-1/8 & 1-1/4"



was \$169 **Now! \$99 ea**

3/4" Drive Impact Socket Sets

8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32,
35, 36 & 38 mm

8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8,
1-1/4, 1-5/16, 1-3/8,
1-7/16 & 1-1/2"



was \$229 **Now! \$189 ea**

Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Metric Hex Bit Set
PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12,
H14, H17 & H19 mm

1/2" 8 Piece Imperial Hex Bit Set
PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16",
1/2", 9/16", 5/8" & 3/4"



was \$99 **Now! \$79 ea**

1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40,
T45, T50, T55 & T60 bits

\$99
PN: GX12TX8



Impact Universal Joints

Molybdenum
Steel CR-MO.



3/8" Drive
Universal Joint

\$28
PN: GX38U

1/2" Drive
Universal Joint

\$29
PN: GX12U

3/4" Drive
Universal Joint

\$57
PN: GX34U

5 Piece Square Drive Adapter Sets



\$29
PN: GXEAS

Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

Wobble Impacting Bar Sets



Chrome Molybdenum Steel CR-MO.

1/4" Set of 4 Wobble
Extension Bars

Kit includes:
3", 6", 10" & 12" bars

\$59
PN: GXWEBS14

1/2" Set of 4 Wobble
Extension Bars

Kit includes:
3", 5", 10" & 18" bars

\$99
PN: GXWEBS12



Commercial Sweepers

Haaga 375 Commercial Sweeper

Performance: 2,900 m2/h
Cleaning Width: 750 mm
Capacity: 50 Liters
Weight: 11.1 Kg

\$1175
PN: HG375



Haaga 477 Commercial Sweeper

• Stores vertically
in most closets
(1550H x 780W x 300 MM)
Performance: 3,000 m2/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 Kg

**FITS IN
MOST
CLOSETS**

\$1559
PN: HG477



Haaga 497 Commercial Sweeper

Performance: 3,600 m2/hr
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 Kg

\$1919
PN: HG497



1 Year Commercial Warranty

2 Year Domestic Warranty

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$33

PN: COMPOIL1

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 µm



\$89

PN: THBFR212

1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 µm



SUPER COMPACT!
140W x 135H mm

\$89

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$75 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A



AUTO-DRAIN FUNCTION

\$319 ea

Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$139 ea

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$52

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$62

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$179

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$179

PN: THBR908

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$69

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$99

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804



\$79 ea

Filter / Regulator / Dryers

- Includes desiccant

Max Press.: 250 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Filter Element: 5µ-0.01µ

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR-FLM864



IDEAL FOR SPRAY PAINTING!

\$269 ea

Replacement dryer desiccant pack of 2 PN: THBDES \$20

The Ezi~shear range delivers outstanding service life and economical operation through the utilization of replaceable blades and standard bolts and bearings.

Max. Speed: 2400 RPM
Cutting Capacity:
Stainless Steel: 1.2 mm
Mild Steel: 1.6 mm
Aluminium: 2.2 mm



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Milwaukee™**

Milwaukee M18™ 14 Gauge Double Cut Shears (2636-20)
Milwaukee M18™ 18 Gauge Single Cut Shears (2637-20)
Milwaukee M18™ Double Cut Shears (2635-20)

\$259
PN: EZISMIL



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Makita™**

Makita™ 18V Offset Shear (DJS131Z)
Makita™ 18V D-Handle Offset Shear (DJS132Z)

NEW!

\$259
PN: EZISMAK



Shaft-Drive Ezi-Shear

Shaft-Drive Ezi-Shear Drill Head:

Fits drills with Metal gearbox with a 43 mm diameter (European standard) neck and at least 15 mm shank

3/8" Drive PN: EZIS038

1/2" Drive PN: EZIS012

\$259 ea



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Dewalt™**

Dewalt XR™ Metal Shears (DCS491N)

\$259
PN: EZISDEW



Hex-Drive Ezi-Shear

Hex-Drive Ezi-Shear to suit **FESTOOL™**

FESTOOL DR 18™ QuaDrill Electric Drill 705W (768936)
FESTOOL DRC 18™ Drill (500782)
FESTOOL DRC 18™ Drill 18V (500752)
FESTOOL PDC 18™ Hammer Drill (500781)
FESTOOL DRC 18™ Drill 5.2Ah (201557)
Metabo Hammer Drill (SB18LTX BL)

\$319
PN: EZIS014H



3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$269
PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection

• Low Recoil Technology
Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$859
PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$699
PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$739
PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1279
PN: FP51631CVK

HARLINGEN®

Tap & Reamer Wrenches

Adjustable Tap & Reamer Wrenches

M1-M12 / 250 mm **\$19**
PN: H-11-102-003
M5-M20 / 380 mm **\$39**
PN: H-11-102-005
M13-M32 / 700 mm **\$109**
PN: H-11-102-007

Extended T-Handle Tap Wrenches

M3-M10 / 250 mm **\$39**
PN: H-11-104-005
M5-M13 / 235 mm **\$39**
PN: H-11-104-006

Spiral Flute Step Drills

TiN Coated HSS Spiral Flute Step Drills

4-12 mm Range
Steps: 1 mm **\$21**
PN: H-11-001B-T01
4-20 mm Range
Steps: 2 mm **\$29**
PN: H-11-001B-T02
4-32 mm Range
Steps: 2 mm **\$79**
PN: H-11-001B-T06

Spiral Flute HSS-Cobalt Step Drill Set of 3

Set includes: 4-12, 4-20, 4-30 mm
Steps: 2 mm

NEW!

\$169
PN: H-11-001B-S03

VERTEX® Drill Tooling



Keyed Drill Chuck

Suitable for milling machines, lathes, drilling machines and woodworking machines.

Capacity: **\$79** Capacity: **\$99**
1-13 mm 1-16 mm
Mount: JT6 PN: CH13JT6 Mount: JT6 PN: CH16JT6



Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use.

Keyless 13 mm / JT6 Drill Chuck **\$199**
Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)
PN: VKD102

Keyless 3-16 mm Drill Chuck **\$209**
Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)
PN: VKD104

Drill Chuck Arbors

Other sizes available.
MT2 x JT6 Arbor **\$29**
PN: DCAMT2J6
MT3 x JT6 Arbor **\$29**
PN: DCAMT3J6
MT4 x JT6 Arbor **\$49**
PN: DCAMT4J6

Drift Slide Hammer

• Made from carbon steel

Length: 375 mm
Weight: 1.3 kg
HRC: 44-48°
\$99
PN: VHD1

NICRON®

USB Rechargeable Utility Work Lamp

\$89
PN: WL86

Brightness: 1000 Lm
Intensity: 4000 Cd

- USB-A power bank functionality
- USB-C Charge Port
- Magnetic 360° swivel base with interlocking lamp hangers
- Battery State Indicator
- 1/4 UNC tripod mount

Full range on page 16.

Primary Beam:

LOW (20Lm)
MED (500Lm)
HIGH (750Lm)
MAX (1000Lm)

Weight: 333g

Ingress Rating	Battery Indicator	Charge Port	Magnetic Base	Tripod Mount
IPX4	10% 100%	USB TYPE C		1/4"-20 UNC

morrisflex

NG6 Burr Sets

3/8" Head
NG6 Coated
Burr Set

\$249
PN: CBSET3NG6C

1/2" Head
NG6 Coated
Burr Set

\$379
PN: CBSET35NG6C

1/4" & 3/8" Head
NG6 Coated
Burr Set

\$419
PN: CBSET8NG6C

NG6 NEXT GENERATION
ACCELERATOR

Full range on page 12.

THE BONE™ CREEPERS & STOOLS

MADE
in the
USA

THE BONESTER SUPER LOW PROFILE

1092L x 594W x 114H mm
Wheels: Ø75 mm x 22 mm
38 mm Ground Clearance
Weight: 6 Kg

**180 KG
CAPACITY**

\$479

PN: BONE4031

Gamer

Not all products in this brochure are available from all outlets. Prices may vary in some country areas due to freight costs. All products in this brochure were available at time of printing. M. Gamer Pty. Ltd. will do everything possible within reason to maintain stocks of products. M. Gamer Pty Ltd reserves the right to change prices without notice. All prices quoted include GST.