

SHINANO

QUALITY JAPANESE TOOLS

November 2025 - February 2026 Prices include GST.

1/2" IMPACT WRENCHES

1/2" Compact Impact Wrench

- 3 Position forward torque selector dial beneath trigger
- Full-time maximum torque in reverse
- Forward/Reverse toggle switch
- Responsive 8 vane motor
- Feather touch trigger

112 MM HEAD LENGTH
(Including Anvil)

Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg

\$369

PN: SI1455SR



1/2" Impact Wrench Kit

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 MM
- Twin Hammer

1/2" Impact Wrench

- Responsive 8 vane motor
- Forward/Reverse selector
- 4 position speed selector
- Feather touch trigger
- Twin Hammer

\$399

PN: SI1490B



Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg



While Stocks Last!

Max Torque: 369 Ft/lbs
Free Speed: 6,000 RPM
Weight: 2.55 Kg

\$399

PN: SI1420TK

3/4" Impact Wrench

- Forward/Reverse selector
 - 4 position speed selector
 - Twin Hammer
- Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

\$899

PN: SI1550

1" Impact Wrench

- Forward/Reverse selector
 - 4 position speed selector
 - Twin Hammer
- Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

\$1,259

PN: SI1555SR

Full-Time Max. Torque in Reverse!
(SI1555SR Only)



ANGLE HEAD SANDERS

7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$519

PN: SI2351



5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

\$519

PN: SI2026S



SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.

Compact Beveler

- Easy to use precision adjustable beveler
- Features direct tip air cooling: Reducing heat soak by up to 50%, resulting in extended insert service life
- Rotate inserts to reuse up to 3 times

Size: 113 x 95 MM
Free Speed: 23,000 RPM
Bevel Range: 0.1 - 2.0 MM
Weight: 380 G
Av Air Cons.: 1.2 CFM

See it in Action!



\$589

PN: SI-4000

Weld Bead Cutter



Free Speed: 10,000 RPM
Bead Capacity: 10 MM wide x 6 MM high
Weight: 4.43 Kg

\$2499

PN: SI-4080L

- Achieves a uniform finish regardless of the operator's skill level
- Removes beads with less force and vibration compared to most grinders
- Produces no grinding dust, thereby reducing health risks
- Height adjustable router head with three cutting tips for high stock removal
- Flip & rotate inserts to reuse up to 8 times



See it in Action!



Edge Profilers

- Quickly & easily machine consistent radiused or Chamfered edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.

Profile Chamfer or Radius: 3 MM
Fitted with 3 x radiused inserts
Min. Corner Radius: 17 MM

Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts

\$1445

PN: SI-4011L

See it in Action!



Replacement chamfered and radiused inserts also available.

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts

\$1495

PN: SI-4010L

CUTTING TOOLS

3" Cut Off Grinder

Length: 196 mm
Free Speed: 20,000 RPM
Weight: 1.00 kg

\$269
PN: SI2033

3" Cut Off Discs Pack of 5

Stroke Length: 10 mm
Free Speed: 10,000 RPM
Length: 259 mm
Weight: 0.58 kg

10 MM Stroke

\$399
SI4700B

Quality Bi-metal Blades
• Sold in Pack of 5

18 TPI PN: PT301A18
24 TPI PN: PT301A24
32 TPI PN: PT301A32

\$30 EA

Air Nibbler

\$485
PN: SI4600

Free Speed: 2,600 SPM
Length: 175 mm
Weight: 1.00 kg

Multifunction Mini Saw & File

Stroke Length: 5 mm
Free Speed: 10,500 RPM
Length: 148 mm
Weight: 0.52 kg

5 MM Stroke

\$485
PN: SI4740

Uses Files & Saw Blades!

105 mm Files to suit SI4740
• 5 mm shank

Triangular PN: 506P-56T
Round PN: 506P-56R
Flat PN: 506P-56S

\$32 EA

NEEDLE SCALERS

Straight Grip Needle Scaler

Stroke: 4.5 mm
Impact Rate: 3,500 BPM
Length: 333 mm
Weight: 2.06 kg

\$649
PN: SI4150EX

Pistol Grip Needle Scaler

Stroke: 4.5 mm
Impact Rate: 3,300 BPM
Length: 355 mm
Weight: 2.19 kg

\$699
PN: SI4160

Quick Change Sanding & Stripping Kits

Kits include:
2" Disc Sander
Free Speed:
17,000 RPM
Weight: 0.49 kg
(PN: SI2201)

Ceramic Sanding Abrasives

Quick Change Sanding & Abrasive Kit

\$399
PN: SI2201KIT1

54 piece kit includes
1 x 2" Disc Sander (PN: SI2201)
1 x 50 & 75 mm Quick-Lock Backing Pads (2 total)

5 x Fine (Blue) & Coarse (Brown)
50 mm Abrasive Disc (10 total)

5 x 36, 60, 80, 120 Grit Quick-Lock
50 mm Ceramic Sanding Disc (20 total)

2 x 60 & 80 Grit Quick-Lock
50 mm Ceramic Mini Flap Disc (4 total)

2 x Coarse (Brown) & Fine (Blue)
75 mm Abrasive Disc (4 total)

5 x 36 & 80 Quick-Lock
75 mm Ceramic Sanding Disc (10 total)

2 x 40, 80 Quick-Lock
75 mm Ceramic Mini Flap Disc (4 total)

Quick Change Sanding & Stripping Kit

\$369
PN: SI2201KIT3

46 piece kit includes
1 x Disc Sander (PN: SI2201)
1 x Quick-Lock 50 & 75 mm Backing Pads

2 x 40, 60, 80, 120 Grit Quick-Lock
50 mm Ceramic Mini Flap Disc (8 total)

2 x 40, 60, 80 Grit Quick-Lock
75 mm Ceramic Mini Flap Discs (6 total)

5 x 36, 60, 80 Grit Quick-Lock
50 mm Ceramic Sanding Disc (15 total)

5 x 36 & 80 Grit Quick-Lock
75 mm Ceramic Sanding Discs (10 total)

2 x 75 & 50 mm Clean & Strip Discs (4 total)

PRICE DROP!

RATCHET WRENCHES

1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/lbs
Length: 168 mm
Weight: 0.54 kg

\$299
PN: SI1217EX

3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/lbs
Length: 168 mm
Weight: 0.54 kg

\$299
PN: SI1218EX

3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 mm sockets, 3/8" square drive.
Max Torque: 33 Ft/lbs
Length: 211 mm
Weight: 0.54 kg

\$589
PN: SI1288S

3/8" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 mm
Weight: 1.15 kg

\$299
PN: SI1340EX

1/2" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 mm
Weight: 1.15 kg

\$299
PN: SI1345EX

1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/lbs
Length: 368 mm
Weight: 1.95 kg

\$539
PN: SI1435

IDEAL FOR HARD TO ACCESS NUTS & BOLTS

WET GRINDERS & SANDERS

5" Angle Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

\$869
PN: SI2515LAWS

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 kg

3-5" Wet Sander

- Waterproofed mechanism
- Water exits through spindle
- Water & air regulators

\$899
PN: SI2322WRLE

Spindle Size: M14x2
Free Speed: 5,500 RPM
Weight: 1.32 kg

SCREWDRIVERS

All screwdrivers feature forward & reverse.

1/4" Screwdriver

- Adjustable clutch

Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 mm
Weight: 1.18 kg

\$499
PN: SI1166A

1/4" Screwdriver

- Adjustable clutch

Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 mm
Weight: 1.35 kg

\$599
PN: SI1166-8A

AIR TOOL OIL

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml
\$13
PN: SI250

1 Litre
\$27
PN: SI1000

5 Litre
\$98
PN: SI5000

20 Litre
\$299
PN: SI20LT



HEAVY DUTY IMPACT WRENCHES

1" H-Duty Impact Wrench
Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

3 Handle Positions

\$1599

PN: SI1860

Also available with 6" anvil (SI1866) or 8" anvil (SI1868).

1" H-Duty Impact Wrench
Max Torque: 2430 Ft/lbs
Bolt Cap: 46 MM
Length: 420 MM
Weight: 15.4 Kg

1-1/2" H-Duty Impact Wrench

1" H-Duty D-Handle Impact Wrench
Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg

\$1599

PN: SI1870

Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

\$2049

PN: SI1880

8" Anvil

\$2379

PN: SI1888

Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3199

PN: SI1900

BELT SANDERS

10 MM Belt Sander
• 160° adjustable sanding arm
• Includes 6, 10 MM sanding belts
• Includes in-line air regulator for quick speed adjustments
Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg



SWIVEL INLET WITH REGULATOR

\$469

PN: SI2740

20 MM Belt Sander
Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg

\$599

SI2800

30 MM Belt Sander
Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg

\$899

PN: SI2830

ANGLE GRINDERS

4" Angle Grinder
• Governed for optimal disc RPM

\$585

PN: SI2500L

Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg



5" Angle Grinder
• Governed for optimal disc RPM
• Spindle Lock

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$599

PN: SI2515LA



7" Angle Grinder
Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg

• Speed governed for optimal disc RPM
• Spline disc receiver and nut



\$799

SI2600L

SHINANO
INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$679

PN: SI-AG4-A2L

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$759

PN: SI-AG5-E3L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$889

PN: SI-AG7-E5L

5" Industrial Wet Angle Grinder

• Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 watts
Spindle: M14 x 22.2 MM
Weight: 2.25 Kg

Water injection through guard



7" Version Available

\$995

PN: SI-AG5-E3LWS

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$389

PN: SI-SG60E-6L



Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$499

PN: SI-SG60E-6LL



Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$349

PN: SI-SG20E-6L

Industrial Angle Die Grinder


Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

\$495

PN: SI-AG2-C2P

2.5" Industrial Straight Grinder

• Accepts 65x13 MM grinding wheels
Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg



\$429

PN: SI-AG20E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$449

PN: SI-SG20E-6LL



\$689

PN: SI-SG3-2L

DIE GRINDERS

1/4" Heavy Duty Angle Head Die Grinder
Free Speed: 22,000 RPM
Length: 185 MM
Weight: 0.81 Kg

NEW MODEL!

\$440
PN: SI2025

1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

\$259
PN: SI2011S

1/4" High Torque Die Grinder
Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg

\$349
PN: SI2015A

1/4" Small Die Grinder
Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

\$269
PN: SI2002EX

1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg

\$269
PN: SI2012EX

1/4" Extended Die Grinder
Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

\$469
PN: SI2022S

POLISHERS

75 MM Pistol Grip Polisher
• Includes velcro pad, wool & sponge buffs and 3 sanding pads
Free Speed: 4,500 RPM
Length: 147 MM
Weight: 0.64 Kg

\$389
PN: SI2221

7" Heavy Duty Angle Polisher
Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg

\$519
PN: SI2451

DRILLS

3/8" Compact Drill

• Non-reversible
Chuck Size: 10 MM
Free Speed: 2,600 RPM
Length: 130 MM
Weight: 0.79 Kg

\$279
PN: SI5500

3/8" Straight Drill

Chuck Size: 10 MM
Free Speed: 6,000 RPM
Weight: 1.06 Kg

\$419
PN: SI2015AD

1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 MM
Free Speed: 800 RPM
Length: 155 MM
Weight: 1.45 Kg

\$565
PN: SI5305-8A

\$399
SI5305A

HAMMERING TOOLS

10.2 mm Pistol Grip Air Hammer
Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

\$299
PN: SI4120A

20 mm Flat Chisel
Shank Dia.: 10.2 MM

\$39
PN: SI810

60 mm Paint Scraper Chisel
Shank Dia.: 10.2 MM

\$69
PN: SI823

Spring Retainer
Suits most hammers.

\$19
PN: GPA70X2

PALM GRIP SANDERS

3" Mini Orbital Sander
Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg

\$475
PN: SI3102

ULTRA COMPACT

6" Dual Action Sander
Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg

\$589
PN: SI3101-6

100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander
Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 1.15 Kg

\$469
PN: SI3011A

6" Dual Action Dust-Free Sander
Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 1.29 Kg

\$699
PN: SI3111-6

DISC SANDERS

Mini Dual Action Sander

• Velcro Pad
• 2 Speed
Free Speed: 15,000 RPM
Pad Size: 75 MM
Orbit Dia.: 3 MM
Weight: 0.52 Kg

\$309
PN: SI2110

4" High Speed Disc Sander
• 3" & 4" pads, 75 MM backing pad & abrasives
Free Speed: 19,000 RPM
Length: 167 MM
Weight: 0.99 Kg

\$289
PN: SI2210R

2" Disc Sander Kit
Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

Includes 2 Abrasive Discs

\$239
PN: SI2201

6" Dual Action Sander
• Velcro Pad

Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg

\$299
SI3100

PRICE DROP!